

*Pure Freude
an Wasser*

GROHE
WAVES

**GROHE
KITCHEN
SELECTION**





QUALITY

From the first design sketch to the final product to after-sales services: Our customers can rely on our Made in Germany sense of perfectionism.

"No.1 most trusted brand in the sanitary industry" – Wirtschaftswoche, 2017

TECHNOLOGY

We constantly drive innovation to enrich your everyday water experience, delivering smart solutions on the path of the digitization of water.

"Top 50 companies to change the world" – Fortune Magazine, 2017

DESIGN

Our highly awarded design DNA's recipe for success is simple: Merging the contemporary and the timeless into products that feel like they were designed just for you.

Over 400 design awards won since 2003

SUSTAINABILITY

Water is our passion. We care about every drop and our CSR commitment goes even beyond one element alone: We strive to protect all of our planet's resources for future generations.

CSR Award winner of the German Government, 2017



GROHE SMARTCONTROL


SmartControl kitchen puts precise control at your fingertips. Instead of a lever you start and stop the water flow by pushing the button on the spray – great for those moments when you have your hands full as it can be operated just by your wrist or elbow. To control the flow just turn the valve, changing smoothly from an eco-flow to a powerful jet.

To adjust the water temperature, turn the valve at the body gently to the left or right. The pull-out spray head design gives you great flexibility, and with this feature available in three designs and 11 attractive finishes, the perfect model for your kitchen scheme is at your fingertips, too.



MAGNETIC DOCKING

Thanks to powerful integrated magnets the pull-out spray head retracts easily and smoothly to the perfect position every time after use.



TYPES OF SPOUTS

Our range of spout options let you combine comfort and convenience with great design flexibility. Our spouts come in a variety of heights, from a compact low spout for small spaces to a high spout perfect for filling pots, as well as in a choice of U-, C- or L-shape to perfectly suit your style. Need even more flexibility? Our spouts that swivel or feature pull-down spray heads offer extra reach, power and performance for busy kitchens.

POWERFUL SPRAY FUNCTIONS

Get some power behind your daily tasks with GROHE's range of professional and pull-out sprays. Enjoy an increased operating radius for maximum convenience, and on many models you can also switch between two spray functions for even greater flexibility. The GROHE EasyDock function with glideflex hose ensures the spray docks smoothly back into position, and on some professional spray models GROHE EasyDock M uses a magnet to guide the spray head back into place effortlessly, every time. When your work is done enjoy the easy-clean advantage of GROHE's SpeedClean feature – available on all pull-out sprays with two spray functions – that lets you clean limescale from the head with a simple sweep of your finger.



PROFESSIONAL SPRAY

Features a 360° spring arm and easy switching between the spray and mousseur.



GROHE PVD

Made-to-last surfaces ranging from precious matt to shiny like a diamond. The special recipe to success lies in our long-lasting surface quality. GROHE uses state-of-the-art technology to deliver exceptional quality finishes.


The physical vapour deposition (PVD) process ensures that the surface composition is three times harder than chrome, delivering glistening gold or sophisticated stainless steel finishes. As well as being harder, the surface is also ten times more scratch resistant than chrome, so it can be cherished for a lifetime.

GROHE StarLight Chrome

Chrome

Nickel

Brass



3 x MORE SURFACE HARDNESS THAN CHROME
10 x MORE SCRATCH RESISTANCE THAN CHROME



GROHE QUICKFIX PLUS

INSTALLATION IN A BREATH

The new GROHE QuickFix Plus technology brings a new era in terms of installation of kitchen faucets. The unique and not comparable GROHE QuickFix Plus system enables an ultrafast setting up without any tools! Up to 70 % less time consumption for the installation!



ENGINEERED IN
GERMANY





















GROHE BLUE HOME: WELCOME TO YOUR PRIVATE WATER SOURCE









When was the last time you truly tasted water? When you took a sip that left you thirsting for more? That's what happens after your first encounter with GROHE Blue Home: a beautiful and intelligent system that transforms simple water into pure thirst-quenching pleasure, and your kitchen into a meeting place for thirsty friends.













First the sheer elegance of the tap catches the eye. But when you take a look behind the scenes, you'll discover the secret of GROHE Blue Home: the cooler – and the reason why drinking water will never be the same again.

| | Article No. (SKU) | Color | RRP excluding VAT |
|---|--|--------|----------------------|
| <p>new Available from October 2020</p>   | 31 615 000 | Chrome | 5735,00 |
| | <p>Essence SmartControl Sink mixer with SmartControl single hole installation GROHE StarLight chrome finish pull-out spray with laminar metal spray GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow temperature adjustment by turning of mixing valve on body swivel tubular spout, swivel area 140° protected against backflow flexible connection hoses GROHE QuickFix Plus ultra fast and simple installation – no tools needed GROHE Zero separated inner water ways – lead and nickel free</p> | | |
|   | 32 843 20E | Chrome | 1709,71 |
| | <p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" high spout single hole installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE Zero separated inner water ways – lead and nickel free GROHE EcoJoy technology for less water and perfect flow mousseur adjustable flow rate limiter swivel tubular spout, selectable swivel area: 0° / 150° flexible connection hoses GROHE QuickFix rapid installation system</p> | | |
|   | 32 842 000 | Chrome | 1210,30 |
| | <p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" low spout single hole installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout, swivel area 140° flexible connection hoses rapid installation system</p> | | |
|   | 33 202 002 | Chrome | 1169,20 |
| | <p>Eurosmart Single-lever sink mixer 1/2" high spout single hole installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge integrated temperature limiter mousseur adjustable flow rate limiter swivel tubular spout, adjustable swivel area 0° / 150° / 360° flexible connection hoses rapid installation system min. recommended pressure 1 bar</p> | | |
|   | 30 269 000 | Chrome | 2644,46 |
| | <p>Essence SmartControl Single-lever sink mixer 1/2" high spout single hole installation GROHE StarLight chrome finish GROHE SilkMove 28 mm ceramic cartridge mousseur swivel tubular spout, adjustable swivel area 0° / 150° / 360° flexible connection hoses rapid installation system integrated temperature limiter min. recommended pressure 1 bar</p> | | |

| | Article No. (SKU) | Color | RRP excluding VAT |
|---|--|----------------------------------|----------------------|
|   | 30 270 000 | Chrome | 3479,67 |
| | <p>Essence SmartControl Single-lever sink mixer 1/2" high spout single hole installation GROHE StarLight chrome finish GROHE SilkMove 28 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position flow strainer pull-out dual spray – switches back and forth between regular flow and spray diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray metal spray swivel tubular spout, swivel area 360° integrated non-return valve protected against backflow flexible connection hoses rapid installation system integrated temperature limiter min. recommended pressure 1 bar</p> | | |
| | 30 270 DC0 | new SuperSteel | 5399,00 |
| | 30 270 BE0 | new Nickel | 5799,00 |
| | 30 270 EN0 | new Brushed Nickel | 5999,00 |
| | 30 270 GL0 | new Cool Sunrise | 5799,00 |
| | 30 270 GN0 | new Brushed Cool Sunrise | 5999,00 |
| | 30 270 DA0 | new Warm Sunset | 5799,00 |
| | 30 270 DL0 | new Brushed Warm Sunset | 5999,00 |
| | 30 270 A00 | new Hard Graphite | 5799,00 |
| | 30 270 AL0 | new Brushed Hard Graphite | 5999,00 |
| <p>new</p>   | 31 538 001 | Chrome | 1489,00 |
| | <p>GROHE BauFlow high spout single hole installation GROHE StarLight chrome finish GROHE Longlife 28 mm ceramic cartridge GROHE Zero isolated inner water ways - lead and nickel free spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses GROHE QuickFix Plus ultra fast and simple installation - no tools needed</p> | | |
| <p>new</p>   | 31 367 001 | Chrome | 1499,00 |
| | <p>GROHE BauEdge Single-lever sink mixer 1/2" high spout single hole installation GROHE StarLight finish GROHE Longlife 28 mm ceramic cartridge GROHE Zero isolated inner water ways - lead and nickel free spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses rapid installation system GROHE QuickFix Plus ultra fast and simple installation - no tools needed minimum pressure 1.0 bar</p> | | |
|   | 32 917 000 | Chrome | 2255,27 |
| | <p>Minta Single-lever sink mixer 1/2" C-spout single hole installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter swivel tubular spout, selectable swivel area: 0° / 150° / 360° flexible connection hoses with compression nut rapid installation system optional temperature limiter ref. no. 46 308</p> | | |


| | Article No. (SKU) | Color | RRP excluding VAT |
|---|---|----------------------|----------------------|
|   | 32 950 000 K7 Single-lever sink mixer 1/2" single hole installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge professional spray diverter: mousseur/ SpeedClean shower jet automatic return to mousseur metal spray adjustable flow rate limiter swivel spout, swivel area 140° 360° maneuverable spring arm protected against backflow flexible connection hoses rapid installation system min. recommended pressure 1 bar | Chrome | 7558,37 |
|   | 30 305 000 Eurosmart Single-lever sink mixer 1/2" low spout single hole installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge flow strainer with integrated temperature limiter pull-out dual spray – switches back and forth between regular flow and spray diverter: laminar spray/ SpeedClean shower jet automatic return to laminar spray adjustable flow rate limiter swivel cast spout, 88° swivel radius GROHE Zero separated inner water ways – lead and nickel free flexible connection hoses rapid installation system protected against backflow | Chrome | 1719,48 |
|   | 31 379 000 31 379 DC0 K7 Single-lever sink mixer 1/2" single hole installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge professional spray diverter: mousseur/ SpeedClean shower jet automatic return to mousseur metal spray adjustable flow rate limiter swivel spout, swivel area 140° 360° maneuverable spring arm protected against backflow flexible connection hoses rapid installation system min. recommended pressure 1 bar | Chrome SuperSteel | 6928,06 9456,72 |
|   | 31 128 001 Conetto Single-lever sink mixer 1/2" medium spout single hole installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel cast spout, swivel area 140° flexible connection hoses rapid installation system min. recommended pressure 1 bar | Chrome | 4127,82 |

| | Article No. (SKU) | Color | RRP excluding VAT |
|---|---|--------|----------------------|
|   | 33 281 002 Eurosmart Single-lever sink mixer 1/2" low spout single hole installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge integrated temperature limiter adjustable flow rate limiter swivel cast spout, swivel area 140° GROHE Zero separated inner water ways – lead and nickel free mousseur with coin slot for tool free replacement flexible connection hoses rapid installation system min. recommended pressure 1 bar | Chrome | 1113,36 |
|   | 40 535 000 Cosmopolitan Soap Dispenser for liquid soaps storage bin 500 ml GROHE StarLight finish | Chrome | 513,99 |
|   | 31 255 000 Eurocube Single-lever sink mixer 1/2" high spout single hole installation GROHE StarLight finish GROHE SilkMove 28 mm ceramic cartridge mousseur swivel cast spout, swivel area 360° flexible connection hoses rapid installation system min. recommended pressure 1 bar | Chrome | 3299,00 |
|   | 31 395 000 Eurocube Single-lever sink mixer 1/2" single hole installation GROHE StarLight finish GROHE SilkMove 28 mm ceramic cartridge professional spray diverter: mousseur/ SpeedClean shower jet metal spray swivel spout, swivel area 140° 360° maneuverable spring arm protected against backflow flexible connection hoses applicable for under cupboard installation rapid installation system automatic return to mousseur | Chrome | 6430,33 |
|   | 32 488 000 Minta Single-lever sink mixer 1/2" U spout single hole installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter swivel tubular spout, selectable swivel area: 0° / 150° / 360° flexible connection hoses rapid installation system optional temperature limiter ref. no. 46 308 | Chrome | 2255,27 |

| | Article No. (SKU) | Color | RRP excluding VAT |
|---|---|--------|----------------------|
|   | 32 918 000 Minta Single-lever sink mixer 1/2" C-spout single hole installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position pull out mousseur spout adjustable flow rate limiter swivel tubular spout, swivel area 360° integrated non-return valve protected against backflow flexible connection hoses rapid installation system optional temperature limiter ref. no. 46 308 min. recommended pressure 1 bar | Chrome | 2738,41 |
|   | 32 667 001 Concetto Single-lever sink mixer 1/2" wall mounted GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout, swivel area 360° projection 223 mm S-unions | Chrome | 1882,60 |
|   | 31 191 001 Costa L Wall sink mixer 1/2" wall mounted metal handles heat-insulated screwable GROHE StarLight finish Longlife headparts mousseur tubular spout, swivel area 360° S-unions | Chrome | 1349,00 |
|   | 31 680 000 GROHE BauFlow Single-lever sink mixer 1/2" low spout single hole installation GROHE StarLight chrome finish GROHE Longlife 35 mm ceramic cartridge GROHE Zero separated inner water ways – lead and nickel free swivel tubular spout, swivel area 140° mousseur with coin slot for tool free replacement flexible connection hoses GROHE QuickFix Plus ultra fast and simple installation – no tools needed min. recommended pressure 1 bar | Chrome | 827,70 |
|   | 31 693 000 GROHE BauFlow Single-lever sink mixer 1/2" medium spout single hole installation GROHE StarLight chrome finish GROHE Longlife 35 mm ceramic cartridge GROHE Zero separated inner water ways – lead and nickel free swivel tubular spout, swivel area 140° mousseur with coin slot for tool free replacement flexible connection hoses GROHE QuickFix Plus ultra fast and simple installation – no tools needed min. recommended pressure 1 bar | Chrome | 930,60 |

| | Article No. (SKU) | Color | RRP excluding VAT |
|--|--|--------|----------------------|
|   | 31 455 001 GROHE Blue Home C-spout Starter kit consisting of: GROHE Blue Home single-lever sink mixer with filter function, single hole installation, C-spout, push buttons for 3 types of filtered and chilled water: still, medium, sparkling GROHE StarLight finish GROHE SilkMove 28 mm ceramic cartridge swivel tubular spout, swivel area 150° separate inner water ways for filtered and non-filtered water flexible connection hoses GROHE Blue Home cooler delivers 3 liters of chilled sparkling water per hour 180 Watt cooling unit, 230 V, 50 Hz type of protection IP 21, CE approved requires ventilation holes in the bottom of the kitchen cabinet software set-up and monitoring of filter and CO ₂ capacity possible via GROHE Ondus app with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver adjustable for GROHE Blue filter S-Size, GROHE Blue activated carbon filter and GROHE Blue magnesium+ filter GROHE Blue filter S-Size, filter head with flexible water hardness adjustment for regions with water hardness of more than 9° dKH for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001 GROHE Blue 425 g CO ₂ bottle | Chrome | 20488,79 |
| <p>SYSTEM REQUIREMENTS</p> <p>Apple: iPhone with iOS 9.0 or higher Android: smart phone with Android 4.3 or higher</p> <p>Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store / store / iTunes or Google Play store. * The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners. ** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards. *** Available for free via iTunes app or Google Play store. This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/</p> | | | |
|   | 31 328 001 GROHE Blue UltraSafe Pure Starter kit consisting of: GROHE Blue single-lever sink mixer with filter function, single hole installation, C-spout, separate handle for filtered water, headpart 1/2" GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter swivel tubular spout, swivel area 180° separate inner water ways for filtered and non-filtered water flexible connection hoses type of protection IP 21 main switching power supply 100 – 240 V AC 50/60 Hz with safety extra-low voltage (SELV) 6 V DC to filter change display unit GROHE Blue UltraSafe 3000 I filter UltraSafe filter head with flexible adjustment This product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+ | Chrome | 9899,00 |
|   | 40 404 001 GROHE Blue Filter S-Size BWT replacement filter for GROHE Blue capacity 600 l at 20° dKH 5-phases filter compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure | | 1087,73 |
|   | 40 430 001 dito, M-Size, capacity 1500 l at 20° dKh, 315 mm high | | 2256,32 |
|   | 40 849 000 GROHE Blue 425 g CO ₂ bottle, empty refillable CO ₂ 425 g bottle volume 1 bottle: 425 g, for up to 60 l of sparkling water (can also be procured from Lixil Africa after Sales Service in full) | | 525,00 |

new



| Article No. (SKU) | Color | RRP excluding VAT |
|-------------------|--------|----------------------|
| 30 309 000 | Chrome | 2999,00 |

Universal Foot Control Retrofit Set
 Foot control: activation of water via contact with sensor
 battery supply 6 V lithium-battery, type CR-P2
 CE approved
 solenoid valve
 fixed value mixing valve
 automatically stops after 60 sec. (factory set)
 type of protection IP 44
upgrade set for all GROHE pull-out kitchen faucets
 (K7, Eurocube, Essence, Minta, Eurosmart)
 not suitable for combination with open water heater



GROHE FOOTCONTROL LIBERATES YOUR HANDS

GROHE FootControl taps can be turned on with a simple tap of your toe on the base unit to leave your hands free and your tap spotless. This new level of kitchen convenience makes it easier than ever to fill heavy pots and clean the dishes or your hands while also leaving the tap hygienic and germ-free.



FootControl

| ARTICLE NO. (SKU) | COLLECTION | DESCRIPTION | COLOR | PAGE NO. | RRP (EXL. VAT) |
|-------------------|------------------------|--|-----------------------|----------|----------------|
| 31 615 000 | Essence | Sink mixer with SmartControl | Chrome | 14 | 5735,00 |
| 32 843 20E | Eurosmart Cosmopolitan | Single-lever sink mixer 1/2" | Chrome | 14 | 1709,71 |
| 32 842 000 | Eurosmart Cosmopolitan | Single-lever sink mixer 1/2" | Chrome | 14 | 1210,30 |
| 33 202 002 | Eurosmart | Single-lever sink mixer 1/2" | Chrome | 14 | 1169,20 |
| 30 269 000 | Essence | Single-lever sink mixer 1/2" with SmartControl | Chrome | 14 | 2644,46 |
| 30 270 000 | Essence | Single-lever sink mixer 1/2" with SmartControl | Chrom | 15 | 3479,67 |
| 30 270 DC0 | Essence | Single-lever sink mixer 1/2" with SmartControl | SuperSteel | 15 | 5399,00 |
| 30 270 BE0 | Essence | Single-lever sink mixer 1/2" with SmartControl | Nickel | 15 | 5799,00 |
| 30 270 EN0 | Essence | Single-lever sink mixer 1/2" with SmartControl | Brushed Nickel | 15 | 5999,00 |
| 30 270 GL0 | Essence | Single-lever sink mixer 1/2" with SmartControl | Cool Sunrise | 15 | 5799,00 |
| 30 270 GN0 | Essence | Single-lever sink mixer 1/2" with SmartControl | Brushed Cool Sunrise | 15 | 5999,00 |
| 30 270 DA0 | Essence | Single-lever sink mixer 1/2" with SmartControl | Warm Sunset | 15 | 5799,00 |
| 30 270 DL0 | Essence | Single-lever sink mixer 1/2" with SmartControl | Brushed Warm Sunset | 15 | 5999,00 |
| 30 270 A00 | Essence | Single-lever sink mixer 1/2" with SmartControl | Hard Graphite | 15 | 5799,00 |
| 30 270 AL0 | Essence | Single-lever sink mixer 1/2" with SmartControl | Brushed Hard Graphite | 15 | 5999,00 |
| 31 538 001 | BauFlow | Single-lever sink mixer 1/2" | Chrome | 15 | 1489,00 |
| 31 367 001 | BauEdge | Single-lever sink mixer 1/2" | Chrome | 15 | 1499,00 |
| 32 917 000 | Minta | Single-lever sink mixer 1/2" | Chrome | 15 | 2255,27 |
| 32 950 000 | K7 | Single-lever sink mixer 1/2" | Chrome | 16 | 7558,37 |
| 30 305 000 | Eurosmart | Single-lever sink mixer 1/2" | Chrome | 16 | 1719,48 |
| 31 379 000 | K7 | Single-lever sink mixer 1/2" | Chrome | 16 | 6928,06 |
| 31 379 DC0 | K7 | Single-lever sink mixer 1/2" | SuperSteel | 16 | 9456,72 |
| 31 128 001 | Concetto | Single-lever sink mixer 1/2" | Chrome | 16 | 4127,82 |
| 33 281 002 | Eurosmart | Single-lever sink mixer 1/2" | Chrome | 17 | 1113,36 |
| 40 535 000 | Cosmopolitan | Soap dispenser for liquid soaps | Chrome | 17 | 513,99 |
| 31 255 000 | Eurocube | Single-lever sink mixer 1/2" | Chrome | 17 | 3299,00 |
| 31 395 000 | Eurocube | Single-lever sink mixer 1/2" | Chrome | 17 | 6430,33 |
| 32 488 000 | Minta | Single-lever sink mixer 1/2" | Chrome | 17 | 2255,27 |
| 32 918 000 | Minta | Single-lever sink mixer 1/2" | Chrome | 18 | 2738,41 |
| 32 667 001 | Concetto | Single-lever sink mixer 1/2" | Chrome | 18 | 1882,60 |
| 31 191 001 | Costa L | Single-lever sink mixer 1/2" | Chrome | 18 | 1349,00 |
| 31 680 000 | BauFlow | Single-lever sink mixer 1/2" | Chrome | 18 | 827,70 |
| 31 693 000 | BauFlow | Single-lever sink mixer 1/2" | Chrome | 18 | 930,60 |
| 31 455 001 | GROHE Blue Home | C-Spout Starter Kit | Chrome | 19 | 20488,79 |
| 31 328 001 | GROHE Blue Pure | UltraSafe Starter Kit | Chrome | 19 | 9899,00 |
| 40 404 001 | GROHE Blue | S-Size Filter | / | 19 | 1087,73 |
| 40 430 001 | GROHE Blue | M-Size Filter | / | 19 | 2256,32 |
| 40 849 000 | GROHE Blue | 425 g CO2 bottle, empty | / | 19 | 525,00 |
| 31 397 000 | Minta | Single-lever sink mixer 1/2" for open water heater | Chrome | 20 | 4891,30 |
| 31 180 000 | Eurosmart Cosmopolitan | Single-lever sink mixer 1/2" for open water heater | Chrome | 20 | 2933,03 |
| 30 309 000 | FootControl | Universal Foot Control Retrofit Set | Chrome | 22 | 2999,00 |




Follow us



QUALITY

*"No.1 most trusted brand
in the sanitary industry" –
Wirtschaftswoche, 2017*




TECHNOLOGY

*"Top 50 companies
to change the world" –
Fortune Magazine, 2017*



DESIGN

*Over 400 design awards
won since 2003*



SUSTAINABILITY

*CSR Award winner
of the German
Government, 2017*

20 Wright Street
Factoria
Krugersdorp, 17139
South Africa
www.grohe.co.za

© 07/2020 – Copyright by GROHE
Subject to change without notice.

PART OF **LIXIL**