



MODERNISED DESIGN
ATTRACTIVE PRICE

NEW GROHE BAUEDGE AND BAUCOSMOPOLITAN



PART OF **LIXIL**

GROHE BAUEDGE DESIGN EVOLUTION



CURRENT

GROHE BAUEDGE FEATURES AND TECHNOLOGIES INSIGHT



INCREASED COMFORT
ANGLED SPOUT FOR MORE
COMFORT



GROHE ZERO
NICKEL AND LEADFREE
WATER WAYS


NO WATER SPLASHING
WITH THE GROHE
BAUCERAMIC RANGE

INCREASED COMFORT
INDEX TO NEW
MODERN DESIGN



ANGLED MOUSSEUR
FOR MORE SPACE IN
THE BASIN

FUTURE



GROHE Engineered
PRECISION AND EFFICIENT
PRODUCTION DUE TO MINIMAL
MATERIAL USAGE

NEW BAUEDGE RANGE ENHANCEMENTS

COMPACT DESIGN -
SLIMMER, SHORTER LEVER

LEVER & BODY
PERFECTLY ALIGNED

LIFT-ROD AND
PUSH OPEN POP-UP
WASTE SETS


SLIM 28 MM LONGLIFE
CERAMIC CARTRIDGE

CLEAR CUT LINES IN
100% COSMOPOLITAN
DESIGN

ANGLED MOUSSEUR FOR
MORE SPACE IN THE WASH
BASIN

INNER WATER WAYS – NO
CONTACT BETWEEN THE
WATER AND BRASS BODY.

RAPID INSTALLATION SYSTEM






Description	Codes	MOT's & Warranty
<p>BauEdge Small Basin Mixer Smooth Body</p> <p>Single hole installation. GROHE Longlife 28 mm ceramic cartridge. With temperature limiter. GROHE StarLight chrome finish. GROHE Zero separated inner water ways- lead and nickel free within the faucet. Mousseur 12.5 l/min. Rapid installation system. Smooth body. Flexible connection hoses 1/2" BSP.</p>	<p>G-32858001 4005176556296</p>	



Description	Codes	MOT's & Warranty
<p>BauEdge Small Basin Mixer with Pop-up Waste Set</p> <p>Single hole installation. GROHE Longlife 28 mm ceramic cartridge. With temperature limiter. GROHE StarLight chrome finish. GROHE Zero separated inner water ways - lead and nickel free within the faucet. Mousseur 12.5 l/min. Rapid installation system. Plastic pop-up waste set 1". Flexible connection hoses 1/2" BSP.</p>	<p>G-32819001 4005176556234</p>	




Description	Codes	MOT's & Warranty
<p>Raised Basin Mixer</p> <p>For free-standing basins. GROHE Longlife 28 mm ceramic cartridge. With temperature limiter. GROHE StarLight chrome finish. GROHE Zero separated inner water ways - lead and nickel free within the faucet. Mousseur 12.5 l/min. Rapid installation system. Smooth body. Flexible connection hoses 1/2" BSP.</p>	<p>G-32860001 4005176556432</p>	



Description	Codes	MOT's & Warranty
<p>BauEdge Concealed Shower or Bath Mixer</p> <p>Concealed installation consisting of set for final installation with concealed body. GROHE Longlife 46 mm ceramic cartridge. GROHE StarLight chrome finish Adjustable flow rate limiter. Escutcheon - and shaft-sealing. Optional temperature limiter ref. no. 46 375 000.</p>	<p>G-29040001 4005176556548</p>	



Description	Codes	MOT's & Warranty
<p>BauEdge Concealed Diverter Mixer</p> <p>Concealed installation consisting of set for final installation with concealed body. GROHE Longlife 46 mm ceramic cartridge. GROHE StarLight chrome finish. Adjustable flow rate limiter. Automatic diverter: bath/shower. Escutcheon- and shaft-sealing. Optional temperature limiter ref. no. 46 375 000.</p>	<p>G-29039001 4005176556678</p>	



Description	Codes	MOT's & Warranty
<p>BauCosmopolitan Bath Spout</p> <p>Wall mounted. GROHE StarLight chrome finish. Mousseur. Projection 171 mm. Male thread 1/2".</p>	<p>G-13255001 4005176556722</p>	



Description	Codes	MOT's & Warranty
<p>BauCosmopolitan Bath Spout with Diverter</p> <p>Wall mounted. GROHE StarLight chrome finish. Mousseur. Non-return valve. Automatic diverter: bath/shower. Female thread 1/2".</p>	<p>G-13425001 4005176555626</p>	

Follow us



Contact us on:
+27 (0) 861 21 21 21
customer.helpdesk@lixil.com

LIXIL Africa
20 Wright Street,
Factoria,
Krugersdorp, 1739
South Africa

© 12/2021 – Copyright by GROHE

PART OF LIXIL