

# THE HOTEL EXPERIENCE FROM GROHE

*Pure Freude  
an Wasser*

**GROHE**  
Wasser







# GROHE

## THE BRAND OF CHOICE

### GLOBAL SUPPLIER TO HOTEL CHAINS – LARGE AND SMALL.

GROHE products can be found in hotel developments large and small all over the world. Thanks to unique versatility in design and functionality, innovative technology and endless possible applications, GROHE products are perfectly placed to meet the rigorous demands of the hospitality sector.

In many countries around the world, GROHE is one of the most sought-after brands in the industry. In 2019 GROHE won the distinction of “Red Dot: Brand of the Year”. GROHE will enhance your hotel bathroom experience – both high-end properties and cost effective bathroom solutions what ever the budget.

Our goal is to deliver the very best guest experience, provide designers with a broad choice of inspirational products and investors and operators with the highest possible return on investment.





## FOR THE COMPLETE BATHROOM SOLUTION

GROHE is in the rare position of being able to provide a complete range of coordinated taps, showers, ceramics and accessories in a range of colours and finishes that complement the latest sanitary ware designs.

Our extensive portfolio covers a range of price points enabling you to source all your sanitary fittings and sanitary ware from a single supplier – GROHE.

### **GROHE offers:**

- A carefully curated range of finishes for all touchpoints in the bathroom.
- An extensive range of basin and bath taps and showers to suit all applications.
- Concealed cisterns and flush actuation plates, for effortless water saving.
- Ceramic ranges made to match in form and function with GROHE fittings.



## SAVING PRECIOUS RESOURCES

### ENSURING WATER ENJOYMENT FOR GENERATIONS TO COME

Sensor activated fittings can be set to deliver the optimum water flow automatically stopping after the user has left the washing area. In this way they contribute towards achieving the highest standards in terms of sustainability by minimising water use and our integrated EcoJoy water-saving technologies can also generate significant water and energy savings from the outset.

GROHE also have a Powerbox that contains a water turbine that generates energy, so no battery or mains power is needed.

Additionally, GROHE demonstrates through our Sustainability Report and Sustainability accolades that we have made a serious corporate commitment to protecting the planet.





## DESIGNED FOR PERFORMANCE AND SAFETY

### ENDURING DESIGN OUTSIDE AND IN.

Our history of great German engineering, lifecycle testing and numerous external certification processes are what gives our customers complete confidence in a name they can trust that delivers on performance, safety, durability, maintenance and return on investment.

**Creating a hygienic bathroom.** The risk of bacteria being present on surfaces has increased the demand for a touch free environment. Sensor activated flushing systems for W.C's and urinals and automatically operated faucets are all available to make the specification of the public and hotel washrooms easier for the designer and more hygienic for the user.

**Easy to clean surfaces.** The clean design of GROHE fittings prevents dirt from accumulating in corners and allows the waste water to flow away unobstructed. As a result, the surfaces are easier to clean and the scope of the cleaning work is significantly reduced.

GROHE also has over 800 WRAS (Water Regulations Advisory Scheme) approved products including basin and kitchen mixers, bath fillers, showers, flush plates.







# GROHE, MASTERS OF TECHNOLOGY, ENHANCE THE EXPERIENCE OF LUXURY LIVING

GROHE is honoured to showcase The Yacht Club, a successful partnership and collaboration with Amdec Property Development, Vortex Pipe Works, De Leeuw Quantity Surveyors and Source Interior Architects.

GROHE, in collaboration with these partners, specified The Yacht Club and AC Hotel by Marriott with top-of-the-range GROHE lines. In the hotel suites, Lineare, one of GROHE's popular hybrid ranges was specified, including a combination of round and square features.

With the strong focus and requirement for water saving in South Africa, specifically in the Western Cape, all taps and mixers include water-saving aerators limited to 5.7l/m. GROHE Tempesta showers are fitted with 9l/m restrictors and GROHE concealed cisterns reduce water usage and overall maintenance costs by utilising pneumatic technology. These products minimise consumption and maximise enjoyment.

In the apartments, the stylish and elegant Eurosmart Cosmopolitan range was specified throughout, delivering on a super-modern cosmopolitan look with emphasis on style, comfort and convenience.

The Yacht Club is a mixed-use development in the Foreshore area of Cape Town, near the entrance to the V&A Waterfront. The Yacht Club apartments offer a vibrant New Urban lifestyle. It overlooks Cape Town Harbour and the new Cruise Liner Terminal to the north, and the city and Table Mountain to the south. The development comprises two towers of modern apartments, along with Africa's first AC Hotel by Marriott, set on a podium of Premium Grade office space, which has recently been released to the market.





## REFERENCE PROJECTS



### PREMIER HOTEL IN UMHLANGA, KZN.


The Premier Hotel Group has over 16 hotels and resorts providing almost 2000 bedrooms to discerning business and leisure travellers, each of which is designed and decorated according to exceptional standards of quality and consistency. One of Premier's latest projects is the building of a R380 million development in Umhlanga that comprises of the four-star Premier Hotel and the three-star Premier Splendid Inn.

LIXIL Africa is proud to feature its world-class and locally manufactured products in the former hotel, the Premier Hotel Umhlanga. Once completed, this high-end hotel will comprise 130 luxurious bedrooms, each of which will offer magnificent ocean views, as well as a restaurant, swimming pool and gym.

In line with the rooms' sleek and superior aesthetic, the bathrooms had to be fitted with products of the highest quality. As a result, LIXIL Africa installed the elegant, water-saving GROHE Eurosmart basin mixer, which includes the GROHE EcoJoy mousseur that provides water at 5.7 l/min and the GROHE QuickFix rapid installation system. The GROHE cistern, chosen for its discreet flush and water-saving technology, was also used, as was the Vaal Entice rimless wall-hung pan, which is known for its soft-close seat, and the exclusive GROHE Grandera freestanding bath mixer.

LIXIL Africa worked closely with several professionals in order to make this project possible, including Elphick Proome Architecture, Premier Group developers, MLC Quantity Surveyors, Novospace interior architects and Key Projects project managers.

The success of this project meant that LIXIL Africa products have now become the preferred brand for the hotel group. So the next time you're standing in the bathroom of a Premier hotel, take a moment to enjoy and experience the beautiful LIXIL Africa products around you.





## RADISSON BLU HOTEL & RESIDENCE CPT



225 Hotel Rooms  
166 Executive Residential Apartments  
22 Riebeeck St, Cape Town City Centre, Cape Town

Developer	Signatura
Architect	Collaboration / DHK Architects & Juan Bernicchi Architects
Interior Designer	Source Interiors
Construction Value	200M+
Completed	2017



Situated in the heart of Cape Town's financial district sits the distinctive Safamarine house building which was converted from a Commercial Office space into the now easily known and recognizable Radisson Blu Hotel and residence.

The Mother City is renowned the world over for its iconic deep blue ocean and mountainous landscapes, so it comes as no surprise that our natural elements serve as an inspiration to this beautifully designed building. A stunning mix of historic and ultra-modern, this award-winning CBD venue pays homage to the mother cities core roots.

The building itself boats sophisticated design elements as well as an elegant decor which is an integral part of the Radisson Blu brand globally. Focusing on the moody complexities of Cape Town's weather and the unique history is exactly what appointed interior design studio, Source Interior Brand Architecture's Creative Director Mardre Meyer and his team had in mind when drafting the extensively detailed design direction for the hotel.



The iconic building in Riebeeck Street was constructed in the 1990's for Old Mutual to move from their head office, then situated in Darling Street. It was designed in reference to the original head office, with features and elements that are reminiscent of the building in Darling Street, now known as Old Mutual Heights. With its unique and recognisable triangular windows and cross-shaped exterior, this iconic building has been transformed into the perfect city-centre hub for business trips and stylish getaway for leisure travellers as South Africa's newest Radisson Blu.

The interior design and decor of the hotel incorporates contemporary shades of grey, green and blue, alongside the use of ombre patterns, reminiscent of mist diffusing through Cape Town's city bowl. Sporting its original marble flooring and wooden wall panels, which have been incorporated into the sophisticated design, the hotel's decor combines all things modern and stylish with the original materials that were an integral part of the building's characteristics from the onset.

For the Brassware selection Grohe's range of products became the Brand of choice integrating all the needed elements for this build in its products, Design, Technology, Quality and sustainability. Grohe's Logo 'Pure Freude an Wasser' inspired one more reason to go with this prestigious and Global Brand because of the Professional teams critical focus on water and energy saving. Grohe is passionate about water and for which the basin mixers installed all included 5.7L p/min water saving devices. The overhead Grohe 200mm ceiling mounted shower roses and hand showers added to the overall luxurious bathroom feel adding to the intuitive design language.





# LOCAL SUPPORT

We are always delighted to meet customers face-to-face to discuss your hotel project and we offer a full proposal service that includes product codes, indicative pricing, images and technical specifications, as well as CAD and BIM data.

## **Tailor-made service packages for major hotel projects include:**

- On-site installation training and supervision – to ensure trouble-free installation.
- Standby Service – a GROHE technician on standby to deal with any initial teething problems.
- Annual maintenance – our check up and maintenance service includes refresher training for maintenance staff.
- Experiential sample rooms.
- CPD training on topics of Sustainability, Hygiene & break-out technologies.

GROHE is owned by LIXIL, headquartered in Japan. LIXIL makes pioneering water and housing products that solve everyday, real-life challenges, making better homes a reality for everyone, everywhere.


## **CONTACT US NOW**

Email: [projects.africa@lixil.com](mailto:projects.africa@lixil.com) | Phone: +27 861 21 21 21  
[grohe.lixil.co.za](http://grohe.lixil.co.za)



## BATHROOM SUITE





## Grohe Uniset Element for WC with EPS housing

**Product Notes** - With flushing cistern GD 2. Sound-insulating EPS module for masonry. Rail adapters for modular fixing. For single or rail installation. Wall rail with fixing accessories for single installation. 2 WC fixing bolts (distance of fixing bolts 180/230 mm). Fixing device for ceramic. Outlet bend Ø 90 mm, depth adjustable. Reducer Ø 90/110 mm. Inlet and outlet connecting set. Flushing cistern GD 2, 6 - 9l Public Spaces.

**GRO-38643001**



## Grohe - Uniset element for WC with flushing cistern

**Product Notes** - Pneumatic discharge valve offering 2 modes of operation: dual flush or single flush. PE outlet bend Ø 80 mm. Inlet and outlet connecting set. Steel frame, hot galvanized, with 4 fixing brackets. 2 WC fixing bolts (distance of fixing bolts 180/230 mm). Fixing device for ceramic. Water supply connection from top. Low noise (group I acc. to German Noise Specification).

**GRO-38729000**



## Grohe - GD2 Flushing cistern GD 2

**Product Notes** - Factory set 6 l and 3 l. Pneumatic discharge valve offering 2 modes of operation: dual flush or single flush. Connection from left/right/back or top. Insulated against condensation. ½" water supply connection including integrated angle valve and push fit flexible hose union. Inspection shaft for vertical or horizontal use allows for flush plate to be installed vertically or horizontally. Flush pipe insulated against condensation. Fixing brackets. For mounting of small flush plates please order revision shaft 40 911 000 (sold separately).

**GRO-38661000**



## Grohe - Rapid SL for WC 113m Installation Height

**Product Notes** - With flushing cistern GD 2, 6 l - 9 l for on-the-wall installations or studded walls powder coated steel frame, self-supporting TÜV approved 2 WC fixing bolts fixing device for ceramic WC ceramics with small bearing area.

**GRO-38528001**



## BATHROOM WC







## Grohe - Essence Wall hung WC

**Product Notes** - For concealed cistern wash down rimless horizontal outlet flush volume 3/4.5 l including fixation set sanitary ware fully skirted with invisible fixation PureGuard anti scale coating and anti bacterial glazing compatible with seat and cover 39 576 000 (standard) or 39 577 000 (soft close).

**GRO-3957100H**



## Grohe - Essence Floor standing back to wall WC

**Product Notes** - Essence Ceramic Back-To-Wall Rimless Pan with Universal Trap & PureGuard White. Seat additional.

**GRO-3957300H**



## Grohe - Euro Ceramic Wall hung compact WC

**Product Notes** - For concealed cistern horizontal outlet GROHE Triple Vortex flushing technology wash down rimless flush volume 3/5 l 49 cm width including fixation set sanitary ware fully skirted with invisible fixation optional: PureGuard anti scale coating and anti bacterial glazing (00H) compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close).

**GRO-39206000**









## BATHROOM SUITE





### Grohe Skate Cosmopolitan Flush plate

**Product Notes** -ith glass surface for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of security glass mounting set not suitable for flushing cistern 6 l GROHE StarLight finish GROHE EcoJoy technology for less water and perfect flow for combination with Rapid SL and Uniset with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately).

**GRO-38845LSO**



### Grohe - Skate Cosmopolitan Flush plate

**Product Notes** - For dual flush or start & stop actuation. Pneumatic drop valve AV1. For vertical and horizontal installation. GROHE StarLight finish. GROHE EcoJoy technology for less water and perfect flow. For combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately).

**GRO-38732A00**



### Grohe - Arena Cosmopolitan Flush plate

**Product Notes** - For dual flush or start & stop actuation for pneumatic discharge valve AV1 horizontal installation 156 x 197 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow for combination with Rapid SL and Uniset with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately).

**GRO-38858000**



### Grohe - Nova Cosmopolitan Flush plate

**Product Notes** - For dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow for combination with Rapid SL and Uniset with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately).

**GRO-38765000**



# BATHROOM





### Grohe - Lineare Basin Mixer 1/2Inch S-Size Chrome

**Product Notes** - Installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses.

**GRO-23106001**



### Grohe - Eurosmart Cosmopolitan Single Lever Basin Mixer 1/2

**Product Notes** - Monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses optional temperature limiter (46 375 000).

**GRO-23327000**



### Grohe - Essence 2-hole basin mixer M-Size

**Product Notes** - Wall mounted. Set for final installation for 23 571 000 without concealed body. Metal escutcheon metal lever. GROHE StarLight finish. GROHE EcoJoy mousseur 5.7 l/min. GROHE AquaGuide adjustable mousseur centre distance 110mm. Projection 183 mm.

**GRO-19408A01**



### Grohe - Essence Single-lever basin mixer 1/2"XL-Size

**Product Notes** - Single hole installation metal lever for free-standing basins GROHE SilkMove 28 mm ceramic cartridge with temperature limiter GROHE StarLight finish GROHE EcoJoy mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE FastFixation Plus rapid installation system swivel spout with mousseur and stop limiter smooth body flexible connection hoses min. recommended pressure 1.0 bar.

**GRO-32901AL1**



## BATHROOM **WASH HAND BASINS**





## Grohe - Cube Ceramic Underslung Basin w/ Overflow 492x370mm White

**Product Notes** - Installation from below with overflow 492 x 370 mm including fixation set sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing).  
615mm x 127mm x 504mm

**GRO-3948000H**



## Grohe - Essence Vessel basin 60

**Product Notes** - without overflow 600 x 400 mm including fixation set including ceramic waste, removable cover non-closable sanitary ware PureGuard anti scale coating and anti bacterial glazing.

**GRO-3960800H**



## Grohe - Bau Under-counter wash basin 55

**Product Notes** - installation from below with overflow 560 x 420 mm sanitary ware.

**GRO-39423000**



## Grohe - Cube Wash basin 50

**Product Notes** - Wall hung 1 hole punched, 2 holes pre-punched with overflow 500 x 490 mm sanitary ware PureGuard anti scale coating and anti bacterial glazing

**GRO-3947400H**



## BATHROOM - SHOWER 01







## Grohe - Tempesta Cosmopolitan 200 Head Shower Chrome

**Product Notes** - Rain spray pattern Ball joint +/- 20° rotatable connection thread 1/2" suitable for instantaneous heater min. recommended pressure 1 bar 200mm x 58mm.

**GRO-27541001**



## Grohe - Tempesta Shower Arm 400mm Chrome

**Product Notes** - Tempesta Shower arm 400mm Chrome.  
Volume: 0.001344m³

**GRO-27851000**



## Grohe - Tempesta Cosmopolitan 100 Shower Rail Set 3 Sprays Chrome

**Product Notes** - Consisting of: hand shower (27 574) shower rail, 600 mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life.

**GRO-27579002**



## Grohe - Relaxa Shower Outlet Elbow Chrome

**Product Notes** - Shower connection 1/2" wall connection 1/2" male thread GROHE StarLight chrome finish with matt chrome cap.

**GRO-28626000**



## BATHROOM - SHOWER 02





## Grohe - Grohtherm Smartcontrol Concealed Mixer w/2 Valve Chrome

**Product Notes** - Set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet B = 24 l/min outlet C = 26 l/min outlet B+C = 29 l/min.

**GRO-29124000**



## Grohe - Rapido SmartBox Universal Concealed Installation Unit

**Product Notes** - 3 outlets 1/2" 2 inlets below, 1/2" installation depth 75-105 mm connection unit in DR brass premounted flushing plug stable build-in box and protective cover fixing options for solid walls and dry cladding gasket without set for final installation.

**GRO-35600000**



## Grohe - Rainshower F-Series Shower System with Thermostat Chrome

**Product Notes** - Horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Rainshower F-Series 254 (27 285 000) material:metal with ball joint, rotation angle  $\pm 20^\circ$  hand shower Sena (28 341 000) adjustable height via gliding element (12 140 000) metal shower hose 1750 mm GROHE EcoJoy 9.5 l/min flow limiter GROHE TurboStat GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE CoolTouch GROHE DreamSpray perfect flow GROHE StarLight chrome finish SpeedClean antilimescale system Inner WaterGuide for a longer life.

**GRO-27469000**



## BATHROOM - PUBLIC AREAS 01





## Grohe - Eurosmart Cosmo E IR Elect Basin Mixer 1/2" with Mixing Device & Adjustment Temperature Limiter

**Product Notes** - With infrared sensor for bi-directional communication for monitoring, configuration and servicing without power supply 36 338 000 (required) GROHE EcoJoy mousseur 5.7 l/min flexible connection hoses non-return valve dirt strainers with integrated solenoid valve rapid installation system 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K.

**GRO-36325001**



## Grohe - Euroeco Powerbox

**Product Notes** - infra-red electronic basin tap 1/2" without mixer with infrared sensor for bi-directional communication for monitoring, configuration and servicing including Powerbox self-generating power system GROHE StarLight finish GROHE EcoJoy 6.0 l/min mousseur flexible connection hose dirt strainer rapid installation system Powerbox power generator with water turbine internal energy saving unit with use of 60 s/24 h stand-by, 260 s/100 h stand-by with additional backup power 7 pre-set programs: auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved min. recommended pressure 1.0 bar.

**GRO- 36384000**



## Grohe - Eurosmart Cosmo E IR Elect Mixer 1/2" with Mixing Device & Adjustment Temperature Limiter

**Product Notes** - With infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE EcoJoy mousseur 5.7 l/min flexible connection hoses non-return valve dirt strainers with integrated solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K.

**GRO-36327001**



## PUBLIC AREA-WC





## Grohe - Tectron Skate Infra-Red Stainless Steel

**Product Notes** - With infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC for flushing cistern GD 2 / Rapid SL 1.13 m only servo motor concealed installation front plate 156 x 197 mm infra-red control 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 CE approved.

**GRO-38698SD1**



## Grohe - Rapid SI Element for WC, 1.13 m installation height

**Product Notes** - With flushing cistern GD 2 , 6 l - 9 l for on-thewall installations or studded walls powder coated steel frame, self-supporting TÜV approved 2 WC fixing bolts fixing device for ceramic WC ceramics with small bearing area.

**GRO-38528001**



## Grohe - Bau Wall hung WC set

**Product Notes** - Bau Ceramic wall hung WC (39 427 000) for concealed cistern horizontal outlet wash down rimless flush volume 3/6 l sanitary ware Bau Ceramic WC seat (39 493 000) soft close quick release function detachable material: Duroplast including fixation set.

**GRO-39351000**



# URINAL





## Grohe - Tectron Skate Infra-Red Electronic for Urinal Stainless Steel

**Product Notes** - With infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC cartridge with solenoid valve and dirt strainer front plate 116 x 144 mm flow pressure min 0.5 bar operating pressure max 10 bar 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flow time by hand or remote compatible with for Rapido U CE approved.

**GRO-37321SD1**



## Grohe - Rapido U Rough -In Set for Urinal Blue

**Product Notes** - Roughing-in set for urinal for manual actuation or Tectron infra-red electronic 6 V or 230 V water group with stop valve flow pressure min 0.5 bar operating pressure max 10 bar flush aid functional unit checked ex factory water supply connections ½" outer thread connecting box for mains supply installation box with gasket fixing points for dry cladding and masonry-in inspection shaft incl.protection.

**GRO-37338000**



## Grohe - Bau Ceramic Wall-Hung Urinal w/ Concealed Inlet White

**Product Notes** - Concealed inlet wall fixings Included flush volume 1 l including fixation set sanitary ware for installation please order urinal trap 39 732 000 (horizontal outlet) or 39 733 000 (vertical outlet), sold separately not compatible with temperature sensor 39 367 000  
395mm x 180mm x 475mm

**GRO-39438000**



## Grohe - Rapid SL Wall Union 2 Pieces

**Product Notes** - For against-the-wall installations for fixing the elements at the brick-wall or in front of the stud-ded wall adjustment from 130 - 230 mm 2 pieces.130mm x 130mm x 40mm  
Related To: GRO-38528001

**GRO-3855800M**



## Grohe - Urinal Trap Horizontal Outlet

**Product Notes** - Vertical Outlet Ø 50 mm 0,5 - 4 l Flushing Volume Center In- and Outlet: 80 mm for Bau Ceramic Urinal 39 438 000 and 39 439 000.

**GRO-39732000**



## BATHROOM - ACCESSORIES 01





## Grohe - Essentials Bathrobe Hook Chrome

**Product Notes** - Material: metal concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately).

**GRO-40364001**



## Grohe - Essentials Grip Bar 295mm Chrome

**Product Notes** - Material: metal 349 mm (useable length 295 mm) concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels).

**GRO-40421001**



## Grohe - Essentials Towel Holder 600mm Chrome

**Product Notes** - Material: metal 654 mm (useable length 600 mm) concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately).

**GRO-40366001**



## Grohe - Essentials Towel Holder 450mm Chrome

**Product Notes** - Material: metal 504 mm (useable length 450 mm) concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately).

**GRO-40688001**



## BATHROOM - ACCESSORIES 02





### Grohe - Essentials Double towel rail

**Product Notes** - material: metal 654 mm (drilling length 600 mm) concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels).

**GRO-4080200**



### Grohe - Cosmopolitan Liquid Soap Dispenser 04L Chrome

**Product Notes** - For liquid soaps. Storage bin 500ml. GROHE StarLight finish.

**GRO-40535000**



### Grohe - Essentials Toilet Paper Holder without Cover Chrome

**Product Notes** - Material: metal without cover concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately).

**GRO-40689001**



### Grohe - Essentials Spare Toilet Paper Holder Wall-Mounted Chrome

**Product Notes** - Material: metal wall mounted concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately).

**GRO-40385001**





# GROHE BLUE

## HOME CHILLED & SPARKLING

### ENJOY THE MOST CONVENIENT WATER SYSTEM EVER

Enjoy the refreshing & delicious taste of the purest water straight from the kitchen tap – always cooled to the right temperature, with a choice of still or sparkling.



To enjoy still water refrigerated to perfection, nothing is easier: just press the icon on the top of the left handle. A blue LED will light up and your glass will fill with perfect still water.



Do you dream of sparkling water with refreshing bubbles? Press the lower icon. The light signal will turn green and your glass will fill with generous bubbles



Do you like slightly sparkling water? Do you prefer light bubbles? We have thought of everything. To get a slightly sparkling water, press one button then the other — the LED will then turn turquoise.



Follow us



## QUALITY

***"No.1** most trusted brand  
in the sanitary industry"* –

*Wirtschaftswoche, 2017*



## TECHNOLOGY

***"Top 50** companies  
to change the world"* –

*Fortune Magazine, 2017*



## DESIGN

*Over **400 design awards**  
won since 2003*



## SUSTAINABILITY

***CSR Award winner** of the  
German Government, 2017*

**GROHE Africa**  
20 Wright Street  
Factoria  
Krugersdorp, 1739  
South Africa  
[www.grohe.co.za](http://www.grohe.co.za)  
+27 861 21 21 21

© 08/2021 - Copyright by GROHE  
Subject to change without notice.

PART OF **LIXIL**