

*Pure Freude  
an Wasser*

**GROHE**  
WAVES

# GROHE DIGITAL CATALOGUE



PART OF **LIXIL**



# PRODUCT CARE & MAINTENANCE

## **Taps and mixers**

To maintain the lustre of chrome plated surfaces simply wipe occasionally with a soft damp cloth using a mild dishwashing detergent or soap solution. Rinse, dry and buff with a soft cloth.

## **Warning!**

Many household and industrial cleaners contain abrasives and or harsh chemical compounds and acids. Do not use these cleaners as they may irreparably discolour, dissolve or scuff the chrome plate finish. Avoid using abrasive cloths or scouring pads.

## **Basins**

Clean the basin with soap and water, as and when required. Should stubborn dirt prevail, a slightly abrasive cleaning material such as "Handy Andy" may be used.

## **Toilets**

Clean the ceramic pan with soap and water, as and when required. Should stubborn dirt prevail, a slightly abrasive cleaning material such as "Handy Andy" may be used. The same applies to a polypropylene or thermoset toilet seat. Should a wooden toilet seat be used, a damp cloth must be used to clean the seat. No abrasive material must ever be used. The inside of the cistern should be kept free of dirt, as it could hamper the performance of the flush valve and the inlet valve. Should either of these valves malfunction, ensure that any dirt has been removed from all of the seals.

## **Urinals**

Clean the urinal with soap and water, as and when required. Should stubborn dirt prevail, a slightly abrasive cleaning material such as "Handy Andy" may be used.

## **Maintenance**

The frequency and extent of maintenance required for this product varies according to prevailing site and operational conditions. No regular maintenance is required and spare parts are available for key components.

**LIXIL Africa Service call centre contact:** 0861 21 21 21  
**LIXIL Africa Service E-Mail:** [service.lixil@lixil.com](mailto:service.lixil@lixil.com)  
**Web site:** [grohe.lixil.co.za](http://grohe.lixil.co.za)





# A COMPANY WITH AN INTERNATIONAL REACH

**GROHE IS PART OF THE LIXIL GROUP, A GLOBAL LEADER IN THE ACCOMMODATION AND BUILDING SECTOR.**

LIXIL, founded at the beginning of the 20th century in Japan, is now a company that offers the most comprehensive range of products in the sector: from technologies that revolutionise our relationship with water to an exhaustive line of indoor and outdoor materials and products to equip home and major architectural projects. Located in 150 countries, LIXIL companies design and manufacture products used by more than a billion people worldwide each day.

**The world is always changing rapidly and LIXIL companies help shape it.**

Through our brands and technologies, we design and manufacture the solutions of tomorrow's life. From developing smart innovations in houses and offices to redefining urban landscapes in the most famous cities, LIXIL products transform the spaces where we work, learn, travel, relax and live.

**In addition to GROHE, the LIXIL family includes brands globally renowned such as American Standard, INAX, DXV by American Standard and Permasteelisa.** Together, our brands make our company an international leader in taps and plumbing-related products, as well as the main supplier of household products in Japan. We are also paving the way in many other sectors worldwide through our common goal: to create innovations that truly improve everyone's lives.

**Together, we are stronger.** By combining the expertise of GROHE, a global leader in taps, with the unique technology and ideas of other LIXIL water technology brands, GROHE can now offer comprehensive solutions for the bathroom, with innovative products such as shower toilets and SmartControl showers, as well as revolutionary technologies such as AquaCeramic toilets whose ceramic remains clean for 100 years. Elegant, functional and reliable, LIXIL products and solutions change how people live, worldwide.

**Together, we share the vision of a better future for our customers and the entire world.**

As a manufacturing company on an international scale, we know that we play an important role in guaranteeing the future of our planet. We are convinced that the whole world should have access to drinking water and a safe sanitation system. We are therefore committed to using our expertise to do our part. We are also paving the way in sectors such as energy efficiency and water-saving technologies. Furthermore, we want to reduce our ecological footprint to zero by 2030.

**Together, we will create a pleasant future for everyone, everywhere.**



Enjoying a refreshing, personalised shower has never been easier. Simply press the button to choose your preferred shower spray and enjoy. Change between a light and refreshing shower spray or a powerful and stimulating jet whenever you want. Perhaps you prefer two sprays at the same time? No problem, just press both buttons.

The personalised shower with innovative GROHE SmartControl technology which offers volume selection and adjustment. Simply turn and change the water flow volume to obtain the ideal quantity. Fluid and intuitive controls, activated directly from the main shower, guarantee simple and intuitive operation.



Buttons available for all configurations




# SHOWER SOLUTIONS

NEW

## COMBINING

GROHE RAPIDO SMARTBOX SYSTEM  
AND SMARTCONTROL







**39 598 000**  
**Rapid SLX 3 un 1 toilet 6 | 1.13 m,**  
with wall brackets and Element anti-noise protection for  
Rapid SLX toilet, assembly height 1.13 m with GD2 flush  
cistern, electric plug, flow regulator included, easy access  
and fully isolated from condensation. With wall brackets  
and anti-noise protection.



# RAPID SLX RANGE

## TOTAL VERSATILITY

### FOR ALL YOUR INSTALLATION NEEDS

Each bathroom is different and a certain degree of flexibility is required to install fixed bathroom items. Fortunately, the Rapid SLX installation system provides a range of possibilities

to guarantee a configuration that is suitable for your needs, enabling you to save time and money and guaranteeing that you fully satisfy your customers' needs from the outset.



**39 597 000**  
Rapid SLX  
Toilet installation system  
Installation height 1,13M  
Shower toilet connection provided



**39 596 000**  
Rapid SLX  
Toilet installation system  
Installation height 1,13M  
Shower toilet connection provided



**39 603 000**  
Rapid SLX  
3 in 1 set for toilet  
Height 1,13 m



[1] Points to secure wall-mounting accessories

[2] A QR code printed in each GD2 flush cistern provides information about the product number, the spare parts and the technical diagrams

[3] **FLOW REGULATOR** NEW

- Ready for rimless toilets
- Fully adjustable
- No dismantling necessary
- Adjustable via the revision opening

[4] **SLIM CONTROL PANELS** NEW

- Helps customers obtain a bathroom that is unique and perfectly designed
- Supports the slimmest control panels in the world
- Includes a small revision opening
- Enables all kinds of design

[5] **UNIVERSAL FLUSH CISTERN**

- Dual flush or on/off
- Water connection from the top, back and right
- Tool-free installation of water connections
- Compatible with all GROHE control panels

[6] **EASYCONNECT**

Pneumatic control panel connection for quick and easy installation

[7] **SAFETY**

- TÜV certification for the load capacity:
- 400 kg for toilets

[8] **DISTRIBUTION CIRCUITS**

Two lateral circuits to facilitate the installation of water pipes and electric cables

[9] **SILENCE**

Noise reduction with GROHE Whisper

[10] **PLUG & PLAY** NEW

- Real built-in electric plug
- Plug & Play installation of electric products
- Ready for shower toilets
- Easy assembly and dismantling

[11] **EASY ACCESS** NEW

- Access door for future changes
- Easy upgrade of water and electricity connections
- New standard design of installation boxes

[12] **VERSATILITY**

Foot with different fastening points for all applications



# GROHE RAPID SLX READY FOR TOMORROW

## BUILT TODAY FOR THE FUTURE

We know what the future holds, because we help to shape it. Take, for example, the shower toilet, the smart toilet, rimless toilets and our growing range of GROHE control panels. Some technologies enabling these advances already exist, and others will exist in the near future. And this is where Rapid SLX enters the stage.

Whatever the future holds, the Rapid SLX is ready. It is ready to give you access to everything that is available to you today and everything that will be tomorrow. It is designed to make life easier and more intelligent (both for installers and for end users) and to ensure vision isn't held back by technology.





# INSTALLATION SYSTEMS





To enjoy still water refrigerated to perfection, nothing is easier: just press the icon on the top of the left handle. A blue LED will light up and your glass will fill with perfect still water.



Do you dream of sparkling water with refreshing bubbles? Press the lower icon. The light signal will turn green and your glass will fill with generous bubbles



Do you like slightly sparkling water? Do you prefer light bubbles? We have thought of everything. To get a slightly sparkling water, press one button then the other — the LED will then turn turquoise.







## STILL, SLIGHTLY SPARKLING OR SPARKLING WATER: YOU CHOOSE

Our taps are designed to minimise water and energy consumption while offering maximum user comfort. Our technologies provide quick and precise flow and temperature adjustment over the years, avoiding time (or water) loss and providing comfort and pleasure from water.



FACILITATE UPKEEP AND MAINTENANCE

The durability of GROHE products means minimal everyday maintenance. Our spare parts are available up to 50 years after our products are discontinued. If necessary, we have a network of more than 30 after-sales service branches throughout France.




Optimal water distribution for an unparalleled shower experience.



Immediate and constant temperature adjustment while showering.



Discreet flushing and draining. Silent filling.



No more burns from hot surfaces with GROHE CoolTouch.

# SAVE WATER AND ENERGY

## BRINGING COMFORT AND WELL-BEING

Users always love GROHE products because of their unique characteristics that give "Pure Freude an Wasser" (the pure pleasure of water). Each time you use a GROHE product, you feel the difference. The reliability of GROHE products guarantees completely safe use.



**GROHE**  
DreamSpray

Optimal water distribution for an unparalleled shower experience.



**GROHE**  
TurboStat

Immediate and constant temperature adjustment while showering.



**GROHE**  
Whisper

Discreet flushing and draining. Silent filling.







**Dazzling chrome that has lasting resistance against impacts and corrosion.**

GROHE completely masters the chrome-plating process in its factories and guarantees quality control throughout the 40 stages required to create perfect chrome: high wear resistance, an anti-stain and anti-scratch finish and ease of use.



**Precise adjustment without bursts in the flow or sudden changes in water temperature.**

GROHE completely masters the chrome-plating process in its factories and guarantees quality control throughout the 40 stages required to create perfect chrome: high wear resistance, an anti-stain and anti-scratch finish and ease of use.



**Always the right temperature, for maximum comfort and safety.**

GROHOTHERM thermostatic mixer taps are equipped with the most advanced, precisionmade cartridges in the industry. By increasing the sensitivity of the heat element, our thermostatic mixer taps are the fastest to react to unexpected variations in water pressure.




**Maximum protection - 100% GROHE CoolTouch.**

With GROHE CoolTouch technology, the outside surface temperature of our thermostatic mixer taps and shower heads never exceeds the shower water temperature by more than 1°C, for total anti-burn safety. The absence of heat prevents limescale deposits on surfaces.


# DESIGN TO LAST IN TOTAL SAFETY

Decades of research and development combined with a full mastery of our manufacturing processes have resulted in unparalleled quality, reliability and performance.



Ceramic discs combined with Teflon technology in GROHE SilkMove cartridges guarantee infinite precision.





## SAVE WATER AND ENERGY

Our taps are designed to minimise water and energy consumption while offering maximum user comfort. Our technologies provide quick and precise flow and temperature adjustment over the years, avoiding time (or water) loss and providing comfort and pleasure from water.



**GROHE**  
EcoJoy

Saving up to 50% of water while maintaining comfort and pleasure.



**GROHE**  
SilkMove


Precise and flexible temperature adjustment and flow.



**GROHE**  
TurboStat

Precise and flexible temperature adjustment and flow.

# GROHE EXPERTISE



Our GROHE EcoJoy mixer taps are equipped with a flow limiter to reduce water consumption from 10 litres to 5 litres a minute.

A regulated aerator provides the same experience as offered by ordinary mixer tap.



Mitglied der  
**DGNB**  
Deutsche Gesellschaft für Nachhaltiges Bauen  
German Sustainable Building Council






## QUALITY

From the first design sketch to the final product to after-sales services: Our customers can rely on our Made in Germany sense of perfectionism.

*"No. 1 most trusted brand in the sanitary industry" – Wirtschaftswoche, 2017*



## TECHNOLOGY

We constantly drive innovation to enrich your everyday water experience, delivering smart solutions on the path of the digitization of water.

*"Top 50 companies to change the world" – Fortune Magazine, 2017*



## DESIGN

Our highly awarded design DNA's recipe for success is simple: Merging the contemporary and the timeless into products that feel like they were designed just for you.

*Over 350 design awards won since 2003*



## SUSTAINABILITY

Water is our passion. We care about every drop and our CSR commitment goes even beyond one element alone: We strive to protect all of our planet's resources for future generations.

*CSR Award winner of the German Government, 2017*



# PRODUCT WARRANTY 01

LIXIL Africa warrants that their products will be clear of material and manufacturing defects. Appraisal of the above will be done against ruling manufacturing specifications and standards at the date of manufacture. Defective product will be repaired or exchanged at LIXIL Africa's sole discretion. LIXIL Africa shall not be liable for indirect or consequential loss or damage.

## THE WARRANTY WILL BE VOIDED UNDER THE FOLLOWING CONDITIONS:

- Products used with water pH falling outside of the guidelines set by the Department of Water Affairs and Forestry or similar body
- Products not installed by a registered or accredited installer
- Products fitted with unbalanced water pressure
- Products fitted without an inline strainer
- Products used with or included in installations where water temperatures are outside of the temperature range stipulated for that product, or as laid down in the Standards for water supply and drainage (SANS 10252 & 10254) or an equivalent international standard
- Products not installed according to LIXIL Africa's or its suppliers' installation instructions or according to valid Water Regulations and general good plumbing practice
- Products which have failed as a result of dirt or debris in pipe-work which has not been flushed prior to the use of terminal fittings
- Where a defect is attributable to the incorrect use or incorrect handling of the product
- Where routine maintenance has been neglected
- If spare parts other than the original spare parts are used during repairs or maintenance of the product;
- If damage was caused by transport by a third-party transporter
- If products are used or intended for display purposes
- If consumables (e.g. filters, filter cartridges, aerators or batteries) or material subject to wear and tear (such as seals or hoses) are affected
- If product damage is as a result of chemicals and cleaning agents, lime-scale build-up, aggressive environmental influences, or disruptions resulting in damage which are caused by freezing or lime-scale build-up
- If the defect is caused by specific environmental circumstances (e.g. excess or negative pressure in the line, excess voltage or under voltage on the line)
- If the defect is attributable to willful or negligent damage to the product by the user or a third party
- Any product installed in such a manner that it is not accessible to do maintenance will not be covered under our warranty



# PRODUCT WARRANTY 02

LIXIL Africa reserves the right to review any specific case in order to assess the validity of this warranty. LIXIL Africa may charge a discretionary service fee as may be reasonably determined by itself from time to time, when called out to inspect products which are not LIXIL Africa products or where there is an illegitimate claim.

THE WARRANTY IS VALID FOR:

## ACRYLICS

|              |          |
|--------------|----------|
| Baths        | 10 Years |
| Shower Trays | 10 Years |

## CERAMICS

|              |          |
|--------------|----------|
| Basins       | 10 Years |
| Sinks        | 10 Years |
| Urinals      | 10 Years |
| Bidets       | 10 Years |
| Toilets      | 10 Years |
| Toilet Seats | 6 months |

## SHOWERS (excluding Zambezi)

|                    |         |
|--------------------|---------|
| Shower Heads       | 5 Years |
| Handshowers        | 5 Years |
| Shower Rails       | 5 Years |
| Wall Outlets       | 5 Years |
| Shower Arms        | 5 Years |
| Shower Accessories | 5 Years |
| Trigger Sprays     | 5 Years |

## ACCESSORIES

|                      |          |
|----------------------|----------|
| Bathroom Accessories | 5 Years  |
| Kitchen Accessories  | 5 Years  |
| Bath spouts          | 20 Years |

## TAPS AND MIXERS

|   |          |
|---|----------|
| Single Levers, including G-23975003 Grohe Hybrid              | 20 Years |
| Single Lever Economy (Zambezi, Nile, Amazon and Seine ranges) | 10 Years |
| Medical   | 20 Years |
| Public  | 2 Years  |
| Rough Brass   | 20 Years |
| Screw Down  | 20 Years |
| Thermostatic  | 20 Years |
| Multi Way Diverter  | 20 Years |
| Electronic  | 2 Years  |
| Colour finish excluding chrome                                | 2 years  |

## SINKS

|                       |          |
|-----------------------|----------|
| Sinks Stainless Steel | 25 Years |
|-----------------------|----------|



# PRODUCT WARRANTY 03

THE WARRANTY IS VALID FOR:

## CONCEALED CISTERNS

|  |          |
|--|----------|
| Grohe cisterns                                     | 10 Years |
| Grohe actuator plates                              | 5 Years  |
| Cobra cisterns                                     | 5 Years  |
| Cobra actuator plates (with PVD coating and white) | 3 Years  |
| Cobra actuator plates (all other coating)          | 2 Years  |

## SPARES

|  |          |
|--|----------|
| Ceramic disc cartridges excluding cartridges used in the economy single lever mixer ranges                     | 15 Years |
| Ceramic disc cartridges used in the economy single lever mixer ranges (Zambezi, Nile, Amazon and Seine ranges) | 2 Years  |
| Cartridges used in Demand and Metering Taps  | 2 Years  |

## PLUMBING FITTINGS

|  |          |
|--|----------|
| MLP pipe system, (must be used with Cobra compression fittings and Cobra-Safe inserts or warranty shall be void) | 10 Years |
| Crimp MLP pipe system (must be used with Cobra crimp fittings or warranty shall be void)                         | 10 Years |
| Compression fittings excluding rings and capnuts   | 20 Years |

|              |         |
|--------------|---------|
| Flush Valves | 2 Years |
|--------------|---------|

|               |         |
|---------------|---------|
| Geyser Valves | 2 Years |
|---------------|---------|

## ISOLATING VALVES

|              |         |
|--------------|---------|
| Angle Valves | 2 Years |
| Ball Valves  | 2 Years |
| Check Valves | 2 Years |
| Float Valves | 2 Years |
| Gate Valves  | 2 Years |
| Strainers    | 2 Years |

|  |         |
|--|---------|
| Electronic Range components and valves | 2 Years |
|--|---------|

|        |          |
|--------|----------|
| Wastes | 20 Years |
|--------|----------|



# PRODUCT WARRANTY 04

THE WARRANTY IS VALID FOR:

## APEX ITEM NUMBERS

|                                 |         |
|---------------------------------|---------|
| AP-20/25                        | 1 Year  |
| APT-15                          | 1 Year  |
| BB-40 and BB-50                 | 1 Year  |
| FLT-150B                        | 1 Year  |
| PB-20 and PB-25                 | 1 Year  |
| RA-20                           | 1 Year  |
| RES-32, RES-40 and RES-50       | 1 Year  |
| RESDL-32, RESDL-40 and RESDL-50 | 1 Year  |
| VSBALL                          | 1 Year  |
| 220P-15, 220P-20 and 220P-25    | 1 Year  |
| BB-32                           | 1 Year  |
| XF25/20                         | 1 Year  |
| XS25/20                         | 1 Year  |
| LSEV-400;22CXC                  | 5 Years |
| LSEV-600;22CXC                  | 5 Years |
| TP-600;M and TP-400M            | 5 Years |
| GEYSERP-400 and GEYSERP-600     | 5 Years |

Note: Cartridge warranties are void should the cartridge be damaged in a situation where there is no inline strainer/filter.

## MISCELLANEOUS:

This warranty shall apply in the above-mentioned scope and subject to the above-mentioned prerequisites. Proof of purchase will be required.

This LIXIL Africa warranty is carried by LIXIL Africa. Please contact our Service Department on +27 (0) 861 21 21 21 for warranty enquiries or further warranty information.

Table of Content

|  |     |
|--|-----|
| <b>Grohe Basins</b>                          | 26  |
| Underslung                                   | 27  |
| Pedistals                                    | 27  |
| Installation Systems                         | 28  |
| Counter Top                                  | 28  |
| Wall-Hung                                    | 30  |
| <b>Grohe Bathroom Accessories</b>            | 32  |
| Toilet Brush Sets                            | 33  |
| Soap Dispensers                              | 33  |
| Towel Rails                                  | 34  |
| Toilet Paper Holder                          | 37  |
| Accessoriy Sets                              | 39  |
| Robe Hooks                                   | 40  |
| Bath Spouts                                  | 41  |
| <b>Grohe Bathroom Taps &amp; Mixers</b>      | 44  |
| Allure Brilliant                             | 45  |
| Lineare                                      | 47  |
| Eurocube                                     | 49  |
| Essence                                      | 50  |
| Cubeo  | 52  |
| Eurosmart Cosmopolitan                       | 55  |
| Eurosmart                                    | 56  |
| BauEdge                                      | 61  |
| BauFlow                                      | 62  |
| Universal                                    | 63  |
| Concealed Installations                      | 64  |
| <b>Grohe Electronic Fittings</b>             | 67  |
| Eurosmart                                    | 68  |
| Euroeco                                      | 69  |
| <b>Grohe Isolating Valves</b>                | 71  |
| Angle Valves                                 | 72  |
| <b>Grohe Kitchen Sinks</b>                   | 74  |
| Sinks  | 75  |
| <b>Grohe Kitchen Taps &amp; Mixers</b>       | 77  |
| K7   | 78  |
| Eurocube                                     | 78  |
| Minta  | 79  |
| Essence                                      | 80  |
| Concetto                                     | 80  |
| Eurosmart                                    | 80  |
| Costa  | 82  |
| BauEdge                                      | 83  |
| BauFlow                                      | 83  |
| BauEco                                       | 83  |
| <b>Grohe Medical Range</b>                   | 84  |
| EuroEco Safety                               | 85  |
| EuroEco Special                              | 85  |
| <b>Grohe Public Taps &amp; Mixers</b>        | 87  |
| Euroeco                                      | 88  |
| Eurosmart                                    | 88  |
| <b>Grohe Shower Collections</b>              | 90  |
| Installation Systems                         | 91  |
| Hand Showers                                 | 93  |
| Shower Heads                                 | 105 |
| Wall Outlets                                 | 111 |
| Shower Arms                                  | 112 |
| Shower Rails                                 | 113 |
| Trigger Sprays                               | 115 |
| <b>Grohe Thermostatic Mixers</b>             | 117 |
| Thermostatic Mixers                          | 118 |
| <b>Grohe Toilet Flush Valves &amp; Pipes</b> | 121 |
| Toilet Flush Pipes                           | 122 |
| Mechanisms                                   | 122 |



|  |     |
|--|-----|
| Toilet Flush Valves                        | 122 |
| <b>Grohe Toilets</b>                       | 124 |
| Actuation Plates                           | 125 |
| Back-to-wall Pans                          | 129 |
| Bidet Seats                                | 129 |
| Close Couple Suites                        | 130 |
| Wall Hung Pans                             | 131 |
| Concealed Cisterns                         | 133 |
| <b>Grohe Urinal Flush Valves</b>           | 136 |
| Urinal Flush Valves                        | 137 |
| <b>Grohe Urinals</b>                       | 138 |
| Wall Hung Urinals                          | 139 |
| Actuation Plates                           | 140 |
| <b>Grohe Wastes, Traps &amp; Overflows</b> | 142 |
| Basin Traps                                | 143 |
| Shower Wastes & Traps                      | 144 |
| Urinal Traps                               | 144 |
| Basin Wastes                               | 145 |
| Bath Fillers/Overflows                     | 145 |




# GROHE BASINS





## Underslung



[G-39422000](#)

G-39422000


Weight: 13.49 kg

Dimensions: (l) 590mm x (w) 210mm x (h) 415mm

### Grohe Bau Counter basin 55

built-in 1 hole punched with overflow 560 x 400 mm sanitary ware

Range: [Bau](#)



[G-39423000](#)

G-39423000

Weight: 8.9 kg

Dimensions: (l) 590mm x (w) 230mm x (h) 445mm

### Grohe Bau Under-counter wash basin 55

installation from below with overflow 560 x 420 mm sanitary ware

Range: [Bau](#)



[G-3948000H](#)

G-3948000H

Weight: 7.17 kg

Dimensions: (l) 509mm x (w) 150mm x (h) 395mm


### Grohe Cube Under-counter wash basin 50

Designed to make more of your compact bathroom, the GROHE Cube Ceramic Wash basin 50 offers pared-back looks and easy-clean finishes. Embracing total simplicity of form and line, this clean-lined under-counter basin measures 492mm x 370mm and is designed to be installed below a bathroom countertop. The basin is made from glossy Alpine White fine fire clay, creating a durable surface built to last. Plus the innovative GROHE PureGuard finish inhibits bacteria and repels dirt and limescale for a sparkling, easy-clean option. Your design ideas can be realized more easily thanks to GROHE Cube Ceramics matching perfectly with four ranges of GROHE bathroom taps - Eurocube, Lineare, Allure and Allure Brilliant – ensuring complete aesthetic harmony and ultimate performance, making [...Read more online](#)

Range: [Cube](#)



## Pedistals



[G-39425000](#)

G-39425000


Weight: 9.32 kg

Dimensions: (l) 730mm x (w) 185mm x (h) 185mm

### Grohe Bau Full pedestal

including fixation set sanitary ware

Range: [Bau](#)



[G-39426000](#)

G-39426000

Weight: 7.41 kg


Dimensions: (l) 345mm x (w) 220mm x (h) 285mm

### Grohe Bau Half pedestal

including fixation set sanitary ware suitable to all Bau Ceramic wash basins except 39 424 000

Range: [Bau](#)





[G-39202000](#)

G-39202000


Weight: 19 kg

Dimensions: (l) 740mm x (w) 200mm x (h) 250mm

### Grohe Euro Ceramic Full pedestal for wash basin

invisible fixation set sanitary ware suitable for all GROHE wash basins except 39 324 000, 39 324 00H, 39 327000, 39 327 00H

Range: [Euro Ceramic](#)



[G-39201000](#)

G-39201000

Weight: 11 kg

Dimensions: (l) 340mm x (w) 250mm x (h) 360mm


### Grohe Euro Ceramic Semi pedestal for wash basin

invisible fixation set sanitary ware suitable for all GROHE wash basins except 39 324 000, 39 324 00H, 39 327000, 39 327 00H

Range: [Euro Ceramic](#)



## Installation Systems



[G-36338000](#)

G-36338000

Weight: 0.31 kg

Dimensions: (l) 170mm x (w) 100mm x (h) 60mm

### Grohe Eurosmart Switch-mode power supply

for one eye infra-red wash basin mixer switch-mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 095 000, 36 097 000, 36 088 000, 36 091 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000

Range: [Eurosmart](#)

[G-38748002](#)

G-38748002


Weight: 12.92 kg

Dimensions: (l) 1170mm x (w) 520mm x (h) 150mm

### Grohe Rapid SL Element for wash basin with roughin-in set for infra-red electronic

for wall mounted fittings suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000 and Eurocube E 36 442 000 1.13 m installation height for on-the-wall installations or studded walls powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled quick adjustment, lockable fixing material wash basin fixing bolts M10 with fixing device for ceramic variable distance of fixing bolts HT-outlet bend Ø 50 mm seal Ø 32 mm pre-mounted roughing-in set with protecting block fire-proof pipe for laying electronic cables installation box with water group, stop valve and flush elbow connection with noise protected fitting holder 1/2" connecting box for mains supply 230 V CE approved for installation with pre-mixed or cold water for on-the-wall installation [...Read more online](#)

Range: [Rapid SL](#)



## Counter Top



#### G-3947900H

G-3947900H


Weight: 12.69 kg

Dimensions: (l) 615mm x (w) 157mm x (h) 504mm

#### Grohe Cube Counter basin 60

The result of design excellence dedicated to both looks and practicality, the GROHE Cube Ceramic Wash basin 60 brings a smart, pared-back look to your bathroom. Created around pure shapes and lines, this neat counter-mounted basin measures 605mm x 490mm. The basin is made from glossy Alpine White fine fire clay, creating a durable surface built to last. Plus the innovative GROHE PureGuard finish inhibits bacteria and repels dirt and limescale for a sparkling, easy-clean option. Your design ideas can be realized more easily thanks to GROHE Cube Ceramics matching perfectly with four ranges of GROHE bathroom taps - Eurocube, Lineare, Allure and Allure Brilliant – ensuring complete aesthetic harmony and ultimate performance, making the design process easy. To help [...Read more online](#)

Range: [Cube](#)



#### G-3947500H

G-3947500H


Weight: 26.36 kg

Dimensions: (l) 1014mm x (w) 157mm x (h) 503mm

#### Grohe Cube Counter top basin 100

The expanse of white framed by clean lines in perfect proportions is what announces the effortlessly stylish GROHE Cube Ceramic Wash basin 100. Created with purity of form and purpose and executed in the latest materials, this generous counter-top basin measures 1000mm x 490mm. The basin is made from glossy Alpine White fine fire clay, creating a durable surface built to last. Plus the innovative GROHE PureGuard finish inhibits bacteria and repels dirt and limescale for a sparkling, easy-clean option. Your design ideas can be realized more easily thanks to GROHE Cube Ceramics matching perfectly with four ranges of GROHE bathroom taps - Eurocube, Lineare, Allure and Allure Brilliant – ensuring complete aesthetic harmony and ultimate performance, making the design [...Read more online](#)

Range: [Cube](#)



#### G-3947800H

G-3947800H


Weight: 14.82 kg

Dimensions: (l) 511mm x (w) 155mm x (h) 506mm

#### Grohe Cube Counter top basin 50

The perfectly formed GROHE Cube Ceramic Wash basin 50 will fit in anywhere thanks to time-saving features and timeless design. Shaped by pure lines and bold, simple forms, this compact counter-top basin measures 500mm x 490mm. The basin is made from glossy Alpine White fine fire clay, creating a durable surface built to last. Plus the innovative GROHE PureGuard finish inhibits bacteria and repels dirt and limescale for a sparkling, easy-clean option. Your design ideas can be realized more easily thanks to GROHE Cube Ceramics matching perfectly with four ranges of GROHE bathroom taps - Eurocube, Lineare, Allure and Allure Brilliant – ensuring complete aesthetic harmony and ultimate performance, making the design process easy. To help choose the perfect combination [...Read more online](#)

Range: [Cube](#)



[G-3947600H](#)

G-3947600H

Weight: 21.93 kg

Dimensions: (l) 819mm x (w) 152mm x (h) 504mm

### Grohe Cube Counter top basin 80

As the finishing touch to a minimalist bathroom refresh, the GROHE Cube Ceramic Wash basin 80 is beautiful and functional in equal measure. Created around bold shapes and pure lines, this well-proportioned counter-top basin measures 800mm x 490mm. The basin is made from glossy Alpine White fine fire clay, creating a durable surface built to last. Plus the innovative GROHE PureGuard finish inhibits bacteria and repels dirt and limescale for a sparkling, easy-clean option. Your design ideas can be realized more easily thanks to GROHE Cube Ceramics matching perfectly with four ranges of GROHE bathroom taps - Eurocube, Lineare, Allure and Allure Brilliant – ensuring complete aesthetic harmony and ultimate performance, making the design process easy. To help choose the [...Read more online](#)

Range: [Cube](#)



[G-3948200H](#)

G-3948200H

Weight: 10.59 kg

Dimensions: (l) 419mm x (w) 141mm x (h) 426mm

### Grohe Cube Ceramic Vessel basin 40

The GROHE Cube Ceramic Vessel basin 40, to be paired with a wall-mounted or free-standing pillar tap, adds minimalist cool and effortless usability to your modern bathroom. Oozing modern charm with its simple shapes and pure lines, this super-neat counter-top basin measures 400mm x 400mm. The basin is made from glossy Alpine White fine fire clay, creating a durable surface built to last. Plus the innovative GROHE PureGuard finish inhibits bacteria and repels dirt and limescale for a sparkling, easy-clean option. Your design ideas can be realized more easily thanks to GROHE Cube Ceramics matching perfectly with four ranges of GROHE bathroom taps - Eurocube, Lineare, Allure and Allure Brilliant – ensuring complete aesthetic harmony and ultimate performance, making the [...Read more online](#)

Range: [Cube Ceramic](#)



[G-39337000](#)

G-39337000

Weight: 22 kg

Dimensions: (l) 620mm x (w) 200mm x (h) 515mm

### Grohe Euro Ceramic Counter top basin 60

1 hole punched with overflow 600 x 480 mm sanitary ware optional: PureGuard anti scale coating and anti bacterial glazing (00H)

Range: [Euro Ceramic](#)



## Wall-Hung

[G-39440000](#)

G-39440000

Weight: 13.3 kg

Dimensions: (l) 590mm x (w) 210mm x (h) 415mm

### Grohe Bau Wash basin 55

wall hung 1 hole punched with overflow 553 x 386 mm sanitary ware

Range: [Bau](#)



[G-39421000](#)

G-39421000

Weight: 14.73 kg

Dimensions: (l) 645mm x (w) 200mm x (h) 465mm

### Grohe Bau Wash basin 60

wall hung 1 hole punched with overflow 609 x 442 mm sanitary ware

Range: [Bau](#)






G-3947400H

Dimensions: (l) 511mm x (w) 155mm x (h) 506mm


A no-compromise design ethos has informed both the aesthetic and practical appeal of the GROHE Cube Ceramic Wash basin 50. The effortlessly chic lines and forms are matched by the high-tech materials and finishes in this compact wall-mounted basin measuring just 500mm x 490mm. The basin is made from glossy Alpine White fine fire clay, creating a durable surface built to last. Plus the innovative GROHE PureGuard finish inhibits bacteria and repels dirt and limescale for a sparkling, easy-clean option. Your design ideas can be realized more easily thanks to GROHE Cube Ceramics matching perfectly with four ranges of GROHE bathroom taps - Eurocube, Lineare, Allure and Allure Brilliant – ensuring complete aesthetic harmony and ultimate performance, making the design [...Read more online](#)



G-39327000

Dimensions: (l) 380mm x (w) 195mm x (h) 150mm


wall hung 1 hole punched 370 x 180 mm sanitary ware no pedestals recommended optional:  
PureGuard anti scale coating and anti bacterial glazing (00H)



G-39335000

Dimensions: (l) 636mm x (w) 190mm x (h) 525mm

wall hung 1 hole punched with overflow 600 x 480 mm sanitary ware optional: PureGuard anti scale coating and anti bacterial glazing (00H)



# GROHE BATHROOM ACCESSORIES





## Toilet Brush Sets

### [G-40374AL1](#)

Weight: 1.33 kg


G-40374AL1

Dimensions: (l) 385mm x (w) 210mm x (h) 130mm

#### Grohe Essentials Toilet brush set

To boost bathroom cleanliness add this beautifully made GROHE Essentials toilet brush set! It has a durable, easy-care GROHE StarLight finish that will look pristine for years and is very easy to fit – just follow the clear step-by-step instructions. And to a new level of bathroom luxury don't forget to check out other products in the comprehensive collection such as the robe hook, toilet paper holder and numerous towel rails and bath grips. Or for added ease and convenience, why not try one of our matching all-in-one sets? GROHE Essentials accessories – precision craftsmanship, highest quality materials and design that lasts. The perfect finishing touch for family friendly bathrooms of all designs!

Range: [Essentials](#)



### [G-40374001](#)

Weight: 1.17 kg


G-40374001

Dimensions: (l) 415mm x (w) 175mm x (h) 110mm

#### Grohe Essentials Toilet brush set

material: glass / metal wall mounted concealed fastening GROHE Long-Life chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

Range: [Essentials](#)



### [G-40374GN1](#)

Weight: 1.22 kg


G-40374GN1

Dimensions: (l) 390mm x (w) 210mm x (h) 125mm

#### Grohe Essentials New Toilet brush set

To boost bathroom cleanliness add this beautifully made GROHE Essentials toilet brush set! It has a durable, easy-care GROHE StarLight finish that will look pristine for years and is very easy to fit – just follow the clear step-by-step instructions. And to a new level of bathroom luxury don't forget to check out other products in the comprehensive collection such as the robe hook, toilet paper holder and numerous towel rails and bath grips. Or for added ease and convenience, why not try one of our matching all-in-one sets? GROHE Essentials accessories – precision craftsmanship, highest quality materials and design that lasts. The perfect finishing touch for family friendly bathrooms of all designs!

Range: [Essentials New](#)



### [G-40374A01](#)

Weight: 1.23 kg


G-40374A01

Dimensions: (l) 390mm x (w) 205mm x (h) 130mm

#### Grohe Essentials New Toilet brush set

To boost bathroom cleanliness add this beautifully made GROHE Essentials toilet brush set! It has a durable, easy-care GROHE StarLight finish that will look pristine for years and is very easy to fit – just follow the clear step-by-step instructions. And to a new level of bathroom luxury don't forget to check out other products in the comprehensive collection such as the robe hook, toilet paper holder and numerous towel rails and bath grips. Or for added ease and convenience, why not try one of our matching all-in-one sets? GROHE Essentials accessories – precision craftsmanship, highest quality materials and design that lasts. The perfect finishing touch for family friendly bathrooms of all designs!

Range: [Essentials New](#)



## Soap Dispensers

**G-40448001**

Weight: 0.77 kg

G-40448001

Dimensions: (l) 190mm x (w) 125mm x (h) 90mm

### Grohe Essentials Soap dispenser with holder

material: glass / metal filling quantity 160 ml consisting of: holder (40 369 001) soap dispenser (40 394 001) concealed fastening GROHE Long-Life chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

Range: [Essentials](#)



## Towel Rails

**G-40802001**

Weight: 1.04 kg

G-40802001

Dimensions: (l) 665mm x (w) 120mm x (h) 60mm

### Grohe Essentials Double towel rail

material: metal 654 mm (drilling length 600 mm) concealed fastening GROHE Long-Life chrome finish suitable for screwing (including screws and dowels)

Range: [Essentials](#)



**G-40366001**

Weight: 0.7 kg

G-40366001

Dimensions: (l) 765mm x (w) 145mm x (h) 80mm

### Grohe Essentials Towel rail

material: metal 654 mm (drilling length 600 mm) concealed fastening GROHE Long-Life chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

Range: [Essentials](#)



**G-40366GN1**

Weight: 0.68 kg

G-40366GN1

Dimensions: (l) 665mm x (w) 70mm x (h) 60mm

### Grohe Essentials Towel rail

To create your very own bathroom design blending harmonious style and user-friendly functionality has never been easier. Simply add a choice of our beautifully crafted GROHE Essentials accessories such as this slim yet sturdy 600mm towel rail – the perfect place to hang a bathroom towel. The rail has concealed fastenings and a durable, easy-care GROHE StarLight finish that will look pristine for years. It's also easy to fit – just follow the clear step-by-step instructions. Don't forget to check out other products in the comprehensive collection such as the robe hook, toilet brush set, toilet paper holder and numerous towel rails and bath grips. Or for added ease and convenience why not try one of our complementary all-in-one sets? [...Read more online](#)

Range: [Essentials](#)



**G-40366AL1**

Weight: 0.67 kg

G-40366AL1

Dimensions: (l) 655mm x (w) 70mm x (h) 60mm

### Grohe Essentials Towel rail

To create your very own bathroom design blending harmonious style and user-friendly functionality has never been easier. Simply add a choice of our beautifully crafted GROHE Essentials accessories such as this slim yet sturdy 600mm towel rail – the perfect place to hang a bathroom towel. The rail has concealed fastenings and a durable, easy-care GROHE StarLight finish that will look pristine for years. It's also easy to fit – just follow the clear step-by-step instructions. Don't forget to check out other products in the comprehensive collection such as the robe hook, toilet brush set, toilet paper holder and numerous towel rails and bath grips. Or for added ease and convenience why not try one of our complementary all-in-one sets? [...Read more online](#)

Range: [Essentials](#)





#### G-40366DA1

Weight: 0.68 kg

G-40366DA1

Dimensions: (l) 665mm x (w) 70mm x (h) 60mm

##### Grohe Essentials Towel rail

To create your very own bathroom design blending harmonious style and user-friendly functionality has never been easier. Simply add a choice of our beautifully crafted GROHE Essentials accessories such as this slim yet sturdy 600mm towel rail – the perfect place to hang a bathroom towel. The rail has concealed fastenings and a durable, easy-care GROHE StarLight finish that will look pristine for years. It's also easy to fit – just follow the clear step-by-step instructions. Don't forget to check out other products in the comprehensive collection such as the robe hook, toilet brush set, toilet paper holder and numerous towel rails and bath grips. Or for added ease and convenience why not try one of our complementary all-in-one sets? [...Read more online](#)

Range: [Essentials](#)



#### G-40386AL1

Weight: 0.78 kg

G-40386AL1

Dimensions: (l) 870mm x (w) 75mm x (h) 75mm

##### Grohe Essentials Towel rail

It's quick and easy to create a seamless bathroom design. Just add a selection of our beautifully made GROHE Essentials accessories such as this sturdy and impressive 800mm towel rail – the ideal place to hang a bathroom towel. The rail has a durable, easy-care GROHE StarLight finish that will look pristine for years and it's also easy to fit – just follow the clear step-by-step instructions. Don't forget to check out other products in the comprehensive collection such as the robe hook, toilet brush set, toilet paper holder and numerous other towel rails and bath grips. Or for added ease and convenience, why not try one of our carefully selected all-in-one sets? GROHE Essentials accessories – precision craftsmanship, highest

[...Read more online](#)

Range: [Essentials](#)



#### G-40802GN1

Weight: 0.895 kg



G-40802GN1


Dimensions: (l) 660mm x (w) 120mm x (h) 60mm

##### Grohe Essentials Double towel rail

Our complementary collection of superbly made GROHE Essentials accessories has all the products you need to create your own seamless bathroom design. This handy 600mm double towel rail, for example, is a fantastic storage solution for all bathrooms and cloakrooms. The German engineered double rail has a durable, easy-care GROHE StarLight finish that will look pristine for years and it's also easy to fit – just follow the clear step-by-step instructions. To finishing the look check out other products in the comprehensive collection such as the robe hook, toilet brush set, toilet paper holder and numerous towel rails and bath grips. Or for added ease and convenience, why not try one of our all-in-one sets? GROHE Essentials accessories – precision [...Read more online](#)

Range: [Essentials](#)





**G-40365GN1**

Weight: 0.425 kg


G-40365GN1

Dimensions: (l) 190mm x (w) 190mm x (h) 75mm

### Grohe Essentials Towel ring

From luxurious bathrooms to compact cloakrooms, this elegant GROHE Essentials towel ring is ideal for hanging hand towels. German engineered to create all-round perfection, it has a durable, easy-care GROHE StarLight finish that will look pristine for years and and concealed fastenings for a truly professional look. It's also easy to fit – just follow the clear step-by-step instructions. Don't forget to check out other products in the comprehensive collection such as the robe hook, toilet brush set, toilet paper holder and numerous towel rails and bath grips. Or for added ease and convenience, why not try one of our matching all-in-one sets? GROHE Essentials accessories – precision craftsmanship, highest quality materials and design that lasts! A perfect finishing touch!

Range: [Essentials](#)



**G-40365AL1**

Weight: 0.41 kg


G-40365AL1

Dimensions: (l) 190mm x (w) 190mm x (h) 80mm

### Grohe Essentials Towel ring

From luxurious bathrooms to compact cloakrooms, this elegant GROHE Essentials towel ring is ideal for hanging hand towels. German engineered to create all-round perfection, it has a durable, easy-care GROHE StarLight finish that will look pristine for years and and concealed fastenings for a truly professional look. It's also easy to fit – just follow the clear step-by-step instructions. Don't forget to check out other products in the comprehensive collection such as the robe hook, toilet brush set, toilet paper holder and numerous towel rails and bath grips. Or for added ease and convenience, why not try one of our matching all-in-one sets? GROHE Essentials accessories – precision craftsmanship, highest quality materials and design that lasts! A perfect finishing touch!

Range: [Essentials](#)



**G-40366A01**

Weight: 0.67 kg

G-40366A01

Dimensions: (l) 670mm x (w) 70mm x (h) 60mm


### Grohe Essentials New Towel rail

To create your very own bathroom design blending harmonious style and user-friendly functionality has never been easier. Simply add a choice of our beautifully crafted GROHE Essentials accessories such as this slim yet sturdy 600mm towel rail – the perfect place to hang a bathroom towel. The rail has concealed fastenings and a durable, easy-care GROHE StarLight finish that will look pristine for years. It's also easy to fit – just follow the clear step-by-step instructions. Don't forget to check out other products in the comprehensive collection such as the robe hook, toilet brush set, toilet paper holder and numerous towel rails and bath grips. Or for added ease and convenience why not try one of our complementary all-in-one sets? [...Read more online](#)

Range: [Essentials New](#)



## Toilet Paper Holder



**G-40623001**

Weight: 0.26 kg

G-40623001

Dimensions: (l) 140mm x (w) 70mm x (h) 50mm

### Grohe Essentials Reserve toilet paper holder

material: metal wall mounted concealed fastening GROHE Long-Life chrome finish

Range: [Essentials](#)





**G-40369AL1**

Weight: 0.35 kg

G-40369AL1


Dimensions: (l) 110mm x (w) 90mm x (h) 70mm

#### Grohe Essentials Holder

To create a seamless bathroom design simply choose a selection of our beautifully made GROHE Essentials accessories such as this bathroom holder – perfect for use with the GROHE Glass (40372001), Soap Dish (40368001) and Soap Dispenser (40394AL1). It has a durable, easy-care GROHE StarLight finish that will look pristine for years and concealed fastenings for a professional look. It's also easy to fit – just follow the clear step-by-step instructions. Don't forget to check out other products in the comprehensive collection such as the robe hook, toilet brush set, toilet paper holder and numerous towel rails and bath grips. Or for added ease and convenience, why not try one of our carefully selected all-in-one sets?

GROHE Essentials accessories – [...Read more online](#)

Range: [Essentials](#)



**G-40385AL1**

Weight: 0.42 kg


G-40385AL1

Dimensions: (l) 385mm x (w) 210mm x (h) 130mm

#### Grohe Essentials Reserve toilet paper holder

With this beautifully made GROHE Essentials spare toilet paper holder there are no more emergencies – guaranteed! The holder, which is German engineered with concealed fastenings, has a durable, easy-care GROHE StarLight finish that will look pristine for years and is incredibly easy to fit – just follow the clear step-by-step instructions. Don't forget to check out other products in the comprehensive collection such as the robe hook, toilet brush set and numerous towel rails and bath grips. Or for added ease and convenience, why not try one of our handy all-in-one sets? GROHE Essentials accessories – precision craftsmanship, highest quality materials and design that lasts. The finishing touch that gives a professional feel to bathrooms of all designs!

Range: [Essentials](#)



**G-40385001**

Weight: 0.42 kg


G-40385001

Dimensions: (l) 235mm x (w) 125mm x (h) 70mm

#### Grohe Essentials Reserve toilet paper holder

material: metal wall mounted concealed fastening GROHE Long-Life chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

Range: [Essentials](#)



**G-40367GN1**

Weight: 0.48 kg


G-40367GN1

Dimensions: (l) 185mm x (w) 140mm x (h) 55mm

#### Grohe Essentials Toilet paper holder

Luxurious bathrooms are all about harmony. So add a selection of our complementary GROHE Essentials accessories such as this toilet paper holder with cover. It has a durable, easy-care GROHE StarLight finish that will look pristine for years and is super easy to fit – just follow the clear step-by-step instructions. Don't forget to check out other products in the comprehensive collection such as the robe hook, toilet brush set and numerous towel rails and bath grips. Or for added ease and convenience, why not try one of our all-in-one sets? GROHE Essentials accessories – precision craftsmanship, highest quality materials and design that lasts. The perfect finishing touch for bathrooms of all shapes and sizes!

Range: [Essentials](#)



**G-40367AL1**


Weight: 0.51 kg

G-40367AL1

Dimensions: (l) 185mm x (w) 150mm x (h) 70mm

**Grohe Essentials Toilet paper holder**

Luxurious bathrooms are all about harmony. So add a selection of our complementary GROHE Essentials accessories such as this toilet paper holder with cover. It has a durable, easy-care GROHE StarLight finish that will look pristine for years and is super easy to fit – just follow the clear step-by-step instructions. Don't forget to check out other products in the comprehensive collection such as the robe hook, toilet brush set and numerous towel rails and bath grips. Or for added ease and convenience, why not try one of our all-in-one sets? GROHE Essentials accessories – precision craftsmanship, highest quality materials and design that lasts. The perfect finishing touch for bathrooms of all shapes and sizes!

Range: [Essentials](#)**G-40689AL1**


Weight: 0.39 kg

G-40689AL1

Dimensions: (l) 185mm x (w) 150mm x (h) 75mm

**Grohe Essentials Toilet paper holder**

To banish nasty surprises in the bathroom just add this handy GROHE Essentials toilet paper holder. The German engineered holder with concealed fastenings has a durable, easy-care GROHE StarLight finish that will look pristine for years and is super easy to fit – just follow the clear step-by-step instructions. Also, to complete a complementary look you check out other products in the comprehensive collection such as the robe hook, toilet brush set and numerous towel rails and bath grips. Or for added ease and convenience, why not try one of our carefully selected all-in-one sets? GROHE Essentials accessories – precision craftsmanship, highest quality materials and design that lasts. The perfect finishing touch for bathrooms of all shapes and sizes!

Range: [Essentials](#)**G-40367001**


Weight: 0.46 kg

G-40367001

Dimensions: (l) 185mm x (w) 140mm x (h) 55mm

**Grohe Essentials Toilet paper holder**

material: metal with cover concealed fastening GROHE Long-Life chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

Range: [Essentials](#)**G-40689001**


Weight: 0.36 kg

G-40689001

Dimensions: (l) 185mm x (w) 140mm x (h) 55mm

**Grohe Essentials Toilet paper holder**

material: metal without cover concealed fastening GROHE Long-Life chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

Range: [Essentials](#)



**G-40689DA1**

Weight: 0.39 kg

**G-40689DA1**

Dimensions: (l) 185mm x (w) 140mm x (h) 55mm

### Grohe Essentials Toilet paper holder

To banish nasty surprises in the bathroom just add this handy GROHE Essentials toilet paper holder. The German engineered holder with concealed fastenings has a durable, easy-care GROHE StarLight finish that will look pristine for years and is super easy to fit – just follow the clear step-by-step instructions. Also, to complete a complementary look you check out other products in the comprehensive collection such as the robe hook, toilet brush set and numerous towel rails and bath grips. Or for added ease and convenience, why not try one of our carefully selected all-in-one sets? GROHE Essentials accessories – precision craftsmanship, highest quality materials and design that lasts. The perfect finishing touch for bathrooms of all shapes and sizes!

Range: [Essentials](#)



## Accessory Sets

**G-40778001**

Weight: 1.88 kg

**G-40778001**

Dimensions: (l) 650mm x (w) 240mm x (h) 80mm

### Grohe Essentials Master bathroom accessories set 4-in-1

material: metal consisting of: robe hook (40 511 001) towel ring (40 510 001) toilet paper holder (40 507 001) towel rail, 558 mm (40 509 001) concealed fastening GROHE Long-Life chrome finish

Range: [Essentials](#)



**G-40758001**

Weight: 2.74 kg

**G-40758001**

Dimensions: (l) 650mm x (w) 240mm x (h) 80mm

### Grohe Essentials Master bathroom accessories set 5-in-1

material: glass / metal consisting of: soap dish with holder (40 754 001) towel rail, 558 mm (40 509 001) toilet paper holder (40 507 001) robe hook (40 511 001) towel ring (40 510 001) concealed fastening GROHE Long-Life chrome finish

Range: [Essentials](#)



**G-40776001**

Weight: 2.22 kg

**G-40776001**

Dimensions: (l) 690mm x (w) 270mm x (h) 70mm

### Grohe Essentials Master bathroom accessories set 4-in-1

material: metal consisting of: towel ring (40 365 001) robe hook (40 364 001) toilet paper holder (40 367 001) towel rail, 600 mm (40 366 001) concealed fastening GROHE Long-Life chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

Range: [Essentials](#)



**G-40344001**

Weight: 2.76 kg

**G-40344001**

Dimensions: (l) 686mm x (w) 267mm x (h) 70mm

### Grohe Essentials Master bathroom accessories set 5-in-1

material: glass / metal consisting of: towel ring (40 365 001) towel rail, 600 mm (40 366 001) robe hook (40 364 001) paper holder with cover (40 367 001) soap dish with holder (40 444 001) concealed fastening GROHE Long-Life chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

Range: [Essentials](#)



## Robe Hooks

[G-40364001](#)

G-40364001


Weight: 0.19 kg

Dimensions: (l) 80mm x (w) 70mm x (h) 90mm

**Grohe Essentials Robe hook**

material: metal concealed fastening GROHE Long-Life chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

Range: [Essentials](#)



[G-40364GN1](#)

G-40364GN1


Weight: 0.22 kg

Dimensions: (l) 90mm x (w) 80mm x (h) 70mm

**Grohe Essentials Robe hook**

Bathroom style is all about luxury and easy convenience. That's why we developed the beautifully made collection of GROHE Essentials accessories such as this sturdy robe hook – the ideal place to hang a dressing gown. The German engineered hook, which is set on an attractive circular plate, has a durable, easy-care GROHE StarLight finish that will look pristine for years and it's also easy to fit – just follow the clear step-by-step instructions. Why not create a harmonious look by adding other products from the comprehensive collection such as the toilet brush set, toilet paper holder and numerous towel rails and bath grips. Or why not try one of our matching all-in-one sets? GROHE Essentials accessories – precision craftsmanship, [...Read more online](#)

Range: [Essentials](#)



[G-40364AL1](#)

G-40364AL1


Weight: 0.22 kg

Dimensions: (l) 85mm x (w) 80mm x (h) 70mm

**Grohe Essentials Robe hook**

Bathroom style is all about luxury and easy convenience. That's why we developed the beautifully made collection of GROHE Essentials accessories such as this sturdy robe hook – the ideal place to hang a dressing gown. The German engineered hook, which is set on an attractive circular plate, has a durable, easy-care GROHE StarLight finish that will look pristine for years and it's also easy to fit – just follow the clear step-by-step instructions. Why not create a harmonious look by adding other products from the comprehensive collection such as the toilet brush set, toilet paper holder and numerous towel rails and bath grips. Or why not try one of our matching all-in-one sets? GROHE Essentials accessories – precision craftsmanship, [...Read more online](#)

Range: [Essentials](#)



[G-40364DA1](#)

G-40364DA1


Weight: 0.22 kg

Dimensions: (l) 85mm x (w) 80mm x (h) 70mm

**Grohe Essentials Robe hook**

Bathroom style is all about luxury and easy convenience. That's why we developed the beautifully made collection of GROHE Essentials accessories such as this sturdy robe hook – the ideal place to hang a dressing gown. The German engineered hook, which is set on an attractive circular plate, has a durable, easy-care GROHE StarLight finish that will look pristine for years and it's also easy to fit – just follow the clear step-by-step instructions. Why not create a harmonious look by adding other products from the comprehensive collection such as the toilet brush set, toilet paper holder and numerous towel rails and bath grips. Or why not try one of our matching all-in-one sets? GROHE Essentials accessories – precision craftsmanship, [...Read more online](#)

Range: [Essentials](#)





[G-40364A01](#)

Weight: 0.22 kg

G-40364A01

Dimensions: (l) 85mm x (w) 80mm x (h) 70mm

### Grohe Essentials New Robe hook

Bathroom style is all about luxury and easy convenience. That's why we developed the beautifully made collection of GROHE Essentials accessories such as this sturdy robe hook – the ideal place to hang a dressing gown. The German engineered hook, which is set on an attractive circular plate, has a durable, easy-care GROHE StarLight finish that will look pristine for years and it's also easy to fit – just follow the clear step-by-step instructions. Why not create a harmonious look by adding other products from the comprehensive collection such as the toilet brush set, toilet paper holder and numerous towel rails and bath grips. Or why not try one of our matching all-in-one sets? GROHE Essentials accessories – precision craftsmanship, [...Read more online](#)

Range: [Essentials New](#)



## Bath Spouts

[G-13139AL3](#)

Weight: 0.75 kg

G-13139AL3

Dimensions: (l) 350mm x (w) 95mm x (h) 45mm

### Grohe Atrio Bath spout

GROHE Atrio is a triumph of pared-back, precisely engineered design. The GROHE Atrio bath spout in stylish brushed graphite has an elegant, timeless silhouette that will enhance any bathroom design. Made in Germany and hand-assembled the spout is designed to be wall-mounted with a projection of 171mm. The bath spout's mousseur gives a delightful soft feel, as the water flows out. And thanks to the durable GROHE StarLight finish it will look pristine for a lifetime. GROHE Atrio – the icon of elegance and precision. This product fits perfectly with the GROHE Atrio single-lever shower/bath mixer trim sets (24066AL3 & 24096AL3) or the GROHE Atrio thermostatic bath mixer trim set (24138AL3).

Range: [Atrio](#)



[G-13252000](#)

Weight: 0.55 kg

G-13252000

Dimensions: (l) 215mm x (w) 110mm x (h) 70mm

### Grohe BauContemporary Bath spout

wall mounted chrome finish mousseur projection 140 mm female thread 1/2"

Range: [BauContemporary](#)



[G-13255000](#)

Weight: 0.59 kg

G-13255000

Dimensions: (l) 220mm x (w) 110mm x (h) 70mm

### Grohe BauCosmopolitan Bath spout

wall mounted GROHE Long-Life finish mousseur projection 140 mm male thread 1/2"

Range: [BauCosmopolitan](#)



[G-13255001](#)

Weight: 0.81 kg

G-13255001


Dimensions: (l) 216mm x (w) 111mm x (h) 72mm

### Grohe BauCosmopolitan Bath spout

wall mounted GROHE Long-Life finish mousseur projection 171 mm male thread 1/2"

Range: [BauCosmopolitan](#)





[G-13425001](#)

Weight: 0.95 kg


G-13425001

Dimensions: (l) 216mm x (w) 111mm x (h) 72mm

#### Grohe BauCosmopolitan Bath spout with diverter

wall mounted GROHE Long-Life finish mousseur non-return valve automatic diverter: bath/shower female thread 1/2

Range: [BauCosmopolitan](#)



[13449GN1](#)

Weight: 0.925 kg


13449GN1

Dimensions: (l) 200mm x (w) 160mm x (h) 120mm

#### Grohe Essence Bath Spout

wall mounted mousseur male thread 1/2" projection 221 mm GROHE Long-Life Shine finish

Range: [Essence](#)



[G-13303000](#)

Weight: 1.1 kg


G-13303000

Dimensions: (l) 215mm x (w) 110mm x (h) 70mm

#### Grohe Eurocube Bath spout

wall mounted GROHE Long-Life finish mousseur male thread 1/2" projection 170 mm min. recommended pressure 1 bar

Range: [Eurocube](#)



[G-13448003](#)

Weight: 1.09 kg



G-13448003

Dimensions: (l) 200mm x (w) 160mm x (h) 115mm

#### Grohe EuroSmart Bath Spout

Upgrade your bathroom with ease thanks to the refreshed and updated GROHE Eurosmart. The new Eurosmart has a slim, contemporary profile and greater user comfort. This wall-mounted bath spout with mousseur has a projection of 171mm. This product is designed to be combined with the Eurosmart bath mixer trim set 24043003, 33305003 & 19450003. Finished in the dazzling but hard-wearing GROHE StarLight chrome finish this bath spout will stay looking pristine for years to come. A minimum of 0.2 bar of pressure is recommended.

Range: [Eurosmart](#)



[134482433](#)

Weight: 1.09 kg

134482433

Dimensions: (l) 200mm x (w) 160mm x (h) 115mm

#### Grohe EuroSmart Bath Spout

Upgrade your bathroom with ease thanks to the refreshed and updated GROHE Eurosmart. The new Eurosmart has a slim, contemporary profile and greater user comfort. This wall-mounted bath spout with mousseur has a projection of 171mm. This product is designed to be combined with the Eurosmart bath mixer trim set 194502433. And the GROHE Long-Life finish is hard-wearing and easy to clean, so the stunning matt black surface will last and last. A minimum of 0.2 bar of pressure is recommended.

Range: [Eurosmart](#)





[G-13261000](#)

G-13261000

Weight: 1.06 kg


Dimensions: (l) 220mm x (w) 110mm x (h) 70mm

**Grohe Eurosmart Cosmopolitan Bath spout**

wall mounted GROHE Long-Life finish mousseur male thread 1/2" projection 170 mm min.

recommended pressure 1 bar

Range: [Eurosmart Cosmopolitan](#)



[G-13383001](#)

G-13383001


Weight: 1.05 kg

Dimensions: (l) 330mm x (w) 100mm x (h) 70mm

**Grohe Lineare Bath spout**

wall mounted GROHE Long-Life finish mousseur male thread 1/2" projection 170 mm

Range: [Lineare](#)






# GROHE BATHROOM TAPS & MIXERS





## Allure Brilliant



[24342000](#)

Weight: 1.59 kg


24342000

Dimensions: (l) 377mm x (w) 230mm x (h) 74mm

### Grohe Allure Brilliant Basin Mixer 1/2" M-Size

monobloc installation 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system spout with integrated mousseur smooth body flexible connection hoses min. recommended pressure 1.0 bar

Range: [Allure Brilliant](#)



[24346000](#)

Weight: 3.335 kg


24346000

Dimensions: (l) 440mm x (w) 313mm x (h) 86mm

### Grohe Allure Brilliant Basin Mixer 1/2" XL-Size

monobloc installation for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system spout with integrated mousseur smooth body flexible connection hoses

Range: [Allure Brilliant](#)



[G-23109000](#)

Weight: 3.82 kg


G-23109000

Dimensions: (l) 450mm x (w) 325mm x (h) 135mm

### Grohe Allure Brilliant Single-lever basin mixer 1/2 L-Size

single hole installation GROHE SilkMove 28 mm ceramic cartridge temperature limiter GROHE Long-Life finish GROHE Water-Saving 5.0 l/min flow limiter GROHE FastFixation installation system spout with integrated mousseur pop-up waste set 1 1/4 flexible connection hoses min. recommended pressure 1.0 bar

Range: [Allure Brilliant](#)



[G-23029000](#)

Weight: 2.03 kg


G-23029000

Dimensions: (l) 560mm x (w) 230mm x (h) 75mm

### Grohe Allure Brilliant Single-lever basin mixer 1/2M-Size

single hole installation GROHE SilkMove 28 mm ceramic cartridge temperature limiter GROHE Long-Life chrome finish GROHE Water Saving 5.0 l/min flow limiter GROHE FastFixation installation system spout with integrated mousseur pop-up waste set 1 1/4 flexible connection hoses recommended pressure 1.0 - 5.0 bar min. recommended pressure 1.0 bar

Range: [Allure Brilliant](#)



[G-23114000](#)

Weight: 3.24 kg

G-23114000


Dimensions: (l) 465mm x (w) 320mm x (h) 140mm

### Grohe Allure Brilliant Single-lever basin mixer 1/2XL-Size

single hole installation for free-standing basins GROHE SilkMove 28 mm ceramic cartridge temperature limiter GROHE Long-Life chrome finish GROHE Water-Saving 5.0 l/min flow limiter GROHE FastFixation installation system spout with integrated mousseur smooth body flexible connection hoses min. recommended pressure 1.0 bar

Range: [Allure Brilliant](#)





**G-23119000**

Weight: 14.98 kg


G-23119000

Dimensions: (l) 930mm x (w) 250mm x (h) 230mm

### Grohe Allure Brilliant Single-lever bath mixer 1/2 floor mounted

set for final installation for 45 984 without roughing-in set GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish automatic diverter: bath/shower spout with integrated mousseur projection 270 mm integrated non-return valve in the shower outlet 1/2 with shower holder hand shower Euphoria Cube+ metal shower hose 1250 mm protected against backflow

Range: [Allure Brilliant](#)



**G-24071000**

Weight: 1.77 kg


G-24071000

Dimensions: (l) 200mm x (w) 180mm x (h) 243mm

### Grohe Allure Brilliant Single-lever shower mixer

set for final installation for GROHE Rapido SmartBox (35 600/35 604) GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life chrome finish GROHE FastFixation escutcheon with covered shaft sealing and covered fixing metal escutcheon, retroactively 6deg adjustable flow performance: outlet B or C = 30 l/min without roughing-in set

Range: [Allure Brilliant](#)



**G-24072000**

Weight: 2.11 kg


G-24072000

Dimensions: (l) 200mm x (w) 180mm x (h) 243mm

### Grohe Allure Brilliant Single-lever mixer with 2-way diverter

set for final installation for GROHE Rapido SmartBox (35 600/35 604) GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life chrome finish GROHE FastFixation escutcheon with covered shaft sealing and covered fixing metal escutcheon, retroactively 6deg adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in set

Range: [Allure Brilliant](#)



**G-24099000**

Weight: 2.08 kg


G-24099000

Dimensions: (l) 200mm x (w) 180mm x (h) 243mm

### Grohe Allure Brilliant Single-lever mixer with 3-way diverter

set for final installation for GROHE Rapido SmartBox (35 600/35 604) GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life chrome finish GROHE FastFixation escutcheon with covered shaft sealing and covered fixing metal escutcheon, retroactively 6deg adjustable metal lever 3-way diverter flow performance: outlet A = 27 l/min, outlet B = 27 l/min, outlet C = 27 l/min without roughing-in set

Range: [Allure Brilliant](#)



**24345000**

Weight: 3.395 kg

24345000

Dimensions: (l) 450mm x (w) 330mm x (h) 140mm


### Grohe Allure Brilliant Single-Lever Basin Mixer 1/2"L-Size

monobloc installation 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system spout with integrated mousseur smooth body flexible connection hoses min. recommended pressure 1.0 bar

Range: [Allure Brilliant](#)







**24348000**

Weight: 14.355 kg


24348000

Dimensions: (l) 910mm x (w) 250mm x (h) 240mm

### Grohe Allure Brilliant Single-Lever Bath Mixer 1/2", Floor Mounted

set for final installation for 45 984 001 without roughing-in-set GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish automatic diverter: bath/shower spout with integrated mousseur projection 270 mm integrated non-return valve in the shower outlet 1/2" with shower holder hand shower Rainshower Aqua Cube Stick metal shower hose 1250 mm protected against backflow

Range: [Allure Brilliant](#)



**24279000**

Weight: 2.4 kg


24279000

Dimensions: (l) 200mm x (w) 180mm x (h) 245mm

### Grohe Allure Brilliant Single-Lever Mixer With 2-Way Diverter

set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set

Range: [Allure Brilliant](#)



**24340000**

Weight: 2.053 kg


24340000

Dimensions: (l) 200mm x (w) 180mm x (h) 245mm

### Grohe Allure Brilliant Single-Lever Mixer With 3-Way Diverter

set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever 3-way diverter flow performance: outlet A = 27 l/min, outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set

Range: [Allure Brilliant](#)



**24277000**

Weight: 1.881 kg

24277000

Dimensions: (l) 200mm x (w) 180mm x (h) 245mm


### Grohe Allure Brilliant Single-Lever Shower Mixer Trim

set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE fastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set

Range: [Allure Brilliant](#)



## Lineare



**G-23106001**

Weight: 1.65 kg

G-23106001


Dimensions: (l) 325mm x (w) 235mm x (h) 65mm

### Grohe Lineare Single-lever basin mixer 1/2S-Size

single hole installation metal lever GROHE SilkMove 28 mm ceramic cartridge with temperature limiter GROHE Long-Life chrome finish GROHE Water-Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system smooth body with push-open pop-up waste set 1 1/4 flexible connection hoses

Range: [Lineare](#)





**G-19297001**

Weight: 0.86 kg


G-19297001

Dimensions: (l) 250mm x (w) 200mm x (h) 75mm

### Grohe Linear Single-lever bath mixer

set for final installation for 33 961 000, 33 963 000, 33 965 000, 35 501 000 without concealed body metal lever GROHE Long-Life chrome finish automatic diverter: bath/shower escutcheon and shaft sealing metal escutcheon covered fixing min. recommended pressure 1.0 bar

Range: [Lineare](#)



**G-19296001**

Weight: 0.76 kg


G-19296001

Dimensions: (l) 250mm x (w) 200mm x (h) 70mm

### Grohe Linear Single-lever shower mixer

set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body metal lever GROHE Long-Life chrome finish escutcheon and shaft sealing metal escutcheon covered fixing min. recommended pressure 1.0 bar

Range: [Lineare](#)



**G-23792001**

Weight: 12.68 kg


G-23792001

Dimensions: (l) 910mm x (w) 250mm x (h) 230mm

### Grohe Linear Single-lever bath mixer 1/2 floor mounted

set for final installation for 45 984 without roughing-in set GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life chrome finish automatic diverter: bath/shower spout with mousseur projection 271 mm integrated non-return valve in the shower outlet 1/2 with shower holder hand shower Sena Stick (26 465) Silverflex shower hose 1250 mm 1/2 x 1/2 (28 362) protected against backflow min. recommended pressure 1.0 bar

Range: [Lineare](#)



**G-23791001**

Weight: 1.52 kg


G-23791001

Dimensions: (l) 325mm x (w) 235mm x (h) 65mm

### Grohe Linear Single-lever basin mixer 1/2XS-Size

single hole installation metal lever GROHE SilkMove 28 mm ceramic cartridge with temperature limiter GROHE Long-Life chrome finish GROHE Water-Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system smooth body with push-open pop-up waste set 1 1/4 flexible connection hoses

Range: [Lineare](#)



**G-23405001**

Weight: 2.21 kg

G-23405001

Dimensions: (l) 525mm x (w) 310mm x (h) 60mm


### Grohe Linear Single-lever basin mixer 1/2XL-Size

single hole installation metal lever for free-standing basins GROHE SilkMove 28 mm ceramic cartridge with temperature limiter GROHE Long-Life chrome finish GROHE Water-Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus rapid installation system smooth body flexible connection hoses min. recommended pressure 1.0 bar

Range: [Lineare](#)







[G-19409001](#)

Weight: 1.6 kg

G-19409001

Dimensions: (l) 350mm x (w) 200mm x (h) 100mm


### Grohe Linear Two-hole basin mixer M-Size

wall mounted set for final installation for 23 571 000 / 32 635 000 without concealed body metal escutcheon metal lever GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE AquaGuide adjustable mousseur center distance 110 mm projection 149 mm min. recommended pressure 1 bar

Range: [Lineare](#)



## Eurocube



[G-23446000](#)

Weight: 1.72 kg


G-23446000

Dimensions: (l) 375mm x (w) 226mm x (h) 70mm

### Grohe Eurocube Single-lever basin mixer 1/2M-Size

single hole installation metal lever GROHE SilkMove 28 mm ceramic cartridge with temperature limiter GROHE Long-Life chrome finish GROHE Water-Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system smooth body flexible connection hoses min. recommended pressure 1.0 bar

Range: [Eurocube](#)



[G-23672001](#)

Weight: 11.15 kg


G-23672001

Dimensions: (l) 1115mm x (w) 380mm x (h) 80mm

### Grohe Eurocube Single-lever bath mixer 1/2 floor mounted

set for final installation for 45 984 001, 29 038 001, 29 086 000 without roughing-in set GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life chrome finish automatic diverter: bath/shower spout with mousseur Euphoria Cube+ Stick hand shower 6.6 l/min (26 467) Silverflex shower hose 1250 mm 1/2 x 1/2 (28 362) projection 298 mm integrated non-return valve in the shower outlet 1/2 protected against backflow with shower holder

Range: [Eurocube](#)



[G-23445000](#)

Weight: 2.1 kg


G-23445000

Dimensions: (l) 370mm x (w) 225mm x (h) 70mm

### Grohe Eurocube Single-lever basin mixer 1/2M-Size

single hole installation metal lever GROHE SilkMove 28 mm ceramic cartridge with temperature limiter GROHE Long-Life chrome finish GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system pop-up waste set 1 1/4 flexible connection hoses min. recommended pressure 1.0 bar

Range: [Eurocube](#)



[G-23406000](#)

Weight: 3.11 kg

G-23406000


Dimensions: (l) 525mm x (w) 300mm x (h) 55mm

### Grohe Eurocube Single-lever basin mixer 1/2XL-Size

single hole installation metal lever for free-standing basins GROHE SilkMove 28 mm ceramic cartridge temperature limiter GROHE Long-Life chrome finish GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system smooth body flexible connection hoses min. recommended pressure 1.0 bar

Range: [Eurocube](#)





[G-19895000](#)

Weight: 1.9 kg


G-19895000

Dimensions: (l) 355mm x (w) 169mm x (h) 79mm

#### Grohe Eurocube Two-hole basin mixerS-Size

wall mounted set for final installation for 23 200 without concealed body metal escutcheon metal lever GROHE Long-Life chrome finish GROHE AquaGuide adjustable mousseur center distance 110 mm projection 171 mm min. recommended pressure 1.0 bar

Range: [Eurocube](#)



[G-23141000](#)

Weight: 4.15 kg


G-23141000

Dimensions: (l) 240mm x (w) 200mm x (h) 190mm

#### Grohe Eurocube Single-lever bath mixer 1/2

wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2 covered S-unions protected against backflow optional temperature limiter ref. no. 46 375 noise classification I in accordance with DIN 4109 consisting of: hand shower (27 698) wall shower holder (27 693) shower hose 1500 mm (28 151 000) min. recommended pressure 1.0 bar

Range: [Eurocube](#)



[G-23138000](#)

Weight: 1.94 kg


G-23138000

Dimensions: (l) 383mm x (w) 160mm x (h) 73mm

#### Grohe Eurocube Single-lever bidet mixer 1/2S-Size

single hole installation metal lever GROHE SilkMove 28 mm ceramic cartridge temperature limiter GROHE Long-Life chrome finish GROHE FastFixation Plus installation system ball-joint mousseur pop-up waste set 1 1/4 flexible connection hoses

Range: [Eurocube](#)



[G-19898000](#)

Weight: 1.22 kg


G-19898000

Dimensions: (l) 250mm x (w) 200mm x (h) 70mm

#### Grohe Eurocube Single-lever shower mixer

set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body metal lever GROHE Long-Life chrome finish escutcheon and shaft sealing metal escutcheon covered fixing

Range: [Eurocube](#)



[G-19896000](#)

Weight: 1.3 kg

G-19896000

Dimensions: (l) 240mm x (w) 170mm x (h) 110mm

#### Grohe Eurocube Single-lever bath mixer

set for final installation for 33 961 000, 33 963 000, 33 965 000, 35 501 000 without concealed body metal lever GROHE Long-Life chrome finish automatic diverter: bath/shower escutcheon and shaft sealing metal escutcheon covered fixing

Range: [Eurocube](#)



Essence



**G-23590001**

G-23590001

Weight: 1.26 kg

Dimensions: (l) 380mm x (w) 195mm x (h) 75mm

### Grohe Essence Single-lever basin mixer 1/2S-Size

single hole installation metal lever GROHE SilkMove 28 mm ceramic cartridge with temperature limiter GROHE Long-Life chrome finish GROHE Water-Saving mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE FastFixation Plus installation system smooth body flexible connection hoses

Range: [Essence](#)



**G-19408001**

G-19408001

Weight: 0.75 kg

Dimensions: (l) 350mm x (w) 170mm x (h) 80mm

### Grohe Essence Two-hole basin mixerM-Size

wall mounted set for final installation for 23 571 000 / 32 635 000 without concealed body metal escutcheon metal lever GROHE Long-Life finish GROHE Water Saving mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur center distance 110 mm projection 183 mm min. recommended pressure 1 bar

Range: [Essence](#)



**G-32901001**

G-32901001

Weight: 2.12 kg

Dimensions: (l) 560mm x (w) 210mm x (h) 90mm

### Grohe Essence Single-lever basin mixer 1/2XL-Size

single hole installation metal lever for free-standing basins GROHE SilkMove 28 mm ceramic cartridge with temperature limiter GROHE Long-Life chrome finish GROHE Water-Saving mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE FastFixation Plus rapid installation system swivel spout with mousseur and stop limiter smooth body flexible connection hoses min. recommended pressure 1.0 bar

Range: [Essence](#)



**G-23491001**

G-23491001

Weight: 10.08 kg

Dimensions: (l) 910mm x (w) 250mm x (h) 230mm

### Grohe Essence Single-lever bath mixer 1/2 floor mounted

set for final installation for 45 984 without roughing-in set GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life chrome finish automatic diverter: bath/shower swivel spout with mousseur and stop limiter projection 277 mm integrated non-return valve in the shower outlet 1/2 with shower holder for chrome: hand shower 27 806, for other colours: hand shower 26 465 Silverflex shower hose 1250 mm 1/2 x 1/2 (28 362) protected against backflow min. recommended pressure 1.0 bar

Range: [Essence](#)



**G-19285001**

G-19285001






Weight: 0.77 kg


Dimensions: (l) 233mm x (w) 180mm x (h) 55mm

### Grohe Essence Single-lever bath mixer

set for final installation for 33 961 000, 33 963 000, 33 965 000, 35 501 000 without concealed body metal lever GROHE Long-Life finish automatic diverter: bath/shower escutcheon and shaft sealing metal escutcheon covered fixing min. recommended pressure 1.0 bar

Range: [Essence](#)





G-19286001

Weight: 0.67 kg

G-19286001

Dimensions: (l) 230mm x (w) 180mm x (h) 55mm

### Grohe Essence Single-lever shower mixer

set for final installation for without concealed body metal lever GROHE Long-Life chrome finish escutcheon and shaft sealing metal escutcheon covered fixing min. recommended pressure 1.0 bar

Range: [Essence](#)



## Cubeo

[1017550000](#)

1017550000


Weight: 1.375 kg

Dimensions: (l) 385mm x (w) 170mm x (h) 70mm

### Grohe Cubeo Single-Lever Basin Mixer 1/2"M-Size

Created to offer everyday convenience and comfort, the chic GROHE Cubeo single-lever basin mixer combines a unique soft square shape with an elegant yet tactile metal handle. Inside, the durable GROHE SilkMove ceramic cartridge ensures smooth, precise volume and temperature control, with an integrated temperature limiter to save energy. For even more sustainability, GROHE Water Saving technology limits consumption to an efficient 5l/min (at 3 bar), while still giving a powerful jet of water. Thanks to the hard-wearing and easy to clean GROHE Long-Life finish, this bathroom mixer in dazzling chrome will stay looking pristine for years to come. By the way: our Cubeo collection can perfectly combined with both round and square taps, showers, accessories and ceramics, to create [...Read more online](#)

Range: [Cubeo](#)



[1017552430](#)

1017552430


Weight: 1.43 kg

Dimensions: (l) 385mm x (w) 170mm x (h) 70mm

### Grohe Cubeo Single-Lever Basin Mixer 1/2"M-Size

Created to offer everyday convenience and comfort, the GROHE Cubeo single-lever basin mixer in stylish matt black combines a unique soft square shape with an elegant yet tactile metal handle. Inside, the durable GROHE SilkMove ceramic cartridge ensures smooth, precise volume and temperature control, with an integrated temperature limiter to save energy. For even more sustainability, GROHE Water Saving technology limits consumption to an efficient 5l/min (at 3 bar), while still giving a powerful jet of water. Thanks to the hard-wearing and easy to clean GROHE Long-Life finish, this bathroom mixer in dazzling chrome will stay looking pristine for years to come. By the way: our Cubeo collection can perfectly combined with both round and square taps, showers, accessories and [...Read more online](#)

Range: [Cubeo](#)



[1016990000](#)

1016990000


Weight: 1.3 kg

Dimensions: (l) 385mm x (w) 170mm x (h) 70mm


### Grohe Cubeo Single-Lever Basin Mixer 1/2"S-Size

Offering supreme comfort and convenience, the GROHE Cubeo single-lever basin mixer combines a stylish soft square design with an elegant yet tactile metal handle. Inside, the durable GROHE SilkMove ceramic cartridge ensures smooth, precise volume and temperature control, with an integrated temperature limiter to save energy. For even more sustainability, GROHE Water Saving technology limits consumption to an efficient 5l/min (at 3 bar), while still giving a powerful jet of water. Thanks to the hard-wearing and easy to clean GROHE Long-Life finish, this bathroom mixer in dazzling chrome will stay looking pristine for years to come. By the way: our Cubeo collection can perfectly combined with both round and square taps, showers, accessories and ceramics, to create a harmonious overall [...Read more online](#)

Range: [Cubeo](#)







[1016992430](#)

Weight: 1.31 kg

1016992430

Dimensions: (l) 385mm x (w) 170mm x (h) 70mm

#### Grohe Cubeo Single-Lever Basin Mixer 1/2"S-Size

Offering supreme comfort and convenience, the GROHE Cubeo single-lever basin mixer in striking matt black combines a stylish soft square design with an elegant yet tactile metal handle. Inside, the durable GROHE SilkMove ceramic cartridge ensures smooth, precise volume and temperature control, with an integrated temperature limiter to save energy. For even more sustainability, GROHE Water Saving technology limits consumption to an efficient 5l/min (at 3 bar), while still giving a powerful jet of water. By the way: our Cubeo collection can perfectly combined with both round and square taps, showers, accessories and ceramics, to create a harmonious overall design.

Range: [Cubeo](#)



[1017290000](#)

Weight: 2.205 kg

1017290000

Dimensions: (l) 455mm x (w) 235mm x (h) 80mm

#### Grohe Cubeo Single-Lever Basin Mixer 1/2"XL-Size

Free-standing basins make a bold statement, but they need the right mixer to sustain the opulence. Meet the XL GROHE Cubeo single-lever mixer! With its characteristic cuboid design and dazzling chrome finish, it will take any bathroom design up a notch. The extra-high spout contains a GROHE AquaGuide adjustable aerator, meaning you can angle the flow perfectly to your basin shape and depth. Operation is smooth and easy via the solid metal lever handle that is elegant yet tactile and feels sure in the hand. Inside, the durable GROHE SilkMove ceramic cartridge ensures stepless, precise volume and temperature control, with an integrated temperature limiter to save energy. For even more sustainability, GROHE Water Saving technology limits consumption to an efficient [...Read more online](#)

Range: [Cubeo](#)



[1017292430](#)

Weight: 2.295 kg


1017292430

Dimensions: (l) 460mm x (w) 235mm x (h) 80mm

#### Grohe Cubeo Single-Lever Basin Mixer 1/2"XL-Size

Free-standing basins make a bold statement, but they need the right mixer to sustain the opulence. Meet the XL GROHE Cubeo single-lever mixer in striking matt! With its characteristic cuboid design and dazzling chrome finish, it will take any bathroom design up a notch. The extra-high spout contains a GROHE AquaGuide adjustable aerator, meaning you can angle the flow perfectly to your basin shape and depth. Operation is smooth and easy via the solid metal lever handle that is elegant yet tactile and feels sure in the hand. Inside, the durable GROHE SilkMove ceramic cartridge ensures stepless, precise volume and temperature control, with an integrated temperature limiter to save energy. For even more sustainability, GROHE Water Saving technology limits consumption [...Read more online](#)

Range: [Cubeo](#)



[1018140000](#)

1018140000

Weight: 2.82 kg

Dimensions: (l) 275mm x (w) 275mm x (h) 220mm

### Grohe Cubeo Single-Lever Bath/Shower Mixer 1/2"

With its unique soft square silhouette the GROHE Cubeo bath mixer with shower set adds sophisticated style to your bathroom – and functionality as well! Operation is effortless and easy: the lever design invites interaction with its elegant yet tactile metal handle. Inside, the durable GROHE SilkMove ceramic cartridge ensures smooth, precise volume and temperature control. A handy automatic diverter on the top of the spout makes it swift to switch between bath and shower outlet. The 110x110mm hand shower offers two great spray options to suit your mood: the Jet spray is focused for rinsing your hair, while the Rain spray is soft and soothing. And selecting the spray pattern is super easy with the GROHE SmartSwitch dial button. [...Read more online](#)

Range: [Cubeo](#)



[1018142430](#)

1018142430

Weight: 2.96 kg

Dimensions: (l) 275mm x (w) 275mm x (h) 220mm

### Grohe Cubeo Single-Lever Bath/Shower Mixer 1/2"

With its unique soft square silhouette the GROHE Cubeo bath mixer with shower set in a striking matt black finish adds sophisticated style to your bathroom – and functionality as well! Operation is effortless and easy: the lever design invites interaction with its elegant yet tactile metal handle. Inside, the durable GROHE SilkMove ceramic cartridge ensures smooth, precise volume and temperature control. A handy automatic diverter on the top of the spout makes it swift to switch between bath and shower outlet. The 110x110mm hand shower offers two great spray options to suit your mood: the Jet spray is focused for rinsing your hair, while the Rain spray is soft and soothing. And selecting the spray pattern is super easy [...Read more online](#)

Range: [Cubeo](#)



[1017780000](#)

1017780000




Weight: 2.05 kg

Dimensions: (l) 200mm x (w) 180mm x (h) 245mm


### Grohe Cubeo Single-Lever Mixer With 2-Way Diverter

Upgrade to a modern bath mixer that combines soft square style with accurate control. This GROHE Cubeo single-lever trim set offers a concealed design, creating a slim, space-saving solution in your shower cubicle. Operation is effortless and easy: the lever design invites interaction with its elegant yet tactile metal handle. Inside, the durable GROHE SilkMove ceramic cartridge ensures smooth, precise volume and temperature control. A handy 2-way diverter makes it swift to switch between two outlets (head and hand shower or bath inlet and hand shower). Thanks to the long-lasting GROHE Long-Life finish, the dazzling chrome surface is wonderfully easy to clean – one quick wipe and it will look spotless year after year. This trim is designed to be [...Read more online](#)

Range: [Cubeo](#)







1017782430

Weight: 2.055 kg

1017782430

Dimensions: (l) 200mm x (w) 180mm x (h) 245mm

#### Grohe Cubeo Single-Lever Mixer With 2-Way Diverter

Upgrade to a modern bath mixer that combines soft square style with accurate control. This GROHE Cubeo single-lever trim set in a striking matt black finish offers a concealed design, creating a slim, space-saving solution in your shower cubicle. Operation is effortless and easy: the lever design invites interaction with its elegant yet tactile metal handle. Inside, the durable GROHE SilkMove ceramic cartridge ensures smooth, precise volume and temperature control. A handy 2-way diverter makes it swift to switch between two outlets (head and hand shower or bath inlet and hand shower). This trim is designed to be installed with the GROHE Rapido SmartBox (35600/35604), sold separately. And don't worry: This combined solution for concealed installation is 100% safe against [...Read more online](#)

Range: [Cubeo](#)



1017770000

Weight: 1.75 kg


1017770000

Dimensions: (l) 240mm x (w) 200mm x (h) 180mm

#### Grohe Cubeo Single-Lever Shower Mixer Trim

Upgrade to a modern shower mixer that harmonises subtle styling and the latest features. This GROHE Cubeo single-lever trim set offers a concealed design, creating a slim, space-saving solution in your shower cubicle. Operation is effortless and easy: the lever design invites interaction with its elegant yet tactile metal handle. Inside, the durable GROHE SilkMove ceramic cartridge ensures smooth, precise volume and temperature control. Thanks to the long-lasting GROHE Long-Life finish, the dazzling chrome surface is wonderfully easy to clean – one quick wipe and it will look spotless year after year. This trim is designed to be installed with the GROHE Rapido SmartBox (35600/35604), sold separately. And don't worry: This combined solution for concealed installation is 100% safe against [...Read more online](#)

Range: [Cubeo](#)



1017772430

Weight: 1.948 kg


1017772430

Dimensions: (l) 200mm x (w) 180mm x (h) 245mm

#### Grohe Cubeo Single-Lever Shower Mixer Trim

Upgrade to a modern shower mixer that harmonises subtle styling and the latest features. This GROHE Cubeo single-lever trim set in a striking matt black finish offers a concealed design, creating a slim, space-saving solution in your shower cubicle. Operation is effortless and easy: the lever design invites interaction with its elegant yet tactile metal handle. Inside, the durable GROHE SilkMove ceramic cartridge ensures smooth, precise volume and temperature control. This trim is designed to be installed with the GROHE Rapido SmartBox (35600/35604), sold separately. And don't worry: This combined solution for concealed installation is 100% safe against leakage. By the way: our Cubeo collection can perfectly combined with both round and square taps, showers, accessories and ceramics, to create [...Read more online](#)

Range: [Cubeo](#)



### Eurosmart Cosmopolitan

G-19381000

Weight: 1.28 kg


G-19381000


Dimensions: (l) 390mm x (w) 200mm x (h) 100mm

#### Grohe Eurosmart Cosmopolitan Two-hole basin mixerS-Size

wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever GROHE Long-Life chrome finish GROHE AquaGuide adjustable mousseur center distance 110 mm projection 170 mm

Range: [Eurosmart Cosmopolitan](#)





**G-23327000**

Weight: 1.43 kg


G-23327000

Dimensions: (l) 495mm x (w) 226mm x (h) 70mm

**Grohe Eurosmart Cosmopolitan Single-lever basin mixer 1/2M-Size**

single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life chrome finish GROHE Water-Saving mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses min. recommended pressure 1.0 bar optional temperature limiter ref. no. 46 375

Range: [Eurosmart Cosmopolitan](#)



**G-19382000**

Weight: 0.91 kg


G-19382000

Dimensions: (l) 250mm x (w) 205mm x (h) 70mm

**Grohe Eurosmart Cosmopolitan Single-lever bath mixer**

set for final installation for 33 961 000, 33 963 000, 33 965 000, 35 501 000 without concealed body metal lever GROHE Long-Life chrome finish automatic diverter: bath/shower escutcheon and shaft sealing wall escutcheon covered fixing

Range: [Eurosmart Cosmopolitan](#)



**G-19383000**

Weight: 0.79 kg


G-19383000

Dimensions: (l) 250mm x (w) 200mm x (h) 70mm

**Grohe Eurosmart Cosmopolitan Single-lever shower mixer**

set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body metal lever GROHE Long-Life chrome finish escutcheon and shaft sealing wall escutcheon covered fixing

Range: [Eurosmart Cosmopolitan](#)



**G-32824000**

Weight: 1.21 kg


G-32824000

Dimensions: (l) 380mm x (w) 160mm x (h) 70mm

**Grohe Eurosmart Cosmopolitan Single-lever basin mixer 1/2S-Size**

single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min GROHE Long-Life chrome finish GROHE FastFixation installation system with centering support mousseur smooth body flexible connection hoses optional temperature limiter ref. no. 46 375 noise classification I in accordance with DIN 4109

Range: [Eurosmart Cosmopolitan](#)



**G-32830001**

Weight: 1.76 kg

G-32830001

Dimensions: (l) 450mm x (w) 320mm x (h) 70mm

**Grohe Eurosmart Cosmopolitan Single-lever basin mixer 1/2 L-Size**

single hole installation metal lever covered lever fixing GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life chrome finish GROHE Zero isolated inner water ways - lead and nickel free within the faucet GROHE FastFixation installation system mousseur swivel tubular spout with stop limiter pop-up waste set 1 1/4 flexible connection hoses optional temperature limiter ref. no. 46 375

Range: [Eurosmart Cosmopolitan](#)



**Eurosmart**



293382433

293382433

Weight: 1.37 kg

Dimensions: (l) 195mm x (w) 195mm x (h) 85mm

### Grohe Eurosmart 2-Hole Basin MixerM-Size

Looking for superior style and sustainability? Choose a Eurosmart 2-hole single-leve mixer for your hard-working bathroom. Refined in form, function and finish for the demands of modern bathrooms, the matt black GROHE Eurosmart collection is pure joy to operate and to look at, becoming a focal point that boasts its sleek design. This basin tap is designed for wall-mounted installation, with a projection of 211mm.

Operation is via the tactile solid metal lever. The GROHE AquaGuide adjustable spout end means you can angle the flow perfectly to your basin shape and depth, preventing splashing. GROHE water Saving technology reduces water consumption to 5.7 l/min without compromising on performance. And the GROHE Long-Life finish is hard-wearing and easy to clean, so [...Read more online](#)

Range: [Eurosmart](#)



233242433

233242433


Weight: 1.675 kg

Dimensions: (l) 390mm x (w) 175mm x (h) 70mm

### Grohe Eurosmart Basin Mixer 1/2"M-Size

Modernise your bathroom with minimal effort with the new matt black Eurosmart. Refined and refreshed in form, function and finish for the demands of modern bathrooms, the single-lever M-size basin mixer is pure joy to operate and to look at, becoming a focal point that boasts its sleek design. Inside the GROHE SilkMove ceramic cartridge offers durable, precise volume and temperature control via the solid metal lever and features a smooth body, perfect for basins that do not require a retractable chain, a pop-up or push-open waste. The integrated temperature limiter saves energy, while GROHE Water Saving technology reduces water consumption to max. 5 l/min (at 3 bar) without compromising on performance. Isolated inner waterways ensure that water is lead-

Range: [Eurosmart](#)



324672433

324672433


Weight: 1.52 kg

Dimensions: (l) 383mm x (w) 170mm x (h) 72mm

### Grohe Eurosmart Basin Mixer 1/2"S-Size

A classic reimagined – eye-catching and practical, the bestselling Eurosmart collection has a new face. Refined in form, function and finish for the demands of modern bathrooms, the matt black GROHE Eurosmart collection is pure joy to operate and to look at, becoming a focal point that boasts its sleek design. This single-lever S-size basin tap features a smooth body without waste, perfect for basins that do not require a retractable chain, a pop-up or push-open waste. Inside the GROHE SilkMove ceramic cartridge offers durable, precise volume and temperature control via the solid metal lever. The integrated temperature limiter saves energy, while GROHE Water Saving technology reduces water consumption to max. 5 l/min (at 3 bar) without compromising on performance. [...Read more online](#)

Range: [Eurosmart](#)



239712433

Weight: 2.165 kg

239712433

Dimensions: (l) 460mm x (w) 235mm x (h) 80mm

### Grohe Eurosmart Basin Mixer 1/2"XLSize

Complete a redesign or refresh of your bathroom with an XL-size basin mixer that makes a statement, both in aesthetics and in spacious practicality! Refined in form, function and finish for the demands of modern bathrooms, this matt black GROHE Eurosmart single-lever mixer is pure joy to operate and to look at, becoming a focal point that boasts its sleek design. The tap perfectly complements free-standing vessel basins and features a smooth body. The spout contains a GROHE AquaGuide adjustable spout end, meaning you can angle the flow perfectly to your basin shape and depth. Inside the GROHE SilkMove ceramic cartridge offers durable, precise volume and temperature control via the solid metal lever. The integrated temperature limiter saves energy, while [...Read more online](#)

Range: [Eurosmart](#)



[G-33305003](#)

Weight: 1.915 kg

G-33305003

Dimensions: (l) 240mm x (w) 190mm x (h) 190mm

### Grohe Eurosmart Single-lever bath/shower mixer 1/2"

wall installation metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish GROHE FastFixation escutcheon with covered fixation consisting of: set for final installation (19 450 003) with concealed body adjustable flow rate limiter automatic diverter: bath/shower metal escutcheon sealing for escutcheon and shaft optional temperature limiter ref. no. 46 308 professional edition

Range: [Eurosmart](#)



[G-33556003](#)

Weight: 1.565 kg

G-33556003

Dimensions: (l) 240mm x (w) 190mm x (h) 140mm

### Grohe Eurosmart Single-lever shower mixer 1/2"

wall installation metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish GROHE FastFixation escutcheon with covered fixation consisting of: set for final Installation (19 451 003) with concealed body adjustable flow rate limiter sealing for escutcheon and shaft metal wall escutcheon optional temperature limiter ref. no. 46 308 professional edition

Range: [Eurosmart](#)



[333002433](#)

Weight: 2.09 kg








333002433

Dimensions: (l) 158mm x (w) 178mm x (h) 178mm


### Grohe Eurosmart Single-Lever Bath/Shower Mixer 1/2"

GROHE Eurosmart has been brought up to date, making our bestseller even better. Refined in form, function and finish for the demands of modern bathrooms, the matt black GROHE Eurosmart collection is pure joy to operate and to look at, becoming a focal point that boasts its sleek design. This single-lever bath mixer is designed to be wall-mounted. Inside the GROHE SilkMove ceramic cartridge offers durable, precise volume and temperature control via the solid metal lever. An adjustable flow rate limiter reduces water consumption, while a temperature limiter saves energy. And the handy automatic diverter makes it super easy to switch between bath inlet and hand shower. Just add the GROHE hand shower of your choice – so rinsing your [...Read more online](#)

Range: [Eurosmart](#)







194502433

Weight: 1.065 kg

194502433

Dimensions: (l) 200mm x (w) 170mm x (h) 115mm

### Grohe Eurosmart Single-Lever Bath/Shower Mixer Trim

Update your bathroom with less fuss - and results you'll love. Refined and refreshed in form, function and finish for the demands of modern bathrooms, the new matt black GROHE Eurosmart single-lever bath mixer trim is pure joy to operate and to look at, becoming a focal point that boasts its sleek design. It's designed to be wall-mounted, with a metal lever handle for tactile operation. An automatic diverter switches effortlessly between bath and shower outlet. The GROHE FastFixation escutcheon with a locking system and covered sealing makes installation swift and easy. And the GROHE Long-Life finish is hard-wearing and easy to clean, so the stunning matt black surface will last and last. This trim is designed to be installed [...Read more online](#)

Range: [Eurosmart](#)



194512433

Weight: 1.065 kg


194512433

Dimensions: (l) 200mm x (w) 165mm x (h) 115mm

### Grohe Eurosmart Single-Lever Shower Mixer Trim

If you're making changes to your shower, updates don't come any easier than the Eurosmart collection which has been refined and improved in both form, function and finish for the demands of modern bathrooms. This single-lever shower mixer trim is designed to be wall-mounted, with a metal lever handle for tactile operation. The GROHE FastFixation escutcheon with a locking system and covered sealing makes installation swift and easy. And the GROHE Long-Life finish is hard-wearing and easy to clean, so the stunning matt black surface will last and last. This trim is designed to be installed with the GROHE Rapido E concealed body (35501000, sold separately) with GROHE SilkMove ceramic cartridge. And don't worry: This combined solution for concealed installation [...Read more online](#)

Range: [Eurosmart](#)



G-23537003

Weight: 1.76 kg

G-23537003

Dimensions: (l) 435mm x (w) 180mm x (h) 70mm

### Grohe Eurosmart Single-lever basin mixer 1/2" L-Size

single hole installation metal lever GROHE SilkMove 28 mm ceramic cartridge with temperature limiter GROHE Long-Life chrome finish GROHE Water-Saving mousseur 5.7 l/min GROHE FastFixation rapid installation system swivel tubular spout pop-up waste set 1 1/4 flexible connection hoses professional edition

Range: [Eurosmart](#)



G-23324003

Weight: 1.72 kg


G-23324003


Dimensions: (l) 380mm x (w) 170mm x (h) 72mm

### Grohe Eurosmart Single-lever basin mixer 1/2" M-Size

single hole installation metal lever GROHE SilkMove 28 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life chrome finish GROHE Long-Life mousseur 5.7 l/min GROHE Zero isolated inner water ways - lead and nickel free within the faucet GROHE FastFixation rapid installation system smooth body flexible connection hoses professional edition

Range: [Eurosmart](#)





**G-23922003**

Weight: 1.63 kg


G-23922003

Dimensions: (l) 383mm x (w) 170mm x (h) 72mm

### Grohe Eurosmart Single-lever basin mixer 1/2" S-Size

single hole installation metal lever GROHE SilkMove 28 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life chrome finish GROHE Water-Saving mousseur 5.7 l/min GROHE Zero isolated inner water ways - lead and nickel free within the faucet GROHE FastFixation rapid installation system smooth body with push-open pop-up waste set 1 1/4 flexible connection hoses professional edition

Range: [Eurosmart](#)



**G-33265003**

Weight: 1.83 kg


G-33265003

Dimensions: (l) 385mm x (w) 170mm x (h) 70mm

### Grohe Eurosmart Single-lever basin mixer 1/2" S-Size

single hole installation metal lever GROHE SilkMove 28 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life chrome finish GROHE Water-Saving mousseur 5.7 l/min GROHE Zero isolated inner water ways - lead and nickel free within the faucet GROHE FastFixation rapid installation system flexible connection hoses pop-up waste set 1 1/4 professional edition

Range: [Eurosmart](#)



**G-23971003**

Weight: 2.18 kg


G-23971003

Dimensions: (l) 465mm x (w) 235mm x (h) 80mm

### Grohe Eurosmart Single-lever basin mixer 1/2" XL-Size

for free-standing basins single hole installation metal lever GROHE SilkMove 28 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life chrome finish GROHE Water-Saving mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE FastFixation rapid installation system smooth body flexible connection hoses professional edition

Range: [Eurosmart](#)



**G-33300003**

Weight: 1.97 kg


G-33300003

Dimensions: (l) 175mm x (w) 175mm x (h) 160mm

### Grohe Eurosmart Single-lever bath mixer 1/2"

wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life chrome finish automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2 S-unions metal wall escutcheons protected against backflow professional edition

Range: [Eurosmart](#)



**G-19450003**

Weight: 0.95 kg

G-19450003

Dimensions: (l) 201mm x (w) 161mm x (h) 119mm


### Grohe Eurosmart Single-lever bath mixer

set for final installation for 33 961 000, 33 963 000, 33 965 000, 35 501 000 without concealed body metal lever GROHE Long-Life finish GROHE FastFixation escutcheon with covered fixation automatic diverter: bath/shower escutcheon and shaft sealing metal wall escutcheon professional edition

Range: [Eurosmart](#)







**G-33555003**

Weight: 1.47 kg


G-33555003

Dimensions: (l) 201mm x (w) 161mm x (h) 119mm

### Grohe Eurosmart Single-lever shower mixer 1/2"

wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life chrome finish shower bottom outlet 1/2 with integrated non return valve S-unions metal wall escutcheons protected against backflow professional edition

Range: [Eurosmart](#)



**G-19451003**

Weight: 0.85 kg

G-19451003

Dimensions: (l) 201mm x (w) 161mm x (h) 119mm


### Grohe Eurosmart Single-lever shower mixer

set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body metal lever GROHE Long-Life finish GROHE FastFixation escutcheon with covered fixation escutcheon and shaft sealing metal wall escutcheon professional edition

Range: [Eurosmart](#)



## BauEdge



**G-23636000**

Weight: 1.38 kg


G-23636000

Dimensions: (l) 200mm x (w) 160mm x (h) 115mm

### Grohe BauEdge Single-lever shower mixer 1/2

wall mounted metal lever GROHE Longlife 35 mm ceramic cartridge GROHE Long-Life chrome finish shower bottom outlet 1/2 S-unions metal wall escutcheon

Range: [BauEdge](#)



**G-32819001**

Weight: 1.48 kg


G-32819001

Dimensions: (l) 385mm x (w) 160mm x (h) 75mm

### Grohe BauEdge Single-lever basin mixer 1/2"S-Size

single hole installation GROHE Longlife 28 mm ceramic cartridge with temperature limiter GROHE Long-Life chrome finish GROHE Zero isolated inner water ways - lead and nickel free within the faucet mousseur 12.5 l/min rapid installation system plastic pop-up waste set 1 flexible connection hoses

Range: [BauEdge](#)



**G-32858001**

Weight: 1.26 kg

G-32858001


Dimensions: (l) 390mm x (w) 160mm x (h) 70mm

### Grohe BauEdge Single-lever basin mixer 1/2"S-Size

single hole installation GROHE Longlife 28 mm ceramic cartridge with temperature limiter GROHE Long-Life chrome finish GROHE Zero isolated inner water ways - lead and nickel free within the faucet mousseur 12.5 l/min rapid installation system smooth body flexible connection hoses

Range: [BauEdge](#)





**G-32860001**

Weight: 1.75 kg


G-32860001

Dimensions: (l) 383mm x (w) 160mm x (h) 73mm

### Grohe BauEdge Single-lever basin mixer 1/2"XL-Size

for free-standing basins GROHE Longlife 28 mm ceramic cartridge with temperature limiter  
GROHE Long-Life chrome finish GROHE Zero isolated inner water ways - lead and nickel free  
within the faucet mousseur 12.5 l/min rapid installation system smooth body flexible  
connection hoses

Range: [BauEdge](#)



**G-29039001**

Weight: 1.48 kg


G-29039001

Dimensions: (l) 240mm x (w) 148mm x (h) 148mm

### Grohe BauEdge Single-lever bath mixer 1/2"

concealed installation consisting of: set for final installation concealed body GROHE Longlife  
46 mm ceramic cartridge GROHE Long-Life chrome finish adjustable flow rate limiter  
automatic diverter: bath/shower escutcheon and shaft sealing optional temperature limiter ref.  
no. 46 375

Range: [BauEdge](#)



**G-29040001**

Weight: 1.15 kg

G-29040001

Dimensions: (l) 240mm x (w) 195mm x (h) 150mm


### Grohe BauEdge Single-lever shower mixer 1/2"

concealed installation consisting of: set for final installation concealed body GROHE Longlife  
46 mm ceramic cartridge GROHE Long-Life chrome finish adjustable flow rate limiter  
escutcheon and shaft sealing optional temperature limiter ref. no. 46 375

Range: [BauEdge](#)



## BauFlow



**G-32810000**

Weight: 1.36 kg


G-32810000

Dimensions: (l) 850mm x (w) 160mm x (h) 70mm

### Grohe BauFlow OHM basin

single hole installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE Long-  
Life chrome finish mousseur pop-up waste set 1" flexible connection hoses rapid installation  
system

Range: [BauFlow](#)



**G-32851000**

Weight: 1.15 kg


G-32851000

Dimensions: (l) 380mm x (w) 160mm x (h) 70mm

### Grohe BauFlow OHM basin smooth body

single hole installation. metal lever. GROHE Long-Life 28 mm ceramic cartridge. GROHE  
Long-Life finish. Mousseur. smooth body. flexible connection hoses. rapid installation system.

Range: [BauFlow](#)



**G-23601000**

Weight: 1.8 kg

G-23601000

Dimensions: (l) 180mm x (w) 180mm x (h) 600mm






### Grohe BauFlow Single-lever bath mixer 1/2"

wall mounted metal lever GROHE Longlife 35 mm ceramic cartridge GROHE Long-Life  
chrome finish automatic diverter: bath/shower mousseur S-unions metal wall escutcheon


Range: [BauFlow](#)







## 63



**G-36337001**

Weight: 0.85 kg


G-36337001

Dimensions: (l) 240mm x (w) 148mm x (h) 148mm

### Grohe Euroeco Cosmopolitan E Concealed mounting box

wall installation for installation with pre-mixed or cold water suitable for IR-sets for final installation stop valve connection housing for power supply suitable for 36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000 allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

Range: [Euroeco Cosmopolitan E](#)



**G-36322001**

Weight: 1.05 kg


G-36322001

Dimensions: (l) 240mm x (w) 200mm x (h) 190mm

### Grohe Eurosmart Cosmopolitan T Concealed mounting box

with mixture wall installation suitable for self-closing final installation sets with adhesive flange for sealing the wall 2 stop valves housing with mixing device non-return valve for use with 36 321 000 allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

Range: [Eurosmart Cosmopolitan T](#)



**G-35034000**

Weight: 0.79 kg


G-35034000

Dimensions: (l) 155mm x (w) 125mm x (h) 85mm

### Grohe Grohtherm F Rough-in box for wall shower union 27 621

for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing flushing plug for masonry and drywall installation fixing points for front and back wall body made of DR brass 1/2 connections installation depth 70 - 95 mm

Range: [Grohtherm F](#)



**G-23571000**

Weight: 1.33 kg


G-23571000

Dimensions: (l) 230mm x (w) 190mm x (h) 145mm

### Grohe Non Rapido Single-lever mixer 1/2, universal concealed body

for 2-hole basin mixers wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left installation depth 45 to 75 mm DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

Range: [Non Rapido](#)



**G-29032000**

Weight: 0.36 kg


G-29032000

Dimensions: (l) 130mm x (w) 100mm x (h) 50mm

### Grohe Non Rapido Concealed valve

pre-assembled headpart 1/2 threaded union 1/2 installation depth infinitely adjustable 43 - 91 mm DR-brass

Range: [Non Rapido](#)



**G-29800000**

Weight: 0.36 kg

G-29800000

Dimensions: (l) 136mm x (w) 82mm x (h) 54mm


### Grohe Non Rapido Concealed stop-valve, 1/2

pre-assembled headpart 1/2 short spindle protection sleeve threaded union 1/2 DR-brass without handle

Range: [Non Rapido](#)







**G-29086000**

Weight: 1.88 kg

G-29086000

Dimensions: (l) 240mm x (w) 200mm x (h) 190mm

### Grohe Non Rapido Rough-in set 1/2

for floor-mounted tub spouts and mixers without finishing trim set installation plate with 360deg horizontal and 3deg vertical adjustment installation depth 47-151 mm depth compensation 104 mm two 1/2" female connections (hot/cold supplies) flushing plug

Range: [Non Rapido](#)



**G-23200000**

Weight: 1.14 kg


G-23200000

Dimensions: (l) 195mm x (w) 160mm x (h) 155mm

### Grohe Non Rapido Single-lever mixer 1/2, concealed body

for 2-hole basin mixers wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm DR-brass installation device

Range: [Non Rapido](#)



**G-32635000**

Weight: 1.16 kg


G-32635000

Dimensions: (l) 160mm x (w) 160mm x (h) 160mm

### Grohe Non Rapido Single-lever mixer 1/2, concealed body

for 2-hole basin mixers wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm DR-brass min. recommended pressure 1.0 bar installation device

Range: [Non Rapido](#)



**G-33769000**

Weight: 1.25 kg



G-33769000

Dimensions: (l) 160mm x (w) 160mm x (h) 155mm

### Grohe Non Rapido Single-lever mixer 1/2, concealed body

for 2-hole basin mixers wall installation without finishing trim set GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm installation device

Range: [Non Rapido](#)



**G-33963000**

Weight: 0.81 kg


G-33963000

Dimensions: (l) 160mm x (w) 130mm x (h) 130mm

### Grohe Non Rapido Single-lever mixer 1/2, concealed body

for bath and shower without finishing trim set wall installation GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter top and bottom outlet 1/2 cap included diverter in set for final installation clockwise thread

Range: [Non Rapido](#)



**G-33964000**

Weight: 0.65 kg


G-33964000


Dimensions: (l) 160mm x (w) 155mm x (h) 155mm

### Grohe Non Rapido Single-lever mixer 1/2, concealed body

for shower without finishing trim set wall installation GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter top outlet 1/2 clockwise thread

Range: [Non Rapido](#)





[G-35028000](#)

Weight: 0.77 kg


G-35028000

Dimensions: (l) 155mm x (w) 125mm x (h) 85mm

#### Grohe Rapido Rough-in box for single volume control

for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body made of DR brass preassembled ceramic headpart 3/4 connection threads 1/2 flow rate: 55.0 l/min. at 3 bar installation depth 70 - 95 mm min. recommended pressure 1.0 bar

Range: [Rapido](#)



[G-35600000](#)

Weight: 1.88 kg


G-35600000

Dimensions: (l) 185mm x (w) 185mm x (h) 170mm

#### Grohe Rapido Universal rough-in box, 1/2

3 outlets 1/2 2 inlets below, 1/2 installation depth 75-105 mm connection unit in DR brass pre-mounted flushing plug stable build-in box and protective cover fixation options for solid walls and dry cladding gasket without set for final installation

Range: [Rapido](#)



[G-35500000](#)

Weight: 2.71 kg

G-35500000

Dimensions: (l) 245mm x (w) 210mm x (h) 200mm

#### Grohe Rapido Thermostatic mixer for concealed installation

for use with Grohtherm Special without finishing trim set flat installation depth 70 - 95 mm easy to install, premounted and tested unit GROHE TurboStat compact cartridge with wax thermoelement two top outlets 1/2, lockable high flow rate up to 50 l/min. by use of three outlets bottom outlet 1/2 can be used only with separate stop valve safe to install, stable built-in-box and protective cap fixation options for solid walls and dry cladding material for wall sealing included Aquadimmer-diverter for bath mixer or stop valve for shower mixer in finishing trim set body made of DR brass built-in non return valves and dirt strainers GROHE Water-Saving technology for less water and perfect flow min. recommended pressure 1.0 bar

Range: [Rapido](#)






# GROHE ELECTRONIC FITTINGS







[G-23982003](#)

Weight: 1.53 kg


G-23982003

Dimensions: (l) 460mm x (w) 235mm x (h) 80mm

## Grohe Eurosmart Single-lever basin mixer 1/2 S-Size

single hole installation long metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life finish chrome finish laminar flow straightener 9 l/min GROHE FastFixation rapid installation system smooth body with push-open pop-up waste set 1 1/4 flexible connection hoses professional edition

Range: [Eurosmart](#)



[G-23975003](#)

Weight: 2.46 kg


G-23975003

Dimensions: (l) 420mm x (w) 230mm x (h) 145mm

## Grohe Eurosmart Single-lever basin mixer 1/2 M-Size

single hole installation 2-in-1 hybrid with touchless or manual operation manual lever operation having priority metal lever GROHE SilkMove 28 mm ceramic cartridge with temperature limiter infra-red electronic with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6 V lithium battery, type CR-P2 battery lifetime: approx. 7 years (150 actuations a day) non-return valve dirt strainer with integrated solenoid valve external battery multistage battery status display 7 pre-set programs: auto flush cleaning mode additional functions and precise settings by remote control 36 407 GROHE Long-Life chrome finish GROHE Water-Saving mousseur 5.7 l/min GROHE Zero isolated inner water ways - lead and nickel free within the faucet rapid installation system smooth body flexible connection hoses min. recommended pressure 1.0 ...[Read more online](#)

Range: [Eurosmart](#)



[G-36325001](#)

Weight: 1.64 kg


G-36325001

Dimensions: (l) 380mm x (w) 190mm x (h) 70mm

## Grohe Eurosmart Cosmopolitan E Infra-red electronic basin mixer 1/2 with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and servicing with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC GROHE Long-Life finish GROHE Water-Saving mousseur 5.7 l/min flexible connection hoses non-return valve dirt strainers with integrated solenoid valve rapid installation system 7 pre-set programs: auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification I in accordance with DIN 4109 type of protection faucet IP 59K min. recommended pressure 1.0 bar

Range: [Eurosmart Cosmopolitan E](#)



[G-36327001](#)

Weight: 1.68 kg

G-36327001

Dimensions: (l) 380mm x (w) 190mm x (h) 70mm

## Grohe Eurosmart Cosmopolitan E Infra-red electronic basin mixer 1/2 with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6 V lithium battery, type CR-P2 battery lifetime: approx. 7 years (150 actuations a day) GROHE Long-Life finish GROHE Water-Saving mousseur 5.7 l/min flexible connection hoses non-return valve dirt strainers with integrated solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs: auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification I in accordance with DIN 4109 type of protection faucet IP 59K min. recommended pressure 1.0 bar


Range: [Eurosmart Cosmopolitan E](#)



G-36335SD0

Weight: 1.72 kg

Dimensions: (l) 260mm x (w) 120mm x (h) 130mm



## Grohe Eurosmart Cosmopolitan E Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water with transformer 100-230 V AC, 50-60 Hz, 6 V DC GROHE Water-Saving technology for less water and perfect flow laminar mousseur 9 l/min stainless steel escutcheon SuperSteel spout 172 mm 7 pre-set programs: auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 set for final installation for concealed fitting box 36 336 000/36 337 000 CE approved noise classification I in accordance with DIN 4109 min. recommended pressure 1.0 bar

Range: Eurosmart Cosmopolitan E



G-36386001

G-36386001


Weight: 2.7 kg

Dimensions: (l) 560mm x (w) 210mm x (h) 85mm

## Grohe Eurosmart Cosmopolitan E Powerbox

of 36 445 000 Essence E infra-red electronic basin mixer 1/2 with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing including Powerbox self-generating power system GROHE Long-Life finish GROHE Water-Saving 6.0 l/min mousseur including all flexible connection hoses non-return valve dirt strainer rapid installation system Powerbox power generator with water turbine internal energy saving unit with use of 60 s/24 h stand-by, 260 s/100 h stand-by with additional backup power 7 pre-set programs: auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved min. recommended pressure 1.0 bar

Range: Eurosmart Cosmopolitan E



## Euroeco

G-36271000

G-36271000


Weight: 1.25 kg

Dimensions: (l) 390mm x (w) 160mm x (h) 70mm

### Grohe Euroeco Infra-red electronic basin tap without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water 6 V lithium battery, type CR-P2 battery lifetime: approx. 7 years (150 actuations a day) GROHE Long-Life finish GROHE Water-Saving mousseur 5.7 l/min flexible connection hoses dirt strainers external solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs: auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification I in accordance with DIN 4109 type of protection faucet IP 59K min. recommended pressure 1.0 bar

Range: Euroeco



G-36269000

G-36269000


Weight: 1.23 kg

Dimensions: (l) 390mm x (w) 160mm x (h) 70mm

**Grohe Euroeco Infra-red electronic basin tap 1/2 without mixing device**

with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC GROHE Long-Life finish GROHE Water-Saving mousseur 5.7 l/min flexible connection hoses dirt strainers external solenoid valve rapid installation system 7 pre-set programs: auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification I in accordance with DIN 4109 type of protection faucet IP 59K min. recommended pressure 1.0 bar

Range: Euroeco






G-36274000

Weight: 1.51 kg

Dimensions: (l) 377mm x (w) 230mm x (h) 74mm



### Grohe Euroeco Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water 6 V lithium battery, type CR-P2 battery lifetime: approx. 7 years (150 actuations a day) GROHE Long-Life finish GROHE Water-Saving mousseur 5.7 l/min metal body multistage battery status display 7 pre-set programs: auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved min. recommended pressure 1.0 bar

Range: Euroeco

G-36384000

G-36384000


Weight: 2.12 kg

Dimensions: (l) 560mm x (w) 210mm x (h) 90mm

## Grohe Euroeco Powerbox

infra-red electronic basin tap 1/2 without mixer with infrared sensor for bi-directional communication for monitoring, configuration and servicing including Powerbox self-generating power system GROHE Long-Life finish GROHE Water-Saving 6.0 l/min mousseur flexible connection hose dirt strainer rapid installation system Powerbox power generator with water turbine internal energy saving unit with use of 60 s/24 h stand-by, 260 s/100 h stand-by with additional backup power 7 pre-set programs: auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved min. recommended pressure 1.0 bar

Range: Euroeco



G-36273000


G-36273000

Weight: 1.51 kg

Dimensions: (l) 260mm x (w) 130mm x (h) 115mm

### Grohe Euroeco Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water with transformer 100-230 V AC, 50-60 Hz, 6 V DC GROHE Long-Life finish GROHE Water-Saving technology for less water and perfect flow GROHE Water-Saving mousseur 5.7 l/min chrome escutcheon chrome spout projection 172 mm 7 pre-set programs: auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 set for final installation for concealed fitting box 36 336 001/36 337 001 CE approved noise classification I in accordance with DIN 4109 min. recommended pressure 1.0 bar

Range: [Euroeco](#)




# GROHE ISOLATING VALVES





## Angle Valves



[22037AL0](#)

Weight: 0.175 kg


22037AL0

Dimensions: (l) 90mm x (w) 60mm x (h) 40mm

### Grohe Angle valve 1/2"

pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE Long-Life finish

Range: [Grohe](#)



[22037DA0](#)

Weight: 0.16 kg


22037DA0

Dimensions: (l) 96mm x (w) 63mm x (h) 38mm

### Grohe Angle valve 1/2"

pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE Long-Life finish

Range: [Grohe](#)



[22037GN0](#)

Weight: 0.17 kg


22037GN0

Dimensions: (l) 90mm x (w) 60mm x (h) 35mm

### Grohe Angle valve 1/2"

pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE Long-Life finish

Range: [Grohe](#)



[G-22039GN0](#)

Weight: 0.17 kg


G-22039GN0

Dimensions: (l) 90mm x (w) 60mm x (h) 35mm

### Grohe Angle valve 1/2

self-sealing connection thread wall connection 1/2" outlet 3/8" with length compensation with compression nut 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon 55 mm GROHE Long-Life finish

Range: [Grohe](#)



[G-22940000](#)

Weight: 0.23 kg

G-22940000

Dimensions: (l) 120mm x (w) 80mm x (h) 45mm


### Grohe Angle valve 1/2

without connector set 1/2 for copper pipe Ø 10 mm TDL handle marking: neutral sliding escutcheon GROHE Long-Life finish

Range: [Grohe](#)







[G-2201600M](#)

Weight: 1.08 kg


G-2201600M

Dimensions: (l) 290mm x (w) 190mm x (h) 60mm

### Grohe Universal angle valve 1/2

with connection 1/2" plastic handle marking: neutral screw escutcheon, metal GROHE Long-Life finish sales unit 10 pieces

Range: [Grohe](#)



[G-2201700M](#)

Weight: 1.2 kg


G-2201700M

Dimensions: (l) 290mm x (w) 190mm x (h) 60mm

### Grohe Universal angle valve 1/2

with compression coupling 3/8 for copper pipe Ø 10 mm plastic handle marking: neutral screw escutcheon, metal GROHE Long-Life finish sales unit 10 pieces

Range: [Grohe](#)



[22041001](#)

Weight: 0.165 kg


22041001

Dimensions: (l) 95mm x (w) 60mm x (h) 41mm

### Grohe Angle Valve 1/2"

pre-roughened connection thread for easy sealing wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE Long-Life finish

Range: [Grohe](#)



[220732430](#)

Weight: 0.375 kg

220732430

Dimensions: (l) 96mm x (w) 60mm x (h) 38mm

### Grohe Angle Valve 1/2"

Turn on the style! This GROHE angle valve creates seamless bathroom magic when used with our comprehensive bathroom collection in striking matt black. It has several features that make installation easier: a length compensation, a long connecting shaft and a pre-roughened connection thread for proper sealing. It also comes with a water protected spindle shutoff (brass) with grease chamber and double o-ring sealing and a metal push-on escutcheon (Ø 55mm). Operation is also easy thanks to the ergonomic handles made of solid metal. And the GROHE Long-Life finish is durable and low-maintenance. The GROHE Angle Valve – helping to create bathroom harmony!

Range: [Grohe](#)





# GROHE SINKS





## Sinks

### [G-31552SD1](#)

Weight: 2.3 kg


G-31552SD1

Dimensions: (l) 880mm x (w) 525mm x (h) 220mm

#### Grohe K200 Stainless steel sink with drainer

Your sink sits at the heart of your kitchen, so make sure you pick a sink that is practical, durable and comfortable to use – the GROHE K200 stainless steel sink with drainer. The sink has two pre-drilled tap holes, meaning that it is fully reversible. The sink offers plenty of internal space, with a bowl depth of 16cm, meaning even large pans will fit comfortably. The sink comes with some clever features to enhance your experience: For a quieter kitchen, GROHE Whisper insulation on the underside of the sink dampens noise, and the automatic waste fitting with remote control means you can pull the plug without having to put your hand in the dirty water. The sink is made [...Read more online](#)

Range: [K200](#)



### [G-31720SD0](#)

Weight: 3.5 kg


G-31720SD0

Dimensions: (l) 465mm x (w) 193mm x (h) 485mm

#### Grohe K200 K200 Sink

model: K200 50-S Ø 44 1.0 mounting type: top mount material: stainless steel AISI 304 (V2A) GROHE Whisper min. cabinet size: 500 mm dimensions: Ø 440 mm 1 bowl: Ø 390 mm inner bowl radius: Ø 390 GROHE FastFixation rapid installation system cut-out: Ø 422 mm drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set amount of fasteners included (top mount): 5

Range: [K200](#)



### [G-31564SD1](#)

Weight: 2.95 kg

G-31564SD1


Dimensions: (l) 985mm x (w) 515mm x (h) 230mm

#### Grohe K200 K200 Sink with drainer

model: K200 60-S 96.5/50 1.5 rev mounting type: top mount material: stainless steel AISI 304 (V2A) material thickness: 0.7 mm GROHE Long-Life Shine finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 965 x 500 mm 1 bowl: 346 x 396 x 150 mm 1 bowl: 170 x 320 x 80 mm outer radius: R10 (topmount), inner bowl radius: R100 GROHE FastFixation installation system sink mountable left or right cut-out (top mount): 941 x 476 mm drilling holes: 2 x 35 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners

[...Read more online](#)

Range: [K200](#)



#### G-31588SD1

G-31588SD1

Weight: 2.65 kg


Dimensions: (l) 1170mm x (w) 515mm x (h) 230mm

#### **Grohe K500 K500 Double sink with drainer**

model: K500 80-S 116/50 2.0 rev mounting type: top mount material: stainless steel AISI 304 (V2A) material thickness: 0.7 mm GROHE Long-Life Shine finish finish: satin finish GROHE Whisper min. cabinet size: 800 mm dimensions: 1160 x 500 mm 1 bowl: 340 x 420 x 185 mm 2 bowl: 340 x 420 x 185 mm outer radius: R6 (topmount), inner bowl radius: R90 GROHE FastFixation installation system sink mountable left or right cut-out (top mount): 1140 x 480 mm drilling holes: 2 x 35 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners

[...Read more online](#)

Range: [K500](#)



#### G-31574SD1

G-31574SD1


Weight: 7.73 kg

Dimensions: (l) 585mm x (w) 485mm x (h) 290mm

#### **Grohe K700 K700U Sink**

model: K700U 60-S 54.4/44.4 1.0 mounting type: undermount, top mount or flush Mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm GROHE Long-Life Shine finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm Dimensions: 550 x 450 mm 1 bowl: 500 x 400 x 200 mm outer radius: R16(undermount)/R3 (topmount), inner bowl radius: R15 GROHE FastFixation installation system. cut-out (undermount): 502 x 402 mm (R16) cut-out (top mount): 535 x 435 mm cut-out (flush mount): 535 x 435 mm (R3) (top step outer size: -551 x 451 -R8 deep -3.5 mm) drainer: Ø 3.5"/90 mm basket strainer waste accessories Included: waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount [...Read more online](#)

Range: [K700](#)





# GROHE KITCHEN TAPS & MIXERS



## K7

[G-32950000](#)

Weight: 5.61 kg

G-32950000

Dimensions: (l) 790mm x (w) 314mm x (h) 136mm

### Grohe K7 Single-lever sink mixer 1/2

single hole installation GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge professional spray diverter: mousseur/SpeedClean shower jet automatic return to mousseur metal spray adjustable flow rate limiter swivel spout, swivel area 140deg 360deg maneuverable spring arm protected against backflow flexible connection hoses rapid installation system min. recommended pressure 1.0 bar

Range: [K7](#)



[G-31379000](#)

Weight: 5.32 kg

G-31379000

Dimensions: (l) 770mm x (w) 315mm x (h) 140mm

### Grohe K7 Single-lever sink mixer 1/2

single hole installation GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge professional spray diverter: mousseur/SpeedClean shower jet automatic return to mousseur metal spray adjustable flow rate limiter swivel spout swivel area 140deg 360deg maneuverable spring arm protected against backflow flexible connection hoses rapid installation system min. recommended pressure 1.0 bar

Range: [K7](#)



[G-31379DC0](#)

Weight: 5.3 kg

G-31379DC0

Dimensions: (l) 775mm x (w) 314mm x (h) 136mm

### Grohe K7 Single-lever sink mixer 1/2

GROHE K7 delivers maximum kitchen style and convenience! Designed to provide professional-grade functionality, this tap includes a spray that swivels through a full 360° while offering the choice of a fine spray jet or a powerful shower jet. With its extensive reach, cleaning your basin and sink area will be easier than ever. This highly functional sink mixer comes with a medium high spout that is perfect for filling large pots and pans. For extra smooth and effortless handling, the single-lever mixer is crafted with our GROHE SilkMove ceramic cartridges and our easy installation system ensures hassle-free fitting. With a minimalist design and finished in GROHE SuperSteel for a mat stainless steel look, this product performs brilliantly and makes an [...Read more online](#)

Range: [K7](#)



## Eurocube

[G-31255000](#)

Weight: 2.85 kg





G-31255000

Dimensions: (l) 460mm x (w) 230mm x (h) 80mm

### Grohe Eurocube Single-lever sink mixer 1/2

high spout single hole installation GROHE Long-Life finish GROHE SilkMove 28 mm ceramic cartridge mousseur swivel cast spout swivel area 360deg flexible connection hoses rapid installation system min. recommended pressure 1.0 bar

Range: [Eurocube](#)





**G-31395000**

Weight: 5.62 kg

G-31395000

Dimensions: (l) 775mm x (w) 290mm x (h) 140mm

### **Grohe Eurocube Single-lever sink mixer 1/2**

single hole installation GROHE Long-Life finish GROHE SilkMove 28 mm ceramic cartridge professional spray diverter: mousseur/SpeedClean shower jet automatic return to laminar spray metal spray swivel spout swivel area 140deg 360deg maneuverable spring arm protected against backflow flexible connection hoses applicable for under cupboard installation rapid installation system automatic return to mousseur

Range: [Eurocube](#)



## **Minta**

**G-32488000**

Weight: 2.08 kg

G-32488000

Dimensions: (l) 558mm x (w) 193mm x (h) 87mm

### **Grohe Minta Single-lever sink mixer 1/2**

U-spout single hole installation GROHE Long-Life finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter selectable swivel area: 0deg / 150deg / 360deg swivel tubular spout flexible connection hoses rapid installation system optional temperature limiter ref. no. 46 308

Range: [Minta](#)



**G-32917000**

Weight: 2.07 kg

G-32917000

Dimensions: (l) 558mm x (w) 193mm x (h) 87mm

### **Grohe Minta Single-lever sink mixer 1/2**

C-spout single hole installation GROHE Long-Life finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter swivel tubular spout selectable swivel area: 0deg / 150deg / 360deg flexible connection hoses connector set 3/8 rapid installation system optional temperature limiter ref. no. 46 308

Range: [Minta](#)



**G-31397000**

Weight: 3.19 kg

G-31397000

Dimensions: (l) 550mm x (w) 195mm x (h) 85mm

### **Grohe Minta Single-lever sink mixer 1/2**

for open water heater L-spout single hole installation GROHE Long-Life finish GROHE SilkMove 46 mm ceramic cartridge pull-out laminar spray adjustable flow rate limiter swivel tubular spout swivel area 360deg integrated non-return valves protected against backflow flexible connection hoses rapid installation system

Range: [Minta](#)



**G-32918000**

Weight: 2.71 kg

G-32918000

Dimensions: (l) 558mm x (w) 193mm x (h) 87mm


### **Grohe Minta Single-lever sink mixer 1/2**

C-spout single hole installation GROHE Long-Life finish GROHE SilkMove 46 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position pull-out mousseur adjustable flow rate limiter swivel tubular spout swivel area 360deg integrated non-return valves protected against backflow flexible connection hoses rapid installation system optional temperature limiter ref. no. 46 308 min. recommended pressure 1.0 bar

Range: [Minta](#)



## **Essence**



**G-30269000**

Weight: 1.86 kg

G-30269000

Dimensions: (l) 360mm x (w) 200mm x (h) 115mm

### Grohe Essence Single-lever sink mixer 1/2

high spout single hole installation GROHE Long-Life chrome finish GROHE SilkMove 28 mm ceramic cartridge mousseur swivel tubular spout adjustable swivel area 0deg / 150deg / 360deg flexible connection hoses rapid installation system integrated temperature limiter min. recommended pressure 1.0 bar

Range: [Essence](#)



**G-30270000**

Weight: 2.78 kg

G-30270000

Dimensions: (l) 450mm x (w) 315mm x (h) 75mm

### Grohe Essence Single-lever sink mixer 1/2

high spout single hole installation GROHE Long-Life chrome finish GROHE SilkMove 28 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position flow straightener pull-out dual spray - switches back and forth between regular flow and spray diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray metal spray swivel tubular spout swivel area 360deg integrated non-return valve protected against backflow flexible connection hoses rapid installation system integrated temperature limiter min. recommended pressure 1.0 bar

Range: [Essence](#)



**G-31615000**

Weight: 3.35 kg

G-31615000

Dimensions: (l) 770mm x (w) 300mm x (h) 65mm

### Grohe Essence SmartControl Sink mixer with SmartControl

single hole installation GROHE Long-Life chrome finish pull-out spray with laminar metal spray GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position GROHE SmartControl push for ON-OFF, turn for volume adjustment from water saving eco mode to Full Flow temperature adjustment by turning of mixing valve on body swivel tubular spout, swivel area 140deg protected against backflow flexible connection hoses GROHE FastFixation Plus ultra fast and simple installation - no tools needed GROHE Zero isolated inner water ways - lead and nickel free within the faucet

Range: [Essence SmartControl](#)



## Concetto

**G-32667001**

Weight: 2.3 kg

G-32667001

Dimensions: (l) 240mm x (w) 200mm x (h) 195mm


### Grohe Concetto Single-lever sink mixer 1/2

wall mounted GROHE Long-Life finish GROHE SilkMove 46 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 360deg projection 280 mm S-unions

Range: [Concetto](#)



## Eurosmart





332022433


Weight: 1.815 kg

Dimensions: (l) 480mm x (w) 310mm x (h) 80mm

## Grohe Eurosmart Single-Lever Sink Mixer 1/2"

Bring your kitchen up to date with the stunning matt black GROHE Eurosmart single-lever sink mixer with high C-spout. The design classic has been refreshed for the demands of modern kitchens. The spout swivels smoothly through 150°, offering increased flexibility at the sink without hitting nearby walls. Inside, the GROHE SilkMove cartridge technology ensures life-long smooth and accurate control, while isolated inner waterways means your water is lead and nickel-free within the tap. And the GROHE Long-Life finish is durable and easy to clean, so the striking matt black surface will last a lifetime. This kitchen mixer is designed for single-hole installation. The included metal fixation set with stabilisation plate fits all sinks and all types of installation, to guarantee a [...Read more online](#)

Range: Eurosmart



G-30305001

Weight: 2.35 kg


G-30305001

Dimensions: (l) 390mm x (w) 325mm x (h) 60mm

**Grohe Eurosmart Single-lever sink mixer 1/2"**

low spout single hole installation GROHE Long-Life chrome finish GROHE SilkMove 35 mm ceramic cartridge flow straightener with integrated temperature limiter pull-out dual spray - switches back and forth between regular flow and spray diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray adjustable flow rate limiter swivel cast spout swivel area 90deg GROHE Zero isolated inner water ways - lead and nickel free within the faucet flexible connection hoses 3/8 GROHE FastFixation Plus installation system protected against backflow

Range: Eurosmart



G-30567000

Weight: 1.63 kg


G-30567000

Dimensions: (l) 475mm x (w) 310mm x (h) 80mm

**Grohe Eurosmart Single-lever sink mixer 1/2"**

high spout single hole installation GROHE Long-Life chrome finish GROHE SilkMove 28 mm ceramic cartridge integrated temperature limiter mousseur adjustable flow rate limiter swivel tubular spout swivel area 150deg GROHE Zero isolated inner water ways - lead and nickel free within the faucet flexible connection hoses 3/8 GROHE FastFixation Plus installation system min. recommended pressure 1.0 bar

Range: Eurosmart



G-33202003

Weight: 1.73 kg


G-33202003


Dimensions: (l) 480mm x (w) 310mm x (h) 80mm

**Grohe Eurosmart Single-lever sink mixer 1/2"**

high spout single hole installation GROHE Long-Life chrome finish GROHE SilkMove 35 mm ceramic cartridge integrated temperature limiter mousseur adjustable flow rate limiter swivel tubular spout swivel area 150deg GROHE Zero isolated inner water ways - lead and nickel free within the faucet flexible connection hoses 3/8 GROHE FastFixation Plus installation system min. recommended pressure 1.0 bar

Range: Eurosmart





**G-33281003**

Weight: 1.58 kg

G-33281003

Dimensions: (l) 305mm x (w) 290mm x (h) 60mm

### Grohe Eurosmart Single-lever sink mixer 1/2"

low spout single hole installation GROHE Long-Life chrome finish GROHE SilkMove 35 mm ceramic cartridge integrated temperature limiter adjustable flow rate limiter swivel cast spout swivel area 140deg GROHE Zero isolated inner water ways - lead and nickel free within the faucet mousseur with coin slot for tool free replacement flexible connection hoses 3/8 GROHE FastFixation Plus installation system min. recommended pressure 1.0 bar  
Range: [Eurosmart](#)



**G-3284320E**

Weight: 1.78 kg

G-3284320E

Dimensions: (l) 475mm x (w) 310mm x (h) 85mm

### Grohe Eurosmart Cosmopolitan Single-lever sink mixer 1/2

The GROHE Eurosmart Cosmopolitan sink mixer doesn't just trade on its good looks. This smart, modern tap is also a solid performer and a key part of your water-saving eco-strategy. The high C-shaped spout is ideal for filling large pots and pans, and you have the facility to lock it in place or have it swivel through 150° for more practicality. The solid metal lever is tactile and assured, while inside the GROHE SilkMove cartridge gives precise, dependable control of flow and temperature. The GROHE EcoJoy feature lets you conserve water without sacrificing performance. GROHE Zero separated inner waterways mean your drinking water is safely free of lead and nickel, while the Easy Installation System with flexible connection hoses makes [...Read more online](#)

Range: [Eurosmart Cosmopolitan](#)



**G-31180000**

Weight: 2.26 kg

G-31180000

Dimensions: (l) 365mm x (w) 210mm x (h) 135mm

### Grohe Eurosmart Cosmopolitan Single-lever sink mixer 1/2

for open water heater high spout single hole installation GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge flow straightener adjustable flow rate limiter swivel tubular spout selectable swivel area: 0deg / 150deg / 360deg flexible connection hoses rapid installation system

Range: [Eurosmart Cosmopolitan](#)



**G-32842000**

Weight: 1.44 kg


G-32842000

Dimensions: (l) 380mm x (w) 330mm x (h) 65mm

### Grohe Eurosmart Cosmopolitan Single-lever sink mixer 1/2

low spout single hole installation GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140deg flexible connection hoses rapid installation system

Range: [Eurosmart Cosmopolitan](#)



## Costa

**G-31191001**

Weight: 1.55 kg


G-31191001

Dimensions: (l) 235mm x (w) 192mm x (h) 145mm


### Grohe Costa Wall sink mixer 1/2

wall mounted metal handles heat-insulated screwable GROHE Long-Life finish Longlife-headparts mousseur tubular spout swivel area 360deg S-unions

Range: [Costa](#)







**G-31693000**

Weight: 1.53 kg


G-31693000

Dimensions: (l) 380mm x (w) 305mm x (h) 70mm

### Grohe BauEdge Single-lever sink mixer 1/2

medium spout single hole installation GROHE Long-Life chrome finish GROHE Longlife 35 mm ceramic cartridge GROHE Zero isolated inner water ways - lead and nickel free within the faucet swivel tubular spout, swivel area 140deg mousseur with coin slot for tool free replacement flexible connection hoses GROHE FastFixation Plus ultra fast and simple installation - no tools needed for installation on a max. 40 mm worktop fixation set 48 384 000 is needed

Range: [BauEdge](#)



**G-31367001**

Weight: 1.31 kg

G-31367001

Dimensions: (l) 470mm x (w) 260mm x (h) 55mm


### Grohe New BauEdge Single-lever sink mixer 1/2

high spout single hole installation GROHE Long-Life finish GROHE Longlife 28 mm ceramic cartridge GROHE Zero isolated inner water ways - lead and nickel free within the faucet spout with mousseur swivel tubular spout swivel area 360deg flexible connection hoses rapid installation system GROHE FastFixation Plus ultra fast and simple installation - no tools needed for installation on a 60 mm worktop fixation set 48 384 000 is needed

Range: [New BauEdge](#)



## BauFlow



**G-31538001**

Weight: 1.33 kg

G-31538001

Dimensions: (l) 475mm x (w) 260mm x (h) 50mm


### Grohe BauFlow Single-lever sink mixer 1/2

high spout single hole installation GROHE Long-Life chrome finish GROHE Longlife 28 mm ceramic cartridge GROHE Zero isolated inner water ways - lead and nickel free within the faucet spout with mousseur swivel tubular spout swivel area 360deg flexible connection hoses GROHE FastFixation Plus ultra fast and simple installation - no tools needed for installation on a 60 mm worktop fixation set 48 384 000 is needed

Range: [BauFlow](#)



## BauEco



**G-31680000**

Weight: 1.42 kg

G-31680000

Dimensions: (l) 304mm x (w) 370mm x (h) 70mm

### Grohe BauEco Single-lever sink mixer 1/2

low spout single hole installation GROHE Long-Life chrome finish GROHE Longlife 35 mm ceramic cartridge GROHE Zero isolated inner water ways - lead and nickel free within the faucet swivel tubular spout, swivel area 140deg mousseur with coin slot for tool free replacement flexible connection hoses GROHE FastFixation Plus ultra fast and simple installation - no tools needed for installation on a max. 40 mm worktop fixation set 48 384 000 is needed min. recommended pressure 1.0 bar

Range: [BauEco](#)






# GROHE MEDICAL RANGE





## EuroEco Safety



[G-32793000](#)

Weight: 3.2 kg


G-32793000

Dimensions: (l) 250mm x (w) 220mm x (h) 150mm

### Grohe Euroeco Special Single-lever safety basin mixer 1/2

wall mounted GROHE Long-Life chrome finish GROHE Water-Saving technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast swivel spout, lockable with flow straightener 9 l/min. swivel area 90deg projection 256 mm metal lever lever length 170 mm S-unions min. recommended pressure 1.0 bar

Range: [Euroeco Special](#)



[G-32795000](#)

Weight: 2.74 kg


G-32795000

Dimensions: (l) 255mm x (w) 220mm x (h) 120mm

### Grohe Euroeco Special Single-lever safety basin mixer 1/2

wall mounted GROHE Long-Life chrome finish GROHE Water-Saving technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast spout with flow straightener 9 l/min. projection 204 mm metal lever lever length 170 mm S-unions

Range: [Euroeco Special](#)



[G-32788000](#)

Weight: 1.78 kg

G-32788000

Dimensions: (l) 380mm x (w) 220mm x (h) 75mm


### Grohe Euroeco Special Single-lever safety basin mixer 1/2

single hole installation pop-up waste set 1 1/4 GROHE Long-Life chrome finish GROHE Water-Saving technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. laminar flow straightener 9 l/min metal lever lever length 120 mm rapid installation system flexible connection hoses

Range: [Euroeco Special](#)



## EuroEco Special



[G-32789000](#)

Weight: 1.59 kg


G-32789000

Dimensions: (l) 375mm x (w) 225mm x (h) 70mm

### Grohe Euroeco Special Single-lever safety basin mixer 1/2

single hole installation smooth body GROHE Long-Life chrome finish GROHE Water-Saving technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. laminar flow straightener 9 l/min metal lever lever length 120 mm rapid installation system flexible connection hoses

Range: [Euroeco Special](#)



[G-32790000](#)

Weight: 1.95 kg

G-32790000

Dimensions: (l) 550mm x (w) 230mm x (h) 80mm

### Grohe Euroeco Special Single-lever safety basin mixer 1/2

single hole installation smooth body high version GROHE Long-Life chrome finish GROHE Water-Saving technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. laminar flow straightener 9 l/min metal lever lever length 120 mm rapid installation system flexible connection hoses min. recommended pressure 1.0 bar

Range: [Euroeco Special](#)



[G-32792000](#)

G-32792000


Weight: 2.91 kg

Dimensions: (l) 240mm x (w) 195mm x (h) 150mm

**Grohe Euroeco Special Single-lever safety basin mixer 1/2**

wall mounted GROHE Long-Life chrome finish GROHE Water-Saving technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast swivel spout, lockable with flow straightener 9 l/min. swivel area 90deg projection 197 mm metal lever lever length 120 mm S-unions min. recommended pressure 1.0 bar

Range: [Euroeco Special](#)





# GROHE PUBLIC TAPS & MIXERS



## Euroeco

[G-36266000](#)

G-36266000

Weight: 0.65 kg

Dimensions: (l) 220mm x (w) 120mm x (h) 70mm

### Grohe Euroeco Self-closing wall tap 1/2"

wall mounted for cold or premixed water marking: blue/red GROHE Long-Life chrome finish GROHE Water-Saving technology for less water and perfect flow flow limiter 5.7 l/min 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent) escutcheon min. recommended pressure 1.0 bar

Range: [Euroeco](#)



[G-36265000](#)

G-36265000

Weight: 0.74 kg

Dimensions: (l) 200mm x (w) 145mm x (h) 60mm

### Grohe Euroeco Self-closing pillar tap 1/2"

for cold or premixed water marking: blue/red GROHE Long-Life chrome finish GROHE Water-Saving 5.7 l/min flow limiter 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent) min. recommended pressure 1.0 bar

Range: [Euroeco](#)



## Eurosmart

[36325002](#)

36325002

Weight: 1.53 kg

Dimensions: (l) 310mm x (w) 167mm x (h) 78mm

### Grohe Eurosmart Cosmopolitan E Infra-Red Electronic Basin Mixer 1/2" + Mixing Device & Adj Temp Limiter

with infrared sensor for bi-directional communication for monitoring, configuration and servicing without power supply 36 338 000 (required) GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min flexible connection hoses non-return valve dirt strainers with integrated solenoid valve rapid installation system 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59 replaces 36 325 001"

Range: [Eurosmart Cosmopolitan E](#)



[36327002](#)

36327002

Weight: 1.46 kg

Dimensions: (l) 315mm x (w) 170mm x (h) 80mm

### Grohe Eurosmart Cosmopolitan E Infra-Red Electronic Basin Mixer 1/2" + Mixing Device & Adj Temp Limiter

with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min flexible connection hoses non-return valve dirt strainers with integrated solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59 replaces 36 327 001

Range: [Eurosmart Cosmopolitan E](#)





[G-36321000](#)

G-36321000

Weight: 1.45 kg

Dimensions: (l) 260mm x (w) 130mm x (h) 120mm

**Grohe Eurosmart Cosmopolitan T Self-closing shower mixer 1/2 with mixing device and adjustable temperature limiter**

GROHE Long-Life chrome finish chrome escutcheon 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent) pressure range 0.5 to 6 bar dirt strainers set for final installation for concealed fitting box 36 322 001 without concealed body

Range: [Eurosmart Cosmopolitan T](#)



[G-36317000](#)

G-36317000



Weight: 1.27 kg

Dimensions: (l) 383mm x (w) 160mm x (h) 73mm

**Grohe Eurosmart Cosmopolitan T Self-closing basin mixer with mixing device and adjustable temperature limiter**


GROHE Long-Life chrome finish GROHE Water-Saving 5.7 l/min flow limiter 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent) pressure range 0.5 to 6 bar 2 flexible hoses non-return valve dirt strainers min. recommended pressure 1.0 bar

Range: [Eurosmart Cosmopolitan T](#)





# GROHE SHOWER COLLECTION







[G-27296003](#)

G-27296003

Weight: 7.1 kg

Dimensions: (l) 1150mm x (w) 320mm x (h) 110mm

### Grohe Euphoria System 260 Shower Column

consisting of: horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Euphoria 260 (26 455) Rain, SmartRain, Jet with ball joint rotation angle  $\pm 15^\circ$  hand shower Euphoria 110 Massage (27 221 000) 3 spray patterns: Rain, Massage, SmartRain adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at  $38^\circ\text{C}$  ( calibration required ) GROHE SafeStop Plus optional temperature limiter at  $43^\circ\text{C}$  included GROHE CoolTouch prevents scalding on hot surfaces GROHE ProGrip with knurl structure GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen GROHE SprayDimmer (Stepless flow rate reduction) GROHE FastFixation upper bracket adjustable

[...Read more online](#)

Range: [Euphoria System 260](#)



[35107000](#)

35107000

Weight: 0.78 kg

Dimensions: (l) 156mm x (w) 126mm x (h) 87mm

### Grohe Grohtherm F Rough-In Box For Wall Shower Union 26 878 000

for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing flushing plug for masonry and drywall installation fixing points for front and back wall body of DR brass 1/2" connections installation depth 70 - 95 mm

Range: [Grohtherm F](#)



[G-34706000](#)

G-34706000

Weight: 10.35 kg

Dimensions: (l) 440mm x (w) 360mm x (h) 400mm

### Grohe Grohtherm SmartControl Perfect shower set with Rainshower SmartActive 310 Cube

consisting of: concealed thermostat with 3 valves Grohtherm SmartControl set for final installation (29 126) GROHE Rapido SmartBox (35 600/35 604) Rainshower SmartActive 310 Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483) Euphoria Cube Stick hand shower (27 698) Euphoria Cube wall union with integrated shower holder (26 370) Silverflex shower hose 1500 mm 1/2 x 1/2 (28 364)

Range: [Grohtherm SmartControl](#)



[G-26250000](#)

G-26250000






Weight: 10.84 kg

Dimensions: (l) 1145mm x (w) 375mm x (h) 145mm

### Grohe Rainshower System SmartControl Duo 360 Shower system with thermostat for wall mounting

consisting of: horizontal 500 mm shower arm exposed SmartControl thermostat allows change between: head shower Rainshower Duo 360, spray plate chrome GROHE PureRain/GROHE Rain O<sup>2</sup> spray\* and TrioMassage Power&Soul 115 hand shower, spray plate white (27 671 LS0) hand shower wall holder (27 055) Silverflex shower hose 1750 mm (28 388) minimum flow rate 10 l/min. GROHE DreamSpray perfect spray pattern GROHE Long-Life chrome finish GROHE CoolTouch no risk of scalding GROHE TurboStat compact cartridge with wax thermoelement GROHE Water-Saving technology for less water and perfect flow GROHE SafeStop safety button at  $38^\circ\text{C}$  GROHE SafeStop Plus optional temperature limiter at  $43^\circ\text{C}$  included GROHE SmartControl push for ON-OFF, turn for volume adjustment from Water-Saving to Full Flow GROHE EasyReach shower tray [...Read more online](#)

Range: [Rainshower System SmartControl Duo 360](#)





G-27922000

G-27922000

Weight: 5.58 kg

Dimensions: (l) 1140mm x (w) 320mm x (h) 100mm

**Grohe Tempesta Cosmopolitan 160 Shower system with thermostat for wall mounting** consisting of: horizontal swivable 390 mm shower arm exposed thermostat with Aquadimmer function allows change between: head shower 1 spray (28 232 000) Rain with ball joint rotation angle 15deg hand shower Tempesta Cosmopolitan 100 (27 571) 2 spray patterns: Rain, Jet adjustable in height with gliding element Silverflex shower hose 1750 mm (28 388) GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38degC GROHE SafeStop Plus optional temperature limiter at 43degC included GROHE DreamSpray perfect spray pattern GROHE Long-Life chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min min. recommended pressure 1.0 bar optional upgrade: [...Read more online](#)  
Range: [Tempesta Cosmopolitan 160](#)



269802431

269802431

Weight: 3.851 kg

Dimensions: (l) 770mm x (w) 290mm x (h) 105mm

**Grohe Tempesta System 250 Flex Shower System With Diverter For Wall Mounting** This GROHE Tempesta 250 Flex shower system in stunning matt black is the easy way to more showering pleasure and a chic, comfortable bathroom. The exposed system for wall-mounting consists of 250mm diameter head shower, 110mm diameter hand shower, a diverter (to switch between hand shower, head shower or head shower eco setting), 620mm rail with 390mm arm and gliding element to adjust the hand shower, plus 1750mm TwistStop and 500mm hose. The head shower offers a gentle, relaxing Rain Spray. The hand shower comes with a ShockProof silicone ring to protect it against drops or knocks. It has 3 spray patterns, the soft Rain, the powerful, targeted Jet and the invigorating Massage Spray. Both are easy to access using [...Read more online](#)  
Range: [Tempesta System 250](#)



266702431

266702431

Weight: 6.6 kg

Dimensions: (l) 1145mm x (w) 320mm x (h) 100mm

**Grohe Tempesta System 250 Shower System With Thermostat For Wall Mounting** Give your bathroom an aesthetic makeover with the GROHE Tempesta 250 shower system in stunning matt black. It lets you enjoy all the benefits of convenience and comfort that a thermostat offers. The exposed system for wall-mounting consists of a 250mm diameter head shower, a 110mm diameter hand shower, thermostat, shower rail with 390mm swivel-action shower arm and gliding element to adjust the hand shower, plus a 1750mm hose with TwistStop function. The head shower offers a gentle, relaxing Rain Spray. The hand shower comes with a ShockProof silicone ring to protect it against drops or knocks. It has 2 spray patterns, the soft Rain and the powerful, targeted Jet Spray. Both are easy to access using the innovative GROHE [...Read more online](#)  
Range: [Tempesta System 250](#)



## Hand Showers

G-27222000


G-27222000

Weight: 0.35 kg

Dimensions: (l) 260mm x (w) 115mm x (h) 55mm

**Grohe Euphoria 110 Champagne Hand shower 3 sprays** Rain, Champagne spray, SmartRain GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (stepless flow rate reduction) GROHE Long-Life chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater  
Range: [Euphoria 110 Champagne](#)





**G-27367000**

G-27367000



Weight: 0.16 kg

Dimensions: (l) 230mm x (w) 45mm x (h) 45mm

**Grohe Euphoria Cosmopolitan Stick Hand shower 1 spray**

Normal spray GROHE Long-Life chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses

Range: [Euphoria Cosmopolitan Stick](#)



**G-27693000**

G-27693000


Weight: 0.12 kg

Dimensions: (l) 70mm x (w) 70mm x (h) 55mm

**Grohe Euphoria Cube Wall hand shower holder**

not adjustable GROHE Long-Life chrome finish

Range: [Euphoria Cube](#)



**G-27698000**

G-27698000


Weight: 0.12 kg

Dimensions: (l) 230mm x (w) 45mm x (h) 45mm

**Grohe Euphoria Cube Stick Hand shower 1 spray**

Normal spray GROHE DreamSpray perfect spray pattern GROHE Long-Life chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater

Range: [Euphoria Cube Stick](#)



**G-27702000**

G-27702000

Weight: 0.54 kg

Dimensions: (l) 209mm x (w) 75mm x (h) 235mm

**Grohe Euphoria Cube Stick Wall holder set 1 spray**

consisting of: hand shower (27 698) wall shower holder (27 693) Silverflex shower hose 1250 mm 1/2 x 1/2 (28 362) GROHE DreamSpray perfect spray pattern GROHE Long-Life chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater

Range: [Euphoria Cube Stick](#)



**G-48293000**

G-48293000

Weight: 0.65 kg

Dimensions: (l) 225mm x (w) 205mm x (h) 45mm

**Grohe Hose for sink mixer with pull-out dual spray or mousseur**

for sink mixer with pull-out dual spray or mousseur GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position including weight and knurled nuts G 1/2" approx. 1425 mm M15 x 1 GROHE Long-Life finish

Range: [Grohe](#)





**G-27074A00**


Weight: 0.1 kg

G-27074A00

Dimensions: (l) 75mm x (w) 80mm x (h) 80mm

**Grohe Rainshower Wall hand shower holder**

GROHE's Rainshower wall holder in Hard Graphite has a circular escutcheon that adds instant designer style to any bathroom. This easy-to-fit and stylish wall holder is the perfect finishing touch for anyone who wants to create a seamless bathroom design. The GROHE StarLight coating is exceptionally durable and will keep its good looks for years to come. It will look particularly good with the GROHE Euphoria Cosmopolitan Stick hand shower (27400A00), the GROHE Rainshower Shower outlet (27057A00) and GROHE Silverflex shower hoses (28388A00 & 28362A00). So check out our new Hard Graphite bath collection for a truly sophisticated and stylish modern bathroom design!

Range: [Rainshower](#)**G-27074AL0**


Weight: 0.1 kg

G-27074AL0

Dimensions: (l) 75mm x (w) 80mm x (h) 80mm

**Grohe Rainshower Wall hand shower holder**

GROHE's Rainshower wall holder in Brushed Hard Graphite has a circular escutcheon that adds instant designer style to any bathroom. This easy-to-fit and stylish wall holder is the perfect finishing touch for anyone who wants to create a seamless bathroom design. The GROHE StarLight coating is exceptionally durable and will keep its good looks for years to come. It will look particularly good with the GROHE Euphoria Cosmopolitan Stick hand shower (27400AL0), the GROHE Rainshower Shower outlet (27057AL0) and GROHE Silverflex shower hoses (28388AL0 & 28362AL0). So check out our new Brushed Hard Graphite bath collection for a truly sophisticated and stylish modern bathroom design!

Range: [Rainshower](#)**G-27074DA0**


Weight: 0.1 kg

G-27074DA0

Dimensions: (l) 75mm x (w) 75mm x (h) 70mm

**Grohe Rainshower Wall hand shower holder**

GROHE's Rainshower wall holder in Warm Sunset has a circular escutcheon that adds instant designer style to any bathroom. This easy-to-fit and stylish wall holder is the perfect finishing touch for anyone who wants to create a seamless bathroom design. The GROHE StarLight coating is exceptionally durable and will keep its good looks for years to come. It will look particularly good with the GROHE Euphoria Cosmopolitan Stick hand shower (27400DA0), the GROHE Rainshower Shower outlet (27057DA0) and GROHE Silverflex shower hoses (28388DA0 & 28362DA0). So check out our new Warm Sunset bath collection for a truly sophisticated and stylish modern bathroom design!

Range: [Rainshower](#)**G-26574A00**


Weight: 0.34 kg

G-26574A00

Dimensions: (l) 251mm x (w) 132mm x (h) 45mm

**Grohe Rainshower Hand shower 3 sprays**

Give yourself more room to move under the shower with the clean, slim profile of the GROHE Tempesta 250 head shower. Not only does it offer generous dimensions but it also has features to enhance your comfort. This round-shaped head shower has a wide 250mm face, providing lots of space to spread out. It comes with the gentle, refreshing Rain Spray pattern, enhanced by GROHE DreamSpray, which keeps the flow from every nozzle equal and consistent, for a more enjoyable experience. GROHE EcoJoy limits the water flow to 9.5 l/min but still delivers pure and satisfying indulgence. SpeedClean nozzles on the shower head can be brushed clean of limescale with a finger for easy maintenance. Inside an insulated Inner WaterGuide ...[Read more online](#)

Range: [Rainshower](#)

**G-27074GN0**

Weight: 0.1 kg

**G-27074GN0**

Dimensions: (l) 75mm x (w) 75mm x (h) 70mm

**Grohe Rainshower Wall hand shower holder**

GROHE's Rainshower wall holder in Brushed Cool Sunrise has a circular escutcheon that adds instant designer style to any bathroom. This easy-to-fit and stylish wall holder is the perfect finishing touch for anyone who wants to create a seamless bathroom design. The GROHE StarLight coating is exceptionally durable and will keep its good looks for years to come. It will look particularly good with the GROHE Euphoria Cosmopolitan Stick hand shower (27400GN0), the GROHE Rainshower Shower outlet (27057GN0) and GROHE Silverflex shower hoses (28388GN0 & 28362GN0). So check out our new Brushed Cool Sunrise bath collection for a truly sophisticated and stylish modern bathroom design!

Range: [Rainshower](#)**G-26574GN0**

Weight: 0.34 kg

**G-26574GN0**

Dimensions: (l) 285mm x (w) 238mm x (h) 45mm

**Grohe Rainshower SmartActive 130 Hand shower 3 sprays**

Make the daily shower a time to look forward to with the innovative features and comfortable operation of the GROHE Tempesta 250 head shower. This round-shaped head shower has a wide 250mm face, providing lots of space to spread out. It comes with the gentle, refreshing Rain Spray pattern, enhanced by GROHE DreamSpray which keeps the flow from every nozzle equal and consistent, for a more enjoyable experience. A water-saving feature will appeal to those concerned about sustainability – the GROHE EcoJoy 1.75 gpm flow limiter saves water and money, while still providing a powerful, reliable spray. SpeedClean nozzles on the shower head can be brushed clean of limescale with a finger for easy maintenance.

Inside an insulated Inner WaterGuide [...Read more online](#)Range: [Rainshower SmartActive 130](#)**G-26574000**

Weight: 0.34 kg

**G-26574000**

Dimensions: (l) 285mm x (w) 135mm x (h) 45mm

**Grohe Rainshower SmartActive 130 Hand shower 3 sprays**

spray plate chrome GROHE Rain including DripStop, Jet including DripStop, ActiveMassage GROHE Water-Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE RainStart - hand shower starts always with Rain spray pattern GROHE Long-Life chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater

Range: [Rainshower SmartActive 130](#)**G-26582000**

Weight: 0.36 kg

**G-26582000**


Dimensions: (l) 250mm x (w) 140mm x (h) 45mm

**Grohe Rainshower SmartActive 130 Cube Hand shower 3 sprays**

spray plate chrome GROHE Rain including DripStop, Jet including DripStop, ActiveMassage GROHE Water-Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE RainStart - hand shower starts always with Rain spray pattern GROHE Long-Life chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater

Range: [Rainshower SmartActive 130 Cube](#)





[G-28605000](#)

Weight: 0.08 kg


G-28605000

Dimensions: (l) 220mm x (w) 95mm x (h) 50mm

### Grohe Relaxa Wall hand shower holder

not adjustable GROHE Long-Life chrome finish

Range: [Relexa](#)



[G-28628000](#)

Weight: 0.19 kg


G-28628000

Dimensions: (l) 113mm x (w) 72mm x (h) 71mm

### Grohe Relaxa Shower outlet elbow, 1/2

with wall shower holder male thread GROHE Long-Life chrome finish

Range: [Relexa](#)



[28362001](#)

Weight: 0.28 kg


28362001

Dimensions: (l) 205mm x (w) 45mm x (h) 230mm

### Grohe Silverflex Shower hose

1250 mm smooth surface for easy cleaning Rotation cone for TwistStop function pressure resistance up to 5 bar tensile strength 500 N heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE ProGrip with knurl structure GROHE Long-Life finish

Range: [Silverflex](#)



[G-26574AL0](#)

Weight: 0.34 kg



G-26574AL0

Dimensions: (l) 285mm x (w) 138mm x (h) 45mm

### Grohe SmartActive Hand shower 3 sprays

From its large spray area to its innovative features, the GROHE Tempesta 250 head shower is all about user comfort and sophisticated modern style. This round-shaped head shower has a wide 250mm face and a 380mm shower arm for wall-mounting, providing lots of space to spread out. It comes with the gentle, refreshing Rain Spray pattern, enhanced by GROHE DreamSpray, which keeps the flow from every nozzle equal and consistent, for a more enjoyable experience. GROHE EcoJoy limits the water flow to 9.5 l/min but still delivers pure and satisfying indulgence. SpeedClean nozzles on the shower head can be brushed clean of limescale with a finger for easy maintenance. Inside an insulated Inner WaterGuide keeps the surface from becoming too [...Read more online](#)

Range: [SmartActive](#)



[G-26574DA0](#)

Weight: 0.34 kg

G-26574DA0



Dimensions: (l) 285mm x (w) 138mm x (h) 45mm

### Grohe SmartActive

The GROHE Tempesta 250 head shower makes it simple to update your showering experience. Contained within its sleek, slim profile are a host of features designed to maximize comfort in busy modern bathrooms. This round-shaped head shower has a wide 250mm face, providing lots of space to spread out. It comes with the gentle, refreshing Rain Spray pattern, enhanced by GROHE DreamSpray which keeps the flow from every nozzle equal and consistent, for a more enjoyable experience. A water-saving feature will appeal to those concerned about sustainability – the GROHE EcoJoy 9.5 l/min flow limiter saves water and money, while still providing a powerful, reliable spray. SpeedClean nozzles on the shower head can be brushed clean of limescale with a [...Read more online](#)

Range: [SmartActive](#)





[27595001](#)

Weight: 0.13 kg

27595001

Dimensions: (l) 95mm x (w) 80mm x (h) 70mm

#### Grohe Tempesta Wall Hand Shower Holder

Your bathroom makeover is always in safe hands with quality parts like this GROHE Tempesta wall holder, made in Germany by GROHE. Matching our broad GROHE Tempesta 110 hand shower range for style and quality, this adjustable wall holder comes in the GROHE Long-Life finish and is hard-wearing and easy to clean for a durable yet dazzling surface.

Range: [Tempesta](#)



[275952431](#)

Weight: 0.12 kg



275952431

Dimensions: (l) 95mm x (w) 71mm x (h) 81mm

#### Grohe Tempesta Wall Hand Shower Holder

Your bathroom makeover is always in safe hands with quality parts like this GROHE Tempesta wall holder, made in Germany by GROHE. Matching our broad GROHE range in matt black, this adjustable wall holder comes with the GROHE Long-Life finish and is hard-wearing and easy to clean for a flawless surface that will last a lifetime.

Range: [Tempesta](#)



[286282431](#)

Weight: 0.166 kg


286282431

Dimensions: (l) 96mm x (w) 72mm x (h) 82mm

#### Grohe Tempesta Wall Outlet

To avoid hitches in your bathroom makeover, choose quality parts like this GROHE Tempesta wall union with shower outlet and integrated shower holder, made in Germany by GROHE. Matching our broad GROHE Tempesta Start and Comfort hand shower range 110 for style and quality, this wall union comes in the GROHE Long-Life finish and is hard-wearing and easy to clean for his adjustable wall holder comes with the GROHE Long-Life finish and is hard-wearing and easy to clean for a flawless surface that will last a lifetime.

Range: [Tempesta](#)



[28628001](#)

Weight: 0.17 kg


28628001

Dimensions: (l) 95mm x (w) 80mm x (h) 70mm

#### Grohe Tempesta Wall Outlet

To avoid hitches in your bathroom makeover, choose quality parts like this GROHE Tempesta wall union with shower outlet and integrated shower holder, made in Germany by GROHE. Matching our broad GROHE Tempesta Start and Comfort hand shower range 110 for style and quality, this wall union comes in the GROHE Long-Life finish and is hard-wearing and easy to clean for a durable yet dazzling surface.

Range: [Tempesta](#)



[28605001](#)

Weight: 0.075 kg


28605001

Dimensions: (l) 95mm x (w) 80mm x (h) 70mm


#### Grohe Tempesta Wall Hand Shower Holder

Your bathroom makeover will go smoothly with quality parts like this GROHE Tempesta wall holder, made in Germany by GROHE. Matching our broad GROHE Tempesta 110 hand shower range for style and quality, this non-adjustable wall holder comes in the GROHE Long-Life finish and is hard-wearing and easy to clean for a durable yet dazzling surface. Matching our broad GROHE Tempesta hand shower range for style and quality.

Range: [Tempesta](#)







[G-28419002](#)

Weight: 0.28 kg


G-28419002

Dimensions: (l) 226mm x (w) 106mm x (h) 60mm

### Grohe Tempesta 100 Hand shower 3 sprays

GROHE Rain O<sup>2</sup>, Rain, Massage GROHE Water-Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar

Range: [Tempesta 100](#)



[G-26164001](#)

Weight: 0.6 kg


G-26164001

Dimensions: (l) 235mm x (w) 205mm x (h) 90mm

### Grohe Tempesta 100 Wall holder set 2 sprays

consisting of: hand shower (26 161) wall shower holder (28 605) not adjustable Relaxaflex hose 1250 mm 1/2 x 1/2 (28 150) GROHE Water-Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar

Range: [Tempesta 100](#)



[261612433](#)

Weight: 0.292 kg


261612433

Dimensions: (l) 240mm x (w) 115mm x (h) 63mm

### Grohe Tempesta 110 Hand Shower 2 Sprays

The matt black GROHE Tempesta 110 is simplicity itself from fitting to daily use – but with style, functionality and performance that exceed expectations. Its 110mm diameter head features 2 sprays tailored to your mood: choose from soothing Rain or the focused and powerful Jet spray via the easy-to-use SmartSwitch dial on the back. GROHE DreamSpray technology ensures that the flow of water from every nozzle is equal, for a perfectly balanced spray pattern. The ShockProof silicone ring is there to prevent the hand shower itself, or the shower tray or bathtub, being damaged if it's dropped. Its crisp good looks and premium performance will last for years – the shower features GROHE SpeedClean silicone nozzles that can be cleared [...Read more online](#)

Range: [Tempesta 110](#)



[261622433](#)

Weight: 1.155 kg

261622433

Dimensions: (l) 645mm x (w) 145mm x (h) 68mm

### Grohe Tempesta 110 Shower Rail Set 2 Sprays (Rain, Jet)

This GROHE Tempesta 110 shower set in a stunning matt black finish is easy to install and use, but offers a completely transformative showering experience and eye-catching aesthetics. The 110mm diameter hand shower features 2 sprays to suit different moods: soothing Rain eases stress, while the focused Jet is ideal for rinsing hair after shampooing. Both are easy to access using the innovative GROHE SmartSwitch diverter on the back of the shower head. GROHE DreamSpray technology ensures that the flow of water from every nozzle is equal, for a perfectly balanced spray pattern. The ShockProof silicone ring is there to prevent the hand shower itself, or the shower tray or bathtub, being damaged if it's dropped. GROHE Water Saving technology [...Read more online](#)

Range: [Tempesta 110](#)



261642433

Weight: 0.62 kg

261642433

Dimensions: (l) 236mm x (w) 210mm x (h) 90mm

**Grohe Tempesta 110 Wall Holder Set 2 Sprays (Rain, Jet)**

The matt black GROHE Tempesta 110 shower set is an eye- and eco-friendly way to take your bathroom makeover to the next level. The 110mm diameter hand shower features 2 sprays to suit different moments: soothing Rain eases stress, while the focused Jet is ideal for rinsing hair after shampooing. Both are easy to access using the innovative GROHE SmartSwitch diverter on the back of the shower head. The GROHE DreamSpray technology matches the flow of water from each nozzle, for a uniform spray pattern. GROHE Water Saving technology significantly reduces water usage without compromising on performance. A minimum of 0.2 bar of pressure is recommended. GROHE SpeedClean enables you to brush the nozzles free of limescale with just a [...Read more online](#)

Range: [Tempesta 110](#)[264062433](#)

Weight: 0.775 kg

264062433

Dimensions: (l) 260mm x (w) 250mm x (h) 110mm

**Grohe Tempesta 110 Wall Holder Set 2 Sprays (Rain, Jet)**

With so many features packed into its eye-catching design, the matt black GROHE Tempesta 110 shower set is perfect for modern bathrooms. The 110mm diameter hand shower features 2 sprays to suit different moments: soothing Rain eases stress, while the focused Jet is ideal for rinsing hair after shampooing. Both are easy to access using the innovative GROHE SmartSwitch diverter on the back of the shower head. The GROHE DreamSpray technology matches the flow of water from each nozzle, for a uniform spray pattern. GROHE Water Saving technology significantly reduces water usage without compromising on performance. A minimum of 0.2 bar of pressure is recommended. GROHE SpeedClean enables you to brush the nozzles free of limescale with just a finger. [...Read more online](#)

Range: [Tempesta 110](#)[28419003](#)

Weight: 0.31 kg

28419003

Dimensions: (l) 245mm x (w) 115mm x (h) 60mm

**Grohe Tempesta 110 Hand Shower 3 Sprays**

The simplest solution is often the best – and the GROHE Tempesta 110 hand shower offers versatility and quality in a convenient package. Its 110mm head features 3 sprays tailored to your mood: choose from soothing Rain, invigorating Massage or the focused and powerful Jet spray via the easy-to-use SmartSwitch dial on the back. GROHE DreamSpray technology ensures that the flow of water from every nozzle is equal, for a perfectly balanced spray pattern. The ShockProof silicone ring is there to prevent the hand shower itself, or the shower tray or bathtub, being damaged if it's dropped. Its crisp good looks and premium performance will last for years – the shower features GROHE SpeedClean silicone nozzles that can be cleared [...Read more online](#)

Range: [Tempesta 110](#)[27598003](#)

Weight: 1.085 kg

27598003

Dimensions: (l) 645mm x (w) 145mm x (h) 65mm

**Grohe Tempesta 110 Shower Rail Set 2 Sprays (Rain, Jet)**

This GROHE Tempesta 110 shower set has it all: style, convenience and practicality to make your bathroom makeover fall into place. The 110mm diameter hand shower features 2 sprays to suit different moods: soothing Rain eases stress, while the focused Jet is ideal for rinsing hair after shampooing. Both are easy to access using the innovative GROHE SmartSwitch diverter on the back of the shower head. GROHE DreamSpray technology ensures that the flow of water from every nozzle is equal, for a perfectly balanced spray pattern. A minimum of 1.0 bar of pressure is recommended. The ShockProof silicone ring is there to prevent the hand shower itself, or the shower tray or bathtub, being damaged if it's dropped. GROHE SpeedClean [...Read more online](#)

Range: [Tempesta 110](#)



[27644003](#)

Weight: 1.086 kg

27644003

Dimensions: (l) 650mm x (w) 147mm x (h) 65mm

### Grohe Tempesta 110 Shower Rail Set 3 Sprays (Rain, Jet, Massage)

This GROHE Tempesta 110 shower set does so much with its slim lines and minimalist design. The 110mm diameter hand shower features 3 sprays to suit different moods: soothing Rain eases stress, Massage invigorates, while the focused Jet is ideal for rinsing hair after shampooing. All are easy to access using the innovative GROHE SmartSwitch diverter on the back of the shower head. GROHE DreamSpray technology ensures that the flow of water from every nozzle is equal, for a perfectly balanced spray pattern. The ShockProof silicone ring is there to prevent the hand shower itself, or the shower tray or bathtub, being damaged if it's dropped. GROHE Water Saving technology significantly reduces water usage without compromising on performance. A minimum [...Read more online](#)

Range: [Tempesta 110](#)



[26164003](#)

Weight: 0.605 kg

26164003

Dimensions: (l) 245mm x (w) 210mm x (h) 95mm

### Grohe Tempesta 110 Wall Holder Set 2 Sprays (Rain, Jet)

The GROHE Tempesta 110 shower set is a simple, stylish way to take your bathroom makeover to the next level. The 110mm diameter hand shower features 2 sprays to suit different moments: soothing Rain eases stress, while the focused Jet is ideal for rinsing hair after shampooing. Both are easy to access using the innovative GROHE SmartSwitch diverter on the back of the shower head. The GROHE DreamSpray technology matches the flow of water from each nozzle, for a uniform spray pattern. GROHE Water Saving technology significantly reduces water usage without compromising on performance. A minimum of 1.0 bar of pressure is recommended. GROHE SpeedClean enables you to brush the nozzles free of limescale with just a finger. The ShockProof [...Read more online](#)

Range: [Tempesta 110](#)



[G-27574002](#)

Weight: 0.29 kg

G-27574002

Dimensions: (l) 226mm x (w) 106mm x (h) 60mm

### Grohe Tempesta Cosmopolitan 100 Hand shower 3 sprays

GROHE Rain O<sup>2</sup>, Rain, Massage GROHE Water-Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar

Range: [Tempesta Cosmopolitan 100](#)



[G-27588002](#)

Weight: 0.62 kg

G-27588002


Dimensions: (l) 235mm x (w) 225mm x (h) 90mm

### Grohe Tempesta Cosmopolitan 100 Wall holder set 3 sprays

consisting of: hand shower (27 574) wall shower holder non-adjustable (27 594) Relaxaflex hose 1500 mm 1/2 x 1/2 (28 151) GROHE Water-Saving 9.5 l/min flow limiter GROHE Long-Life chrome finish GROHE DreamSpray perfect spray pattern SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar

Range: [Tempesta Cosmopolitan 100](#)





[26130004](#)

Weight: 0.305 kg

26130004


Dimensions: (l) 115mm x (w) 60mm x (h) 245mm

### Grohe Tempesta Cube Hand Shower 2 Sprays

With power and performance to upgrade your space and your daily routine, the GROHE Tempesta Cube 110 hand shower packs a lot into its slim profile. Its 110mm head features 2 sprays tailored to your mood: choose from soothing Rain or the focused and powerful Jet spray via the easy-to-use SmartSwitch dial on the back. GROHE DreamSpray technology ensures that the flow of water from every nozzle is equal, for a perfectly balanced spray pattern. The ShockProof silicone ring is there to prevent the hand shower itself, or the shower tray or bathtub, being damaged if it's dropped. Its crisp good looks and premium performance will last for years – the shower features GROHE SpeedClean silicone nozzles that can be

[...Read more online](#)

Range: [Tempesta Cube](#)



[261302434](#)

Weight: 0.295 kg

261302434



Dimensions: (l) 114mm x (w) 57mm x (h) 240mm

### Grohe Tempesta Cube Hand Shower 2 Sprays

With power and performance to upgrade your daily routine, the matt black GROHE Tempesta Cube 110 hand shower for low pressure packs a lot into its slim and stylish profile. The 110x110mm head features 2 sprays tailored to your mood: choose from soothing Rain or the focused and powerful Jet spray via the easy-to-use SmartSwitch dial on the back. GROHE DreamSpray technology ensures that the flow of water from every nozzle is equal, for a perfectly balanced spray pattern. The ShockProof silicone ring is there to prevent the hand shower itself, or the shower tray or bathtub, being damaged if it's dropped. Its crisp good looks and premium performance will last for years – the shower features GROHE SpeedClean silicone

[...Read more online](#)

Range: [Tempesta Cube](#)



[27574003](#)

Weight: 0.31 kg

27574003


Dimensions: (l) 240mm x (w) 115mm x (h) 60mm

### Grohe Tempesta Cube 110 Hand Shower 3 Sprays

A simple shower upgrade can make all the difference to your day – if you choose the GROHE Tempesta Cube 110 hand shower. Its 110mm head features 3 sprays tailored to your mood: choose from soothing Rain, invigorating Massage or the focused and powerful Jet spray via the easy-to-use SmartSwitch dial on the back. GROHE DreamSpray technology ensures that the flow of water from every nozzle is equal, for a perfectly balanced spray pattern. The ShockProof silicone ring is there to prevent the hand shower itself, or the shower tray or bathtub, being damaged if it's dropped. Its crisp good looks and premium performance will last for years – the shower features GROHE SpeedClean silicone nozzles that can be cleared

[...Read more online](#)

Range: [Tempesta Cube 110](#)



[27579003](#)

Weight: 1.1 kg

27579003

Dimensions: (l) 650mm x (w) 150mm x (h) 70mm

### Grohe Tempesta Cube 110 Shower Rail Set 3 Sprays (Rain, Jet, Massage)


Do your bit for the planet while improving your showering routine no end – just fit this GROHE Tempesta Cube 110 shower set as part of your new-look bathroom. The 110x110mm hand shower features 3 sprays to suit different moods: soothing Rain eases stress, Massage invigorates, while the focused Jet is ideal for rinsing hair after shampooing. All are easy to access using the innovative GROHE SmartSwitch diverter on the back of the shower head. GROHE DreamSpray technology ensures that the flow of water from every nozzle is equal, for a perfectly balanced spray pattern. The ShockProof silicone ring is there to prevent the hand shower itself, or the shower tray or bathtub, being damaged if it's dropped. GROHE Water

[...Read more online](#)

Range: [Tempesta Cube 110](#)







[27588003](#)

Weight: 0.625 kg

27588003

Dimensions: (l) 249mm x (w) 209mm x (h) 93mm

### Grohe Tempesta Cube 110 Wall Holder Set 3 Sprays (Rain, Jet, Massage)

Advanced design has been harnessed to improve everyday life in the shape of the GROHE Tempesta Cube 110 shower set. The 110x110mm hand shower features 3 sprays to suit different moments: soothing Rain eases stress, Massage invigorates, while the focused Jet is ideal for rinsing hair after shampooing. All are easy to access using the innovative GROHE SmartSwitch diverter on the back of the shower head. The GROHE DreamSpray technology matches the flow of water from each nozzle, for a uniform spray pattern. GROHE Water Saving technology significantly reduces water usage without compromising on performance. A minimum of 1.0 bar of pressure is recommended. GROHE SpeedClean enables you to brush the nozzles free of limescale with just a finger. The [...Read more online](#)

Range: [Tempesta Cube 110](#)



[26399001](#)

Weight: 0.583 kg


26399001

Dimensions: (l) 209mm x (w) 93mm x (h) 237mm

### Grohe Vitalio Wall Holder Set 2 Sprays (Rain, Jet)

More comfort, advanced features and a modernised look make the GROHE Vitalio Comfort 110 shower set the ideal DIY bathroom upgrade. The 110mm hand shower features 2 sprays to suit different moments: soothing Rain eases stress, while the focused Jet is ideal for rinsing hair after shampooing. Both are easy to access using the innovative GROHE SmartSwitch diverter on the back of the shower head. The GROHE DreamSpray technology matches the flow of water from each nozzle, for a uniform spray pattern. It's water efficient too, with the GROHE Water Saving flow limiter that significantly reduces water consumption without compromising on performance. A minimum of 1.0 bar of pressure is recommended. GROHE SpeedClean enables you to brush the nozzles free [...Read more online](#)

Range: [Vitalio](#)



[263992431](#)

Weight: 0.726 kg


263992431

Dimensions: (l) 235mm x (w) 210mm x (h) 90mm

### Grohe Vitalio Wall Holder Set 2 Sprays (Rain, Jet)

More comfort, advanced features and a striking look make the GROHE Vitalio Comfort 110 shower set in matt black an attractive upgrade in every respect. The 110x110mm hand shower features 2 sprays to suit different moments: soothing Rain eases stress, while the focused Jet is ideal for rinsing hair after shampooing. Both are easy to access using the innovative GROHE SmartSwitch diverter on the back of the shower head. The GROHE DreamSpray technology matches the flow of water from each nozzle, for a uniform spray pattern. It's efficient too, with the GROHE Water Saving flow limiter that significantly reduces water consumption without compromising on performance. A minimum of 0.2 bar of pressure is recommended. GROHE SpeedClean enables you to brush [...Read more online](#)

Range: [Vitalio](#)



[G-27940000](#)

Weight: 0.27 kg


G-27940000

Dimensions: (l) 226mm x (w) 105mm x (h) 60mm

### Grohe Vitalio Start 100 Hand shower 1 spray

Rain GROHE Water-Saving 5.7 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater universal mounting system, fitting all standard shower hoses min. recommended pressure 1.0 bar 5 color packaging

Range: [Vitalio Start 100](#)



[G-27950000](#)

G-27950000

Weight: 0.68 kg

Dimensions: (l) 209mm x (w) 94mm x (h) 237mm

### Grohe Vitalio Start 100 Wall holder set 2 sprays

consisting of: Vitalio Start 100 hand shower (27 946) Vitalio Universal wall shower holder, non-adjustable (27 958) shower hose VitalioFlex Trend 1750 mm 1/2 x 1/2 (28 742) GROHE Water-Saving 5.7 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar 5 color packaging

Range: [Vitalio Start 100](#)



[27940001](#)

27940001

Weight: 0.285 kg

Dimensions: (l) 240mm x (w) 110mm x (h) 55mm

### Grohe Vitalio Start 110 Hand Shower 1 Spray

Bring your old bathroom back to life with the instant makeover that is the GROHE Vitalio Start 110 hand shower. The 110mm hand shower delivers the soothing Rain spray to gently enclose you in a soft but steady flow, as the GROHE DreamSpray technology matches the flow of water from each nozzle, for a uniform spray pattern. The ShockProof silicone ring protects the hand shower itself, or the shower tray or bathtub, from damage if it's accidentally dropped. Its crisp good looks and premium performance will last for years – the shower features GROHE SpeedClean silicone nozzles that can be cleared of limescale and dirt with a brush of your finger and the GROHE Long-Life finish is hard-wearing and easy [...Read more online](#)

Range: [Vitalio Start 110](#)



[27950001](#)

27950001

Weight: 0.68 kg

Dimensions: (l) 240mm x (w) 210mm x (h) 95mm

### Grohe Vitalio Start 110 Wall Holder Set 2 Sprays (Rain, Jet)

Offering ultimate convenience and updated styling, the GROHE Vitalio Start 110 shower set will instantly lift your showering experience and your bathroom's look. The 110mm hand shower features 2 sprays to suit different moments: soothing Rain eases stress, while the focused Jet is ideal for rinsing hair after shampooing. Both are easy to access using the innovative GROHE SmartSwitch diverter on the back of the shower head. The GROHE DreamSpray technology matches the flow of water from each nozzle, for a uniform spray pattern. It's water efficient too, with the GROHE Water Saving flow limiter that significantly reduces water consumption without compromising on performance. A minimum of 1.0 bar of pressure is recommended. GROHE SpeedClean enables you to brush the [...Read more online](#)

Range: [Vitalio Start 110](#)



[28741002](#)

28741002





Weight: 0.275 kg

Dimensions: (l) 225mm x (w) 205mm x (h) 45mm

### Grohe VitalioFlex Shower Hose

Easy to clean and a great addition to a chic bathroom scheme, the GROHE VitalioFlex Trend shower hose is designed to be trouble-free from the moment it arrives. And with a length of 1500mm it's ideal for a shower system or shower rail set. This sturdy hose is built to revel in hard work and can withstand water pressure up to 5 bar, tension up to 50kg and heat up to 70°C. The smooth surface is easy to clean – one quick wipe with a dry cloth and it looks as good as new – and it won't cause any damage if it comes into contact with the shower cubicle or bathtub. The AntiFold design ensures it won't bend and [...Read more online](#)

Range: [Vitalioflex](#)





287412432

Weight: 0.32 kg

287412432

Dimensions: (l) 225mm x (w) 205mm x (h) 45mm

### Grohe VitalioFlex Shower Hose

Stylish, easy to clean and built to last, the GROHE VitalioFlex Trend shower hose in matt black is designed to be trouble-free from the moment it arrives. And with a length of 1500mm it's ideal for a shower system or shower rail set. This sturdy hose revels in hard work and can withstand water pressure up to 5 bar, tension up to 50kg and heat up to 70°C. The smooth surface is easy to clean – one quick wipe with a dry cloth and it looks as good as new – and it won't cause any damage if it bumps into the shower cubicle or bathtub. The AntiFold design ensures it won't bend and end up with annoying kinks. Installation

Range: [Vitalioflex](#)



## Shower Heads

[G-27492000](#)

Weight: 0.77 kg

G-27492000

Dimensions: (l) 255mm x (w) 255mm x (h) 110mm

### Grohe Euphoria Cosmopolitan 180 Head shower 1 spray

Rain Ø 180 mm ball joint 15deg rotatable connection thread 1/2 GROHE Water-Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life chrome finish SpeedClean anti-lime system suitable for instantaneous heater

Range: [Euphoria Cosmopolitan 180](#)



[G-27705000](#)

Weight: 0.53 kg

G-27705000

Dimensions: (l) 205mm x (w) 70mm x (h) 210mm

### Grohe Euphoria Cube 150 Head shower 1 spray

Rain 152 x 152 mm ball-joint, rotation angle 12deg connection thread 1/2 GROHE Water-Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater

Range: [Euphoria Cube 150](#)



[G-26066A00](#)

Weight: 4.91 kg





G-26066A00

Dimensions: (l) 390mm x (w) 370mm x (h) 100mm

### Grohe Rainshower Head shower set 380 mm, 1 spray

The generous wall-mounted GROHE Rainshower Cosmopolitan 310 Head shower set in Hard Graphite with 380mm arm adds instant designer style and premium performance to any bathroom. The system is also packed with GROHE's cutting edge technology. GROHE DreamSpray ensures the flow of water from every nozzle is even – perfect for enjoying the shower's soft PureRain Spray – while GROHE EcoJoy cuts water usage but guarantees complete showering satisfaction. DropStop is a great function that prevents any drips from the head shower once it is horizontal and the valve is closed. The handy silicone SpeedClean nozzles are easy to keep free of dirt and limescale. And the Inner WaterGuide prevents the surface of the shower from getting hot as well

Range: [Rainshower](#)



[G-26483000](#)

G-26483000

Weight: 1.33 kg

Dimensions: (l) 160mm x (w) 135mm x (h) 130mm

**Grohe Rainshower Universal rough-in box, 1/2**

for head shower set 26 475 / 26 477 / 26 479 / 26 481 2 inlets, 1/2 installation depth 75-105 mm connection unit in DR brass stable build-in box and protective cover leakproof housing gasket integrated flushing plug without set for final installation

Range: [Rainshower](#)



[G-27479000](#)

G-27479000

Weight: 2.78 kg

Dimensions: (l) 300mm x (w) 300mm x (h) 95mm

**Grohe Rainshower Allure 230 Head shower 1 spray**

Rain 230 x 230 mm material: metal ball joint with turning angle 15deg connection thread 1/2 GROHE DreamSpray perfect spray pattern GROHE Long-Life chrome finish SpeedClean anti-lime system suitable for instantaneous heater

Range: [Rainshower Allure 230](#)



[26876000](#)

26876000

Weight: 2.88 kg

Dimensions: (l) 300mm x (w) 300mm x (h) 95mm

**Grohe Rainshower Aqua 230 Head Shower 1 Spray**

Rain 230 x 230 mm material: metal ball joint with turning angle  $\pm 15^\circ$  connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system

Range: [Rainshower Aqua 230](#)



[G-27134000](#)

G-27134000

Weight: 0.78 kg

Dimensions: (l) 240mm x (w) 200mm x (h) 125mm

**Grohe Rainshower Cosmopolitan 160 Head shower 4 sprays**

Rain, Jet, Pure, Champagne spray  $\varnothing$  160 mm ball joint with turning angle 15deg connection thread 1/2 GROHE DreamSpray perfect spray pattern GROHE Long-Life chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 0.5 bar The head shower is suitable for minimum flow rate of 7.5 l/min and a maximum of 25 l/min (DIN EN 1112). Minimum pressure

Range: [Rainshower Cosmopolitan 160](#)



[G-26052000](#)

G-26052000

Weight: 2.2 kg

Dimensions: (l) 255mm x (w) 255mm x (h) 110mm

**Grohe Rainshower Cosmopolitan 210 Head shower set 286 mm, 1 spray**

consisting of: Rainshower Cosmopolitan 210 metal head shower (28 368 000) 1 spray pattern: Rain shower arm Rainshower 286 mm (28 576) GROHE DreamSpray perfect spray pattern GROHE Long-Life chrome finish SpeedClean anti-lime system suitable for instantaneous heater starting at 0.5 bar flow pressure

Range: [Rainshower Cosmopolitan 210](#)



**G-28368000**

Weight: 1.66 kg

G-28368000

Dimensions: (l) 250mm x (w) 250mm x (h) 110mm

### Grohe Rainshower Cosmopolitan 210 Head shower 1 spray

Rain starting at 0.5 bar flow pressure Ø 210 mm material: metal with ball joint rotation angle 15deg connection thread 1/2 GROHE DreamSpray perfect flow GROHE Long-Life chrome finish SpeedClean anti-lime system suitable for instantaneous heater This head shower should only be used in conjunction with shower arm 28 384, 28 497 28 576 or 28 724!

Range: [Rainshower Cosmopolitan 210](#)



**G-26066GN0**

Weight: 4.91 kg

G-26066GN0

Dimensions: (l) 390mm x (w) 370mm x (h) 105mm

### Grohe Rainshower Cosmopolitan 310 Head shower set 380 mm, 1 spray

The generous wall-mounted GROHE Rainshower Cosmopolitan 310 Head shower set in Brushed Cool Sunrise with 380mm arm adds instant designer style and premium performance to any bathroom. The system is also packed with GROHE's cutting edge technology. GROHE DreamSpray ensures the flow of water from every nozzle is even – perfect for enjoying the shower's soft PureRain Spray – while GROHE EcoJoy cuts water usage but guarantees complete showering satisfaction. DropStop is a great function that prevents any drips from the head shower once it is horizontal and the valve is closed. The handy silicone SpeedClean nozzles are easy to keep free of dirt and limescale. And the Inner WaterGuide prevents the surface of the shower from getting hot as [...Read more online](#)

Range: [Rainshower Cosmopolitan 310](#)



**G-27477000**

Weight: 4.07 kg

G-27477000

Dimensions: (l) 370mm x (w) 390mm x (h) 75mm

### Grohe Rainshower Cosmopolitan 310 Head shower 1 spray

Rain Ø 310 mm material: metal ball joint with turning angle 20deg 20deg connection thread 1/2 GROHE DreamSpray perfect spray pattern GROHE Long-Life chrome finish SpeedClean anti-lime system suitable for instantaneous heater

Range: [Rainshower Cosmopolitan 310](#)



**G-26066AL0**

Weight: 4.89 kg

G-26066AL0

Dimensions: (l) 390mm x (w) 370mm x (h) 105mm

### Grohe Rainshower Cosmopolitan 310 Head shower set 380 mm, 1 spray

The generous wall-mounted GROHE Rainshower Cosmopolitan 310 Head shower set in Brushed Hard Graphite with 380mm arm adds instant designer style and premium performance to any bathroom. The system is also packed with GROHE's cutting edge technology. GROHE DreamSpray ensures the flow of water from every nozzle is even – perfect for enjoying the shower's soft PureRain Spray – while GROHE EcoJoy cuts water usage but guarantees complete showering satisfaction. DropStop is a great function that prevents any drips from the head shower once it is horizontal and the valve is closed. The handy silicone SpeedClean nozzles are easy to keep free of dirt and limescale. And the Inner WaterGuide prevents the surface of the shower from getting hot as [...Read more online](#)

Range: [Rainshower Cosmopolitan 310](#)





[G-27271000](#)

Weight: 2.53 kg

G-27271000

Dimensions: (l) 305mm x (w) 300mm x (h) 95mm

**Grohe Rainshower F-Series 10 Head shower 1 spray**

Rain 254 x 254 mm material: metal ball joint 20deg rotatable connection thread 1/2 GROHE DreamSpray perfect spray pattern GROHE Long-Life chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar

Range: [Rainshower F-Series 10](#)



[G-26479000](#)

Weight: 3.975 kg

G-26479000

Dimensions: (l) 430mm x (w) 340mm x (h) 195mm

**Grohe Rainshower SmartActive 310 Cube Head Shower Set 430 mm, 2 Sprays**

For that vital shower get your day started, as well as that calming routine to wind up the day, the GROHE Rainshower 310 SmartActive head shower has the functionality you need. It offers a choice of two spray options that you can switch between, or select together. There's the GROHE PureRain spray, which encloses you like soft summer rain, while the new GROHE ActiveRain pattern has the power to rinse out shampoo as well as giving you a stimulating head, neck and back massage. Select your spray pattern using the ergonomic push-turn button of the separately available Grohtherm SmartControl thermostat or GROHE SmartControl mixer. The square 310mm head shower is wall-mounted on a 400mm arm for complete coverage and optimum ...[Read more online](#)

Range: [Rainshower SmartActive 310 Cube](#)



[G-28002000](#)

Weight: 0.65 kg

G-28002000

Dimensions: (l) 110mm x (w) 65mm x (h) 150mm

**Grohe Relexa 70 Sports head shower 1 spray**

low aerosol emission heavy, casted model theft proof connection thread 1/2 projection 58 mm flow limiter 9 l/min. and 12 l/min. GROHE DreamSpray perfect spray pattern GROHE Long-Life chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suicide-resisting design pipe union plug-in for wall connection min. recommended pressure 1.0 bar

Range: [Relexa 70](#)



[G-26050001](#)

Weight: 0.33 kg

G-26050001


Dimensions: (l) 105mm x (w) 105mm x (h) 90mm

**Grohe Tempesta Head shower 1 spray**

Rain ball joint 15deg rotatable GROHE Water-Saving 5.7 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater

Range: [Tempesta](#)





[G-26687000](#)

Weight: 1.95 kg

G-26687000

Dimensions: (l) 310mm x (w) 305mm x (h) 90mm

### Grohe Tempesta Head Shower Set 380 mm, 1 Spray

Experience your bathroom as a more spacious, comfortable and chic space with the innovative features GROHE Tempesta 250 Cube head shower. This wall-mounted soft square head shower has a wide 250mm face, and 380mm shower arm, providing lots of space to spread out. It comes with the gentle, refreshing Rain Spray pattern, enhanced by GROHE DreamSpray, which keeps the flow from every nozzle equal and consistent, for a more enjoyable experience. A water-saving feature will appeal to those concerned about sustainability – the GROHE EcoJoy 9.5 l/min flow limiter saves water and money, while still providing a powerful, reliable spray. SpeedClean nozzles on the shower head can be brushed clean of limescale with a finger for easy maintenance. Inside an [...Read more online](#)

Range: [Tempesta](#)



[266872430](#)

Weight: 1.92 kg


266872430

Dimensions: (l) 310mm x (w) 300mm x (h) 90mm

### Grohe Tempesta Head Shower Set 380 mm, 1 Spray

The slim and stylish GROHE Tempesta 250 Cube head shower set in stunning matt black is designed with an expansive 250x250mm diameter face for even better coverage – but the additional features will enhance your showering routine too. The soft square shower head comes with a 380mm arm for wall-mounting and matching square escutcheon. It offers a gentle, relaxing Rain Spray, while GROHE DreamSpray technology ensures that the flow from each and every nozzle will be just right, making your shower as comfortable and delightful as can be. A 9.5 l/min flow limiter guarantees a perfect, powerful spray while saving you water and money. The SpeedClean nozzles are designed to brush free of limescale with a simple wipe. For safety, [...Read more online](#)

Range: [Tempesta](#)



[G-27606001](#)

Weight: 0.34 kg


G-27606001

Dimensions: (l) 105mm x (w) 105mm x (h) 90mm

### Grohe Tempesta 100 Head shower 4 sprays

GROHE Rain O<sup>2</sup>, Rain, Massage, Jet ball joint 15deg rotatable connection thread 1/2 GROHE Water-Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar

Range: [Tempesta 100](#)



[G-26666000](#)

Weight: 1.2 kg


G-26666000

Dimensions: (l) 310mm x (w) 305mm x (h) 95mm

### Grohe Tempesta 250 Head shower 1 spray

Rain Ø 250 mm head shower with white rear cover ball joint with turning angle 10deg connection thread 1/2 GROHE Water-Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar professional edition

Range: [Tempesta 250](#)



266682430

266682430

Weight: 1.74 kg

Dimensions: (l) 305mm x (w) 315mm x (h) 90mm

**Grohe Tempesta 250 Head Shower Set 380 mm, 1 Spray**

Step into a generous shower with the slim GROHE Tempesta 250 head shower set in eye-catching matt black, designed with an expansive 250mm face offering greater coverage and enjoyment. The round shower head comes with a 380mm arm for wall-mounting and matching round escutcheon. It offers a gentle, relaxing Rain Spray, while GROHE DreamSpray technology ensures that the flow from each and every nozzle will be just right, making your shower as comfortable and delightful as can be. A 9.5 l/min flow limiter guarantees a perfect, powerful spray while saving you water and money. The SpeedClean nozzles are designed to brush free of limescale with a simple wipe. For safety, an insulated Inner WaterGuide prevents the surface from getting too hot. [...Read more online](#)

Range: [Tempesta 250](#)[266692430](#)

266692430

Weight: 1.47 kg

Dimensions: (l) 305mm x (w) 315mm x (h) 93mm

**Grohe Tempesta 250 Head Shower Set Ceiling 142 mm, 1 Spray**

Give your bathroom a refreshing new dimension with the exciting good looks and smart features of the slim GROHE Tempesta 250 head shower set in eye-catching matt black. Designed with an expansive 250mm diameter face it gives a generous space under which to enjoy showering. The round shower head comes with a 142mm arm for ceiling-mounting and matching round escutcheon. It offers a gentle, relaxing Rain Spray, while GROHE DreamSpray technology ensures that the flow from each and every nozzle will be just right, making your shower as comfortable and delightful as can be. A 9.5 l/min flow limiter guarantees a perfect, powerful spray while saving you water and money. The SpeedClean nozzles are designed to brush free of limescale. [...Read more online](#)

Range: [Tempesta 250](#)[G-26685000](#)

G-26685000

Weight: 1.4 kg

Dimensions: (l) 310mm x (w) 300mm x (h) 95mm

**Grohe Tempesta 250 Cube Head shower 1 spray**

Rain 250 mm x 250 mm head shower with white rear cover ball joint with turning angle 10deg connection thread 1/2 GROHE Water-Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition

Range: [Tempesta 250 Cube](#)[G-26090001](#)

G-26090001

Weight: 0.49 kg

Dimensions: (l) 150mm x (w) 100mm x (h) 115mm

**Grohe Tempesta Cosmopolitan 100 Head shower set 3 sprays**

GROHE Rain O<sup>2</sup>, Rain, Massage ball joint 15deg rotatable shower arm with connection thread 1/2 escutcheon GROHE DreamSpray perfect spray pattern GROHE Long-Life chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater

Range: [Tempesta Cosmopolitan 100](#)[G-27541001](#)

G-27541001

Weight: 0.56 kg

Dimensions: (l) 215mm x (w) 215mm x (h) 75mm


**Grohe Tempesta Cosmopolitan 200 Head shower 1 spray**

spray pattern: Rain ball joint +/- 20° rotatable connection thread 1/2 suitable for instantaneous heater

Range: [Tempesta Cosmopolitan 200](#)



## Wall Outlets



[G-27704000](#)

G-27704000


Weight: 0.18 kg

Dimensions: (l) 70mm x (w) 70mm x (h) 55mm

**Grohe Euphoria Cube Shower outlet elbow, 1/2**

male thread protected against backflow GROHE Long-Life chrome finish

Range: [Euphoria Cube](#)



[G-27076000](#)

G-27076000


Weight: 0.18 kg

Dimensions: (l) 75mm x (w) 80mm x (h) 75mm

**Grohe Rainshower Shower outlet elbow**

male thread with square escutcheon protected against backflow GROHE Long-Life chrome finish

Range: [Rainshower](#)



[G-27057000](#)

G-27057000


Weight: 0.17 kg

Dimensions: (l) 75mm x (w) 80mm x (h) 70mm

**Grohe Rainshower Shower outlet elbow, 1/2**

male thread with round escutcheon protected against backflow GROHE Long-Life chrome finish

Range: [Rainshower](#)



[G-27057GN0](#)

G-27057GN0


Weight: 0.17 kg

Dimensions: (l) 75mm x (w) 75mm x (h) 75mm

**Grohe Rainshower Shower outlet elbow, 1/2**

GROHE's Rainshower outlet elbow (1/2") has a circular escutcheon that adds instant designer style to any bathroom. It protects against any backflow of water into your clean water supply. The GROHE StarLight coating is exceptionally durable and will keep its good looks for years to come. Part of our new Brushed Cool Sunrise bath collection, this stylish outlet elbow is the perfect finishing touch for anyone who wants to create a seamless bathroom design. It will look perfect with the GROHE Euphoria Cosmopolitan Stick hand shower (27400GN0), the GROHE Rainshower wall-holder (27074GN0) and the GROHE Silverflex shower hoses (28388GN0 & 28362GN0).

Range: [Rainshower](#)



[G-27057A00](#)

G-27057A00

Weight: 0.17 kg

Dimensions: (l) 72mm x (w) 80mm x (h) 78mm

**Grohe Rainshower Shower outlet elbow, 1/2**

GROHE's Rainshower outlet elbow (1/2") has a circular escutcheon that adds instant designer style to any bathroom. It protects against any backflow of water into your clean water supply. The GROHE StarLight coating is exceptionally durable and will keep its good looks for years to come. Part of our new Hard Graphite bath collection, this stylish outlet elbow is the perfect finishing touch for anyone who wants to create a seamless bathroom design. It will look perfect with the GROHE Euphoria Cosmopolitan Stick hand shower (27400A00), the GROHE Rainshower wall-holder (27074A00) and the GROHE Silverflex shower hoses (28388A00 & 28362A00).

Range: [Rainshower](#)



[G-27057AL0](#)

Weight: 0.17 kg

G-27057AL0

Dimensions: (l) 72mm x (w) 80mm x (h) 78mm

### Grohe Rainshower Shower outlet elbow, 1/2

GROHE's Rainshower outlet elbow (1/2") has a circular escutcheon that adds instant designer style to any bathroom. It protects against any backflow of water into your clean water supply. The GROHE StarLight coating is exceptionally durable and will keep its good looks for years to come. Part of our new Brushed Hard Graphite bath collection, this stylish outlet elbow is the perfect finishing touch for anyone who wants to create a seamless bathroom design. It will look perfect with the GROHE Euphoria Cosmopolitan Stick hand shower (27400AL0), the GROHE Rainshower wall-holder (27074AL0) and the GROHE Silverflex shower hoses (28388AL0 & 28362AL0).

Range: [Rainshower](#)



[G-28626000](#)

Weight: 0.17 kg

G-28626000

Dimensions: (l) 113mm x (w) 72mm x (h) 71mm

### Grohe Relexa Shower outlet elbow, 1/2

shower connection 1/2 wall connection 1/2 male thread GROHE Long-Life chrome finish with matt chrome cap

Range: [Relexa](#)



## Shower Arms

[G-28724000](#)

Weight: 0.3 kg

G-28724000

Dimensions: (l) 215mm x (w) 75mm x (h) 75mm

### Grohe Rainshower Shower arm ceiling 142 mm

connection thread 1/2 GROHE Long-Life chrome finish

Range: [Rainshower](#)



[G-27711000](#)

Weight: 0.28 kg

G-27711000

Dimensions: (l) 190mm x (w) 70mm x (h) 50mm

### Grohe Rainshower Shower arm ceiling 154 mm

material: metal connection thread 1/2 GROHE Long-Life chrome finish

Range: [Rainshower](#)



[G-27709000](#)

Weight: 0.45 kg

G-27709000

Dimensions: (l) 330mm x (w) 75mm x (h) 64mm

### Grohe Rainshower Shower arm 286 mm

material: metal connection thread 1/2 with square escutcheon and rectangular arm suitable for square Rainshower Allure and Euphoria Cube head shower GROHE Long-Life chrome finish

Range: [Rainshower](#)



[G-28576000](#)

Weight: 0.49 kg

G-28576000

Dimensions: (l) 330mm x (w) 100mm x (h) 75mm

### Grohe Rainshower Shower arm 286 mm

material: metal connection thread 1/2 suitable for all Rainshower head showers except Rainshower 400 mm GROHE Long-Life chrome finish

Range: [Rainshower](#)



**G-27488000**

Weight: 0.52 kg

G-27488000

Dimensions: (l) 330mm x (w) 100mm x (h) 75mm

### Grohe Rainshower Shower arm 275 mm

material: metal connection thread 1/2 with square escutcheon suitable for all Rainshower head showers except Rainshower 400 mm GROHE Long-Life chrome finish

Range: [Rainshower](#)



**G-28982000**

Weight: 1.19 kg

G-28982000

Dimensions: (l) 450mm x (w) 158mm x (h) 82mm

### Grohe Rainshower Shower arm 378 mm

material: metal connection thread 1/2 GROHE Long-Life chrome finish suitable for all Rainshower head showers

Range: [Rainshower](#)



**G-27851000**

Weight: 0.54 kg

G-27851000

Dimensions: (l) 80mm x (w) 40mm x (h) 420mm

### Grohe Tempesta Shower arm 400 mm

material: metal projection 400 mm connection thread 1/2

Range: [Tempesta](#)



## Shower Rails

**G-27523000**

Weight: 0.56 kg

G-27523000

Dimensions: (l) 680mm x (w) 125mm x (h) 42mm

### Grohe Tempesta Shower rail, 600 mm

with wall brackets, glider and swivel holder GROHE Long-Life chrome finish

Range: [Tempesta](#)



**275232431**

Weight: 0.512 kg

275232431

Dimensions: (l) 650mm x (w) 125mm x (h) 42mm

### Grohe Tempesta Shower Rail, 600 mm

Make light work of bathroom upgrades with the matt black GROHE Tempesta shower rail, made in Germany by GROHE. Engineered and finished to the highest standards, this 600mm rail has slim, stylish aesthetics and offers ease of use and installation. Matching our broad product range of the same colour, it comes with the GROHE Long-Life finish and is hard-wearing and easy to clean for a flawless surface that will last a lifetime. A gliding element with swivel holder makes adjusting the height and angle of the shower is super easy. And thanks to the GROHE FastFixation installation system the upper bracket is variable in height, meaning it can be fitted to existing drill holes.

Range: [Tempesta](#)





[27523001](#)

Weight: 0.55 kg

27523001

Dimensions: (l) 650mm x (w) 125mm x (h) 40mm

### Grohe Tempesta Shower Rail, 600 mm

Make light work of bathroom upgrades with the GROHE Tempesta shower rail, made in Germany by GROHE. Engineered and finished to the highest standards, this 600mm rail has subtle good looks and offers perfect ease of use and installation. Matching our broad hand shower range, it comes with the GROHE Long-Life finish and is hard-wearing and easy to clean for a durable yet dazzling surface. A gliding element with swivel holder makes adjusting the height and angle of the shower is super easy. And thanks to the GROHE FastFixation installation system the upper bracket is variable in height, meaning it can be fitted to existing drill holes.

Range: [Tempesta](#)



[G-27644001](#)

Weight: 1.11 kg

G-27644001

Dimensions: (l) 650mm x (w) 140mm x (h) 70mm

### Grohe Tempesta 100 Shower rail set 3 sprays

consisting of: hand shower (28 419) shower rail, 600 mm (27 523) Relaxaflex shower hose 1750 mm 1/2 x 1/2 (28 154) GROHE Water-Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar

Range: [Tempesta 100](#)



[G-27598001](#)

Weight: 1.14 kg

G-27598001

Dimensions: (l) 650mm x (w) 140mm x (h) 70mm

### Grohe Tempesta 100 Shower rail set 2 sprays

consisting of: hand shower Tempesta 100 II (27 597) shower rail, 600 mm (27 523) Relaxaflex shower hose 1750 mm 1/2 x 1/2 (28 154) GROHE DreamSpray perfect spray pattern GROHE Long-Life chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar

Range: [Tempesta 100](#)



[G-27579002](#)

Weight: 1.06 kg

G-27579002

Dimensions: (l) 655mm x (w) 145mm x (h) 75mm


### Grohe Tempesta Cosmopolitan 100 Shower rail set 3 sprays

consisting of: hand shower (27 574) shower rail, 600 mm (27 521) Relaxaflex shower hose 1750 mm 1/2 x 1/2 (28 154) GROHE Water-Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar

Range: [Tempesta Cosmopolitan 100](#)



## Trigger Sprays



[1025302431](#)

Weight: 0.461 kg


1025302431

Dimensions: (l) 205mm x (w) 45mm x (h) 226mm

### Grohe Tempesta Trigger Spray Set

AVAILABLE JUNE 25 consisting of: hand shower with trigger control wall shower holder Silverflex Long-Life shower hose 1250mm. GROHE Water Saving 5.7 l/min. flow limiter. GROHE Water Saving - Less water, perfect flow. SpeedClean anti-limescale system. Inner WaterGuide for a longer life. TwistStop to prevent hose from twisting min. recommended pressure 1 bar Please refer to local norms regarding installation.

Range: [Tempesta](#)



[G-26353000](#)

Weight: 0.49 kg


G-26353000

Dimensions: (l) 200mm x (w) 45mm x (h) 225mm

### Grohe Tempesta-F Trigger Spray 30 Wall holder set 1 spray

consisting of: hand shower with trigger control (27 512) wall shower holder (28 605) Silverflex Longlife shower hose 1500 mm (26 346) GROHE Long-Life chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting Please refer to local norms regarding installation.

Range: [Tempesta-F Trigger Spray 30](#)



[G-27512001](#)

Weight: 0.13 kg


G-27512001

Dimensions: (l) 193mm x (w) 94mm x (h) 44mm

### Grohe Tempesta-F Trigger Spray 30 Hand shower 1 spray

with trigger control GROHE Long-Life chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses Please refer to local norms regarding installation.

Range: [Tempesta-F Trigger Spray 30](#)



[G-27513001](#)

Weight: 0.45 kg


G-27513001

Dimensions: (l) 200mm x (w) 225mm x (h) 45mm

### Grohe Tempesta-F Trigger Spray 30 Wall holder set 1 spray

consisting of: hand shower with trigger control (27 512) wall shower holder (28 605) Silverflex Longlife shower hose 1250 mm (26 335) GROHE Long-Life chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting Please refer to local norms regarding installation.

Range: [Tempesta-F Trigger Spray 30](#)



[G-27514001](#)

Weight: 0.91 kg

G-27514001

Dimensions: (l) 230mm x (w) 210mm x (h) 92mm

### Grohe Tempesta-F Trigger Spray 30 Wall holder set with angle valve 1 spray

consisting of: hand shower with trigger control (27 512) wall shower holder (28 605) angle valve 1/2 (22 958) Silverflex Longlife shower hose 1250 mm (26 335) GROHE Long-Life finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting Please refer to local norms regarding installation.

Range: [Tempesta-F Trigger Spray 30](#)



[G-26354000](#)

G-26354000


Weight: 0.52 kg

Dimensions: (l) 225mm x (w) 205mm x (h) 45mm

**Grohe Tempesta-F Trigger Spray 30 Wall holder set 1 spray**

consisting of: hand shower with trigger control (27 512) wall shower holder (28 605) metal shower hose 1250 mm GROHE Long-Life chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Please refer to local norms regarding installation. Relaxaflex Metal Longlife shower hose 1250 mm

Range: [Tempesta-F Trigger Spray 30](#)



[G-26358000](#)

G-26358000


Weight: 0.68 kg

Dimensions: (l) 240mm x (w) 210mm x (h) 92mm

**Grohe Tempesta-F Trigger Spray 30 Wall holder set with self-closing angle valve, 1 spray**

consisting of: hand shower with trigger control (27 512) valve with integrated shower holder (26 333) Silverflex Longlife shower hose 1000 mm (26 334) GROHE Long-Life chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting Please refer to local norms regarding installation.

Range: [Tempesta-F Trigger Spray 30](#)





# GROHE THERMOSTATIC MIXERS





## Thermostatic Mixers

### [G-29119DA0](#)

Weight: 1.65 kg

G-29119DA0


Dimensions: (l) 200mm x (w) 180mm x (h) 243mm

#### Grohe Thermostat for concealed installation with 2 valves

Step into a shower or bath that will not disappoint with this Grohtherm SmartControl concealed thermostat in chic Warm Sunset. Delivering precision control for your shower and bath, the minimalist design will enhance any modern bathroom. The innovative SmartControl technology allows you to select your desired spray source and adjust the water volume at the push-turn of a button. The two valves mean you can switch effortlessly between – or combine – head and hand shower, or between shower and bath. Integrated GROHE TurboStat technology prevents any unpleasant temperature fluctuations. GROHE EasyLogic markings and textured buttons with exchangeable symbols make it easy and intuitive to use. Family-friendly, the GROHE SafeStop override button allows you to set a maximum temperature of

[...Read more online](#)

Range: [Grohe](#)



### [G-24078000](#)

Weight: 1.85 kg


G-24078000

Dimensions: (l) 245mm x (w) 200mm x (h) 180mm

#### Grohe Grohtherm Thermostatic mixer for 1 outlet with shut off valve

set for final installation for GROHE Rapido SmartBox (35 600/35 604) GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life chrome finish GROHE FastFixation escutcheon with covered shaft sealing and covered fixing metal escutcheon, retroactively 6deg adjustable GROHE SafeStop safety button at 38degC GROHE SafeStop Plus optional temperature limiter at 43degC or 46degC included built-in non return valves and dirt strainers ceramic stop valve, 120deg flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in set Recommended, to be used in conjunction with a main supply hot water loop

Range: [Grohtherm](#)



### [G-24075000](#)

Weight: 1.64 kg


G-24075000

Dimensions: (l) 200mm x (w) 180mm x (h) 243mm

#### Grohe Grohtherm Thermostatic mixer for 1 outlet

set for final installation for GROHE Rapido SmartBox (35 600/35 604) GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life chrome finish GROHE FastFixation escutcheon with covered shaft sealing and covered fixing metal escutcheon, retroactively 6deg adjustable GROHE SafeStop safety button at 38degC GROHE SafeStop Plus optional temperature limiter at 43degC or 46degC included built-in non return valves and dirt strainers ceramic stop valve, 120deg flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in set Recommended, to be used in conjunction with a main supply hot water loop

Range: [Grohtherm](#)




#### [G-29123000](#)

G-29123000

Weight: 1.85 kg

Dimensions: (l) 200mm x (w) 180mm x (h) 243mm



**Grohe Grohtherm SmartControl Thermostat for concealed installation with one valve** set for final installation for GROHE Rapido SmartBox (35 600/35 604) metal wall escutcheon with GROHE FastFixation (covered escutcheon and shaft sealing, covered fixing), retroactively 6deg adjustable GROHE Long-Life chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from Water-Saving to Full Flow, exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SafeStop safety button at 38degC GROHE SafeStop Plus optional temperature limiter at 43degC or 46degC included built-in non return valves and dirt strainers without roughing-in set flow performance: outlet A (to external shut-off) = 34 l/min outlet B/C = 29 l/min Recommended, to be used in conjunction with a main supply hot water loop

Range: [Grohtherm SmartControl](#)




#### [G-29124000](#)

G-29124000

Weight: 1.82 kg

Dimensions: (l) 200mm x (w) 180mm x (h) 243mm



**Grohe Grohtherm SmartControl Thermostat for concealed installation with 2 valves** set for final installation for GROHE Rapido SmartBox (35 600/35 604) metal wall escutcheon with GROHE FastFixation (covered escutcheon and shaft sealing, covered fixing), retroactively 6deg adjustable GROHE Long-Life chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from Water-Saving to Full Flow, exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SafeStop safety button at 38degC GROHE SafeStop Plus optional temperature limiter at 43degC or 46degC included built-in non return valves and dirt strainers multiple outlets can be run simultaneously without roughing-in set flow performance: outlet B = 24 l/min outlet C = 26 l/min outlet B+C = 29 l/min Recommended, to be used in conjunction with a main supply hot [...Read more online](#)

Range: [Grohtherm SmartControl](#)




#### [G-29126000](#)

G-29126000

Weight: 1.92 kg

Dimensions: (l) 200mm x (w) 180mm x (h) 243mm



**Grohe Grohtherm SmartControl Thermostat for concealed installation with 3 valves** set for final installation for GROHE Rapido SmartBox (35 600/35 604) metal wall escutcheon with GROHE FastFixation (covered escutcheon and shaft sealing, covered fixing), retroactively 6deg adjustable GROHE Long-Life chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from Water-Saving to Full Flow, exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SafeStop safety button at 38degC GROHE SafeStop Plus optional temperature limiter at 43degC or 46degC included built-in non return valves and dirt strainers multiple outlets can be run simultaneously without roughing-in set flow performance: outlet A = 23 l/min outlet B = 27 l/min outlet C = 23 l/min outlet A + B = 33 l/min outlet A + B [...Read more online](#)

Range: [Grohtherm SmartControl](#)






[G-29121AL0](#)

G-29121AL0

Weight: 1.6 kg

Dimensions: (l) 200mm x (w) 180mm x (h) 243mm



**Grohe Grohtherm SmartControl Thermostat for concealed installation with 3 valves**

Choose a thermostat that is as flexible as it is smart for a truly enjoyable bath or shower experience, every day. This Grohtherm SmartControl concealed thermostat in Brushed Hard Graphite has clean, cosmopolitan good looks, and lets you control multiple water sources at once. The innovative SmartControl technology allows you to select your desired spray source and adjust the water volume at the push-turn of a button. The three valves offer total flexibility, whatever your shower set up – you can control, switch between or even combine different spray patterns and water outlets – perfect for spaces where you want to have hand, head and side showers, as well as a bath. Integrated GROHE TurboStat technology prevents any unpleasant temperature [...Read more online](#)

Range: [Grohtherm SmartControl](#)



# GROHE TOILET VALVES & PIPES





## Toilet Flush Pipes

[G-37107000](#)

Weight: 0.5 kg

G-37107000

Dimensions: (l) 750mm x (w) 80mm x (h) 50mm

### Grohe Flush pipe

for WC flush valve Ø 28 x 26 mm 600 x 200 mm chrome plated brass flush pipe fixing device for distance to the wall from 15 - 85 mm connector

Range: [Grohe](#)



## Mechanisms

[G-37092000](#)

Weight: 0.46 kg

G-37092000

Dimensions: (l) 170mm x (w) 70mm x (h) 305mm

### Grohe Dally Filling valve

3/8 universal application with adaptor to facilitate installation into an extending narrow cistern cap, restrictor \*\*) max. shortening 100 mm

Range: [Dally](#)



[G-37095000](#)

Weight: 0.4 kg

G-37095000

Dimensions: (l) 390mm x (w) 240mm x (h) 70mm

### Grohe Dally Filling valve

3/8 universal application without adapter for the pipe connection cap, restrictor \*\*) max. shortening 100 mm

Range: [Dally](#)



## Toilet Flush Valves

[G-37153000](#)

Weight: 2.76 kg

G-37153000

Dimensions: (l) 415mm x (w) 295mm x (h) 142mm

### Grohe Rondo Flush valve for WC

concealed installation 3/4 stop valve 6 - 9 l adjustable flow pressure range from 1.2 - 5.0 bar with flow rate adjustment box for concealed installation with flush elbow flush pipe adjustable in length without flush plate/actuation low noise (group I acc. to German Noise Specification)

Range: [Rondo](#)



[G-37157000](#)

Weight: 2.6 kg






G-37157000

Dimensions: (l) 410mm x (w) 165mm x (h) 210mm


### Grohe Rondo Flush valve for WC

concealed installation 3/4 stop valve 6 - 14 l adjustable for low pressure for wash-down and wash-out bowls flow pressure range from 0.6 - 3.0 bar (min. static pressure 1.5 bar) with flow rate adjustment box for concealed installation with flush elbow flush pipe adjustable in length without flush plate/actuation volume needed: 1.6 l/sec

Range: [Rondo](#)







[G-37349000](#)

G-37349000

Weight: 1.74 kg

Dimensions: (l) 240mm x (w) 105mm x (h) 56mm

### Grohe Rondo Flush valve for WC

3/4 brass integrated stop valve GROHE Long-Life chrome finish for wash-down and wash-out bowls control cap and connection to plastic flush pipe with flow rate adjustment 6 - 9 l adjustable with escutcheon rubber connector with escutcheon flow pressure min 1.2 bar operating pressure max 5 bar low noise (group I acc. to German Noise Specification)

Range: [Rondo](#)



# GROHE TOILETS





## Actuation Plates

[G-38858000](#)

G-38858000

Weight: 0.46 kg

Dimensions: (l) 207mm x (w) 168mm x (h) 130mm

### Grohe Arena Cosmopolitan Flush plate

for dual flush or start & stop actuation for pneumatic discharge valve AV1 horizontal installation 156 x 197 mm made of ABS GROHE Long-Life chrome finish GROHE Water-Saving technology for less water and perfect flow for combination with Rapid SL and Uniset with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)

Range: [Arena Cosmopolitan](#)



[G-38844000](#)

G-38844000

Weight: 0.46 kg

Dimensions: (l) 207mm x (w) 168mm x (h) 130mm

### Grohe Arena Cosmopolitan Flush plate

for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical installation 156 x 197 mm made of ABS GROHE Water-Saving technology for less water and perfect flow GROHE Long-Life chrome finish for combination with Rapid SL and Uniset with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)

Range: [Arena Cosmopolitan](#)



[G-38966KF0](#)

G-38966KF0

Weight: 0.4 kg

Dimensions: (l) 200mm x (w) 160mm x (h) 110mm

### Grohe Even Flush plate

Designed in every detail to look good and perform brilliantly, the GROHE Even plate in stylish phantom black is perfect for modern bathrooms in its ability to save resources and enhance any design vision. It comes in a regular size (156 x 197 x 10mm) and a GROHE Long-Life finish that is durable and easy to clean. And it's eco-friendly, too. The GROHE Water Saving technology provides a perfect flow but also reduces your water consumption by up to 50%. The dual flush system allows you to select a flush volume of 3 or 5L (or 3 and 4.5L in some ceramic bodies) and it's possible to stop a full flush with the small button. Installation, which requires the standard revision [...Read more online](#)

Range: [Even](#)



[G-38765000](#)

G-38765000

Weight: 0.44 kg

Dimensions: (l) 207mm x (w) 168mm x (h) 130mm

### Grohe Nova Cosmopolitan Flush plate

for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of ABS GROHE Long-Life chrome finish GROHE Water-Saving technology for less water and perfect flow for combination with Rapid SL and Uniset with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)

Range: [Nova Cosmopolitan](#)



[G-38445SD0](#)

G-38445SD0

Weight: 0.6 kg

Dimensions: (l) 158mm x (w) 42mm x (h) 199mm

### Grohe Skate Flush plate, stainless steel

vertical installation 156 x 197 mm push button actuation plastic fixing frame hidden fixing screws

Range: [Skate](#)





**G-38573000**

Weight: 0.37 kg

G-38573000

Dimensions: (l) 206mm x (w) 166mm x (h) 107mm

**Grohe Skate Flush plate**

for single flush actuation for pneumatic discharge valve vertical and horizontal installation 156 x 197 mm made of ABS GROHE Long-Life chrome finish GROHE Water-Saving technology for less water and perfect flow

Range: [Skate](#)



**G-38672SD0**

Weight: 0.68 kg

G-38672SD0

Dimensions: (l) 207mm x (w) 168mm x (h) 130mm

**Grohe Skate Flush plate, stainless steel**

for single flush actuation vandal-proof for pneumatic discharge valve vertical installation 156 x 197 mm push button actuation plastic fixing frame hidden fixing screws GROHE Water-Saving technology for less water and perfect flow

Range: [Skate](#)



**G-37547000**

Weight: 0.33 kg

G-37547000

Dimensions: (l) 159mm x (w) 63mm x (h) 200mm

**Grohe Skate Flush plate**

vertical installation 156 x 197 mm manual activation push button actuation made of ABS GROHE Long-Life chrome finish

Range: [Skate](#)



**G-38505000**

Weight: 0.4 kg

G-38505000

Dimensions: (l) 207mm x (w) 168mm x (h) 130mm

**Grohe Skate Air Flush plate**

for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical installation 156 x 197 mm made of ABS GROHE Long-Life chrome finish GROHE Water-Saving technology for less water and perfect flow for combination with Rapid SL and Uniset with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)

Range: [Skate Air](#)



**G-38784SD0**

Weight: 0.4 kg

G-38784SD0

Dimensions: (l) 150mm x (w) 122mm x (h) 54mm

**Grohe Skate Cosmopolitan Flush plate, stainless steel**

manual activation for urinal set for final installation for Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 l adjustable low noise (group II according to German noise specification) plastic fixing frame hidden fixing screws

Range: [Skate Cosmopolitan](#)



**G-38732A00**

Weight: 0.44 kg

G-38732A00


Dimensions: (l) 206mm x (w) 166mm x (h) 107mm

**Grohe Skate Cosmopolitan Flush plate**

for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of ABS GROHE Long-Life finish GROHE Water-Saving technology for less water and perfect flow for combination with Rapid SL and Uniset with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)

Range: [Skate Cosmopolitan](#)





#### G-38732GN0

Weight: 0.44 kg

G-38732GN0

Dimensions: (l) 206mm x (w) 166mm x (h) 107mm

#### Grohe Skate Cosmopolitan Flush plate

for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of ABS GROHE Long-Life finish GROHE Water-Saving technology for less water and perfect flow for combination with Rapid SL and Uniset with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)

Range: [Skate Cosmopolitan](#)



#### G-38732000

Weight: 0.41 kg

G-38732000

Dimensions: (l) 206mm x (w) 166mm x (h) 107mm

#### Grohe Skate Cosmopolitan Flush plate

for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of ABS GROHE Long-Life chrome finish GROHE Water-Saving technology for less water and perfect flow for combination with Rapid SL and Uniset with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)

Range: [Skate Cosmopolitan](#)



#### G-38732GL0

Weight: 0.44 kg

G-38732GL0

Dimensions: (l) 206mm x (w) 166mm x (h) 107mm

#### Grohe Skate Cosmopolitan Flush plate

for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of ABS GROHE Long-Life finish GROHE Water-Saving technology for less water and perfect flow for combination with Rapid SL and Uniset with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)

Range: [Skate Cosmopolitan](#)



#### G-38845LS0

Weight: 0.94 kg

G-38845LS0

Dimensions: (l) 234mm x (w) 198mm x (h) 125mm

#### Grohe Skate Cosmopolitan Flush plate

with glass surface for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of security glass mounting set not suitable for flushing cistern 6 l GROHE Long-Life finish GROHE Water-Saving technology for less water and perfect flow for combination with Rapid SL and Uniset with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)

Range: [Skate Cosmopolitan](#)



#### G-38732P00

Weight: 0.44 kg





G-38732P00

Dimensions: (l) 206mm x (w) 166mm x (h) 107mm

#### Grohe Skate Cosmopolitan Flush plate

With the Skate Cosmopolitan plate, GROHE, a world leading brand for sanitary fittings, offers state-of-the-art flushing technology! This flush plate provides the perfect finishing touch to any cool and contemporary bathroom space. It comes with a regular size (156 x 197 x 10mm) and a matte GROHE StarLight finish that is durable and easy to clean. And it's eco-friendly, too! The dual flush system allows you to select a flush volume of either 3 or 6 litres (or 3 and 4.5 litres in some ceramic bodies) and it's possible to stop a full flush with the small button. The integrated GROHE EcoJoy flush technology reduces your water consumption by up to 50%! Installation, which requires the standard revision shaft, is [...Read more online](#)

Range: [Skate Cosmopolitan](#)



**G-38732AL0**

Weight: 0.44 kg

G-38732AL0

Dimensions: (l) 206mm x (w) 166mm x (h) 107mm

**Grohe Skate Cosmopolitan Flush plate**

for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of ABS GROHE Long-Life finish GROHE Water-Saving technology for less water and perfect flow for combination with Rapid SL and Uniset with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)

Range: [Skate Cosmopolitan](#)**G-38732SD0**

Weight: 0.64 kg

G-38732SD0

Dimensions: (l) 206mm x (w) 166mm x (h) 107mm

**Grohe Skate Cosmopolitan Flush plate, stainless steel**

With the Skate Cosmopolitan plate, GROHE, a world leading brand for sanitary fittings, offers state-of-the-art flushing technology! This flush plate in stainless steel provides the perfect finishing touch to any cool and contemporary bathroom space. It comes with a regular size (156 x 197 x 10mm) and a matte GROHE StarLight finish that is hard-wearing and easy to clean. And it's eco-friendly, too! The dual flush system allows you to select a flush volume of either 3 or 6 litres (or 3 and 4.5 litres in some ceramic bodies) and it's possible to stop a full flush with the small button. The GROHE EcoJoy flush technology reduces your water consumption by up to 50%! Installation, which requires the standard revision [...Read more online](#)

Range: [Skate Cosmopolitan](#)**G-38776SD0**

Weight: 0.67 kg

G-38776SD0

Dimensions: (l) 207mm x (w) 168mm x (h) 130mm

**Grohe Skate Cosmopolitan Flush plate, stainless steel**

for dual flush or start & stop actuation for pneumatic discharge valve horizontal installation 156 x 197 mm plastic fixing frame hidden fixing screws not suitable for GROHE Fresh GROHE Water-Saving technology for less water and perfect flow for combination with Rapid SL and Uniset with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)

Range: [Skate Cosmopolitan](#)**G-38732SH0**





Weight: 0.44 kg

G-38732SH0

Dimensions: (l) 206mm x (w) 166mm x (h) 107mm

**Grohe Skate Cosmopolitan Flush plate**

With the Skate Cosmopolitan plate, GROHE, a world leading brand for sanitary fittings, offers state-of-the-art flushing technology! This flush plate with a stylish Alpine White finish provides the perfect finishing touch to any cool and contemporary bathroom space. It comes with a regular size (156 x 197 x 10mm) and a hard-wearing GROHE StarLight coating that is durable and easy to clean. And it's eco-friendly, too! The dual flush system allows you to select a flush volume of either 3 or 6 litres (or 3 and 4.5 litres in some ceramic bodies) and it's possible to stop a full flush with the small button. The GROHE EcoJoy flush technology reduces your water consumption by up to 50%! Installation, which requires [...Read more online](#)

Range: [Skate Cosmopolitan](#)



**G-38732DA0**

Weight: 0.44 kg

G-38732DA0

Dimensions: (l) 206mm x (w) 166mm x (h) 107mm

### Grohe Skate Cosmopolitan Flush plate

for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of ABS GROHE Long-Life finish GROHE Water-Saving technology for less water and perfect flow for combination with Rapid SL and Uniset with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)

Range: [Skate Cosmopolitan](#)



**G-37059000**

Weight: 0.91 kg

G-37059000

Dimensions: (l) 335mm x (w) 205mm x (h) 100mm

### Grohe Surf Pneumatic actuation

GROHE Long-Life chrome finish remote hand actuation push button actuation with escutcheon Ø 100 mm vertical and horizontal installation flush plate Surf 156 x 197 mm pneumatic hose 1.50 m

Range: [Surf](#)



## Back-to-wall Pans

**G-39430000**

Weight: 15 kg

G-39430000

Dimensions: (l) 500mm x (w) 385mm x (h) 420mm

### Grohe Bau Floor standing WC

wash down rimless horizontal outlet flush volume 6/3 l including fixation set sanitary ware compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 898 000 (slim seat soft close)

Range: [Bau](#)



**G-39349000**

Weight: 19.1 kg

G-39349000

Dimensions: (l) 635mm x (w) 380mm x (h) 428mm

### Grohe Bau Floor standing WC for close coupled combination

wash down rimless horizontal outlet flush volume 6/3 l including fixation set cistern to be ordered separately sanitary ware compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 923 000 (slim seat soft close)

Range: [Bau](#)



## Bidet Seats

**G-39648SH0**

Weight: 5 kg






G-39648SH0

Dimensions: (l) 547mm x (w) 401mm x (h) 171mm


### Grohe Bau Manual bidet seat

It's never been easier to enjoy extra comfort and hygiene in the bathroom! Simply upgrade your U-shaped toilet with the brilliant Bau Ceramic Manual Bidet Seat. Sleek and stylish with a low profile, the Duroplast seat and lid are both soft-close and perfectly complement any cool and contemporary bathroom. Installation is easy, too, as it is fully manual so no electricity is needed. You can also add the Grohtherm Micro thermostat (34487000) if you want to enjoy warm water! For total comfort and effectiveness, the bidet seat comes with two sprays that both have adjustable strengths – the rear spray and the gentle lady shower with wider spray pattern. The spray arms are made from anti-bacterial material and they are [...Read more online](#)

Range: [Bau](#)



## Close Couple Suites



[G-39436000](#)

G-39436000


Weight: 9.56 kg

Dimensions: (l) 395mm x (w) 180mm x (h) 475mm

### Grohe Bau Exposed flushing cistern

bottom inlet and outlet concealed including flushing set sanitary ware

Range: [Bau](#)



[G-39437000](#)

G-39437000


Weight: 9.56 kg

Dimensions: (l) 395mm x (w) 180mm x (h) 475mm

### Grohe Bau Exposed flushing cistern

side inlet including flushing set sanitary ware

Range: [Bau](#)



[G-3948400H](#)

G-3948400H


Weight: 40 kg

Dimensions: (l) 700mm x (w) 387mm x (h) 424mm

### Grohe Cube Floor standing WC for close coupled combination

Inspired by the bold, simple shapes and dynamic lines of Cubism, the GROHE Cube Ceramic floor-standing 2 piece WC is ideal for minimalist schemes. Plus its innovative features make it a low-maintenance option. For greater hygiene and easy cleaning the innovative GROHE PureGuard finish inhibits bacteria growth while creating an ultra-smooth, dirt-repelling surface. In glossy Alpine White vitreous china, the WC's rimless technology gives germs nowhere to hide, also making cleaning easy and guaranteeing improved performance. The flush volume is 4.5/3L and the fully-skirted WC comes with a fixation set included. Your design ideas can be realized more easily thanks to GROHE Cube Ceramics matching perfectly with GROHE Skate Cosmopolitan flush plates and GROHE Rapid SL installation sets, ensuring complete [...Read more online](#)

Range: [Cube](#)



[G-39490000](#)

G-39490000

Weight: 13.6 kg

Dimensions: (l) 412mm x (w) 180mm x (h) 494mm


### Grohe Cube Exposed flushing cistern for close coupled combination

bottom inlet and outlet concealed including flushing set GROHE AV1 including fixation set sanitary ware

Range: [Cube](#)



## Wall Hung Pans



[G-39427000](#)

G-39427000

Weight: 16.1 kg


Dimensions: (l) 540mm x (w) 375mm x (h) 385mm

### Grohe Bau Wall hung WC

for concealed cistern wash down rimless horizontal outlet flush volume 6/3 l sanitary ware compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 898 000 (slim seat soft close)

Range: [Bau](#)





**G-39351000**

Weight: 22.28 kg

G-39351000

Dimensions: (l) 554mm x (w) 400mm x (h) 462mm

#### Grohe Bau Wall hung WC set

Bau Ceramic wall hung WC (39 427 000) for concealed cistern horizontal outlet wash down rimless flush volume 3/6 l sanitary ware Bau Ceramic WC seat (39 493 000) soft close quick release function detachable material: Duroplast including fixation set

Range: [Bau](#)



**G-39493000**

Weight: 2.16 kg


G-39493000

Dimensions: (l) 383mm x (w) 49mm x (h) 460mm

#### Grohe Bau WC seat soft close

with lid quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg compatible with all Bau Ceramic bowls

Range: [Bau](#)



**G-39492000**

Weight: 2.16 kg


G-39492000

Dimensions: (l) 383mm x (w) 49mm x (h) 460mm

#### Grohe Bau WC seat

with lid quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg compatible with all Bau Ceramic bowls

Range: [Bau](#)



**G-3924500H**

Weight: 29.8 kg


G-3924500H

Dimensions: (l) 383mm x (w) 375mm x (h) 584mm

#### Grohe Cube Wall hung WC

This wall-hung GROHE Cube Ceramic WC is perfect for modern aesthetics, with its deceptively simple form and dazzling finish, ideal for minimalist schemes. For greater hygiene and easy cleaning the innovative GROHE PureGuard finish inhibits bacteria growth while creating an ultra-smooth, dirt-repelling surface. In glossy Alpine White vitreous china, the WC's rimless technology gives germs nowhere to hide, also making cleaning easy and guaranteeing improved performance. The flush volume is 4.5/3L and the WC comes with a fixation set included. The GROHE Cube Ceramic collection has been designed for a seamless fit with GROHE Skate Cosmopolitan flush plates and GROHE Rapid SL installation sets, for complete aesthetic harmony and ultimate performance. By choosing GROHE ceramics you benefit from GROHE's global [...Read more online](#)

Range: [Cube](#)



**G-39488000**

Weight: 3.2 kg


G-39488000

Dimensions: (l) 383mm x (w) 49mm x (h) 460mm


#### Grohe Cube WC seat soft close

with lid quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg compatible with all Cube Ceramic bowls

Range: [Cube](#)







39577001

Weight: 3 kg

39577001

Dimensions: (l) 470mm x (w) 385mm x (h) 55mm

#### Grohe Essence WC Seat Soft Close

with lid quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg compatible with all Essence bowls

Range: [Essence](#)



[101037SH00](#)

Weight: 3.04 kg


101037SH00

Dimensions: (l) 415mm x (w) 65mm x (h) 515mm

#### Grohe Euro 2.0 WC seat and lid

AVAILABLE AUG/SEP 2025 material: UF slim design soft close function quick release function detachable including fixation set stainless steel hinges easy fixation from above compatible with Euro Ceramic 2.0 floor standing and wall hung bowls

Range: [Euro 2.0](#)



[101001SH00](#)

Weight: 29 kg


101001SH00

Dimensions: (l) 585mm x (w) 425mm x (h) 435mm

#### Grohe Euro 2.0 Wall hung toilet without seat and cover

AVAILABLE AUG/SEP 2025 Ideal for any modern bathroom is the GROHE Euro Ceramic wall-hung WC, designed for both practicality and style. The WC (measuring 540 x 374mm) incorporates rimless technology and comes in smooth Alpine White vitreous china, giving bacteria no chance to flourish. The Triple Vortex flush uses three water outlets to create a super powerful flush that is also silent and splash-free, while cleaning every corner of the bowl. The wall-hung style is ideal for keeping the floor clear and maximizing a sense of space. The flush volume is 5/3L and the WC comes with a fixation set included. Your design ideas can be realized more easily thanks to GROHE Euro Ceramics matching perfectly with GROHE Arena Cosmopolitan [...Read more online](#)

Range: [Euro 2.0](#)



[104583SH00](#)

Weight: 28 kg


104583SH00

Dimensions: (l) 565mm x (w) 392mm x (h) 66mm

#### Grohe Euro 2.0 Wall hung WC set soft square

AVAILABLE AUG/SEP 2025 dimensions: 372 x 553 mm height: 363 mm wash down horizontal outlet for concealed cistern flush volume 4.5/3 l HyperClean AquaCeramic rimless fully skirted bowl including fixation set

Range: [Euro 2.0](#)



[G-39206000](#)

Weight: 32.5 kg


G-39206000

Dimensions: (l) 520mm x (w) 390mm x (h) 410mm

#### Grohe Euro Ceramic Wall hung compact WC

for concealed cistern horizontal outlet GROHE Triple Vortex flushing technology wash down rimless flush volume 3/5 l 49 cm width including fixation set sanitary ware fully skirted with invisible fixation optional: PureGuard anti scale coating and anti bacterial glazing (00H) compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)

Range: [Euro Ceramic](#)



G-39330001

Dimensions: (l) 383mm x (w) 49mm x (h) 460mm

Range: Euro Ceramic

Dimensions: (l) 470mm x (w) 385mm x (h) 55mm

Range: [Euro Ceramic](#)

Dimensions: (l) 635mm x (w) 616mm x (h) 126mm

Range: GD2



Dimensions: (l) 1170mm x (w) 520mm x (h) 150mm


Range: Rapid SL



G-38584001

Weight: 16.13 kg

Dimensions: (l) 1171mm x (w) 527mm x (h) 219mm



### Grohe Rapid SL Element for WC, 1.13 m installation height

with flushing cistern GD 2, 6 - 9 l for free-standing installation, for on-the-wall installations or studded walls powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections lockable fixing material 2 WC fixing bolts fixing device for ceramic WC ceramics with small bearing area (less than 205 mm) require additional accessory 38 779 000 distance of fixing bolts 180/230 mm outlet bend Ø 90 mm depth adjustable reducer Ø 90/110 mm inlet and outlet connecting set flushing cistern GD 2, 6 - 9 l, containing following features: adjustment ex factory 6 l and 3 l pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush water supply from left/right or back ...[Read more online](#)

Range: Rapid SL




G-38863000

G-38863000

Weight: 4.28 kg

Dimensions: (l) 578mm x (w) 95mm x (h) 790mm



## Grohe Solo Flushing cistern for WC 80 mm

6 - 9 l adjustable pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush water supply connection from top low noise (group I acc. to German Noise Specification) with push fit flexible hose union angle valve 1/2" shortable inspection shaft including protection during construction phase, for vertical use fixing brackets without flush plate/actuation GROHE Water-Saving technology for less water and perfect flow for mounting of small flush plates please order revision shaft 40 949 000 (sold separately)

Range: Solo




G-38729000

G-38729000

Weight: 8.8 kg

Dimensions: (l) 850mm x (w) 570mm x (h) 145mm



## Grohe Uniset Element for WC with flushing cistern 80 mm

6 - 9 l adjustable pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush PE outlet bend Ø 80 mm inlet and outlet connecting set steel frame, hot galvanized, with 4 fixing brackets 2 WC fixing bolts distance of fixing bolts 180/230 mm fixing device for ceramic water supply connection from top low noise (group I acc. to German Noise Specification) with plaster base coating made of vinyl fleece angle valve 1/2" with push fit flexible hose union shortable inspection shaft including protection during construction phase, for vertical use for mounting of small flush plates please order revision shaft 40 949 000 (sold separately)

Range: Uniset




G-38415001

G-38415001

Weight: 8.14 kg

Dimensions: (l) 840mm x (w) 520mm x (h) 215mm



### Grohe Uniset Element for WC, 0.82 m installation height

with flushing cistern 6 - 9 l front or top actuation sound-insulating EPS module for masonry-in-rail adaptors for modular fixing for single or rail installation wall rail with fixing accessories for single installation 2 WC fixing bolts distance of fixing bolts 180/230 mm fixing device for ceramic outlet bend Ø 90 mm depth adjustable inlet and outlet connecting set flushing cistern 6 - 9 l containing the following features: pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush water supply from left/right or top low noise (group I acc. to German Noise Specification) insulated against condensation 1/2" water supply connection angle valve 1/2" shortable inspection shaft incl. protection during construction phase ...[Read more online](#)

Range: Uniset






[G-38643001](#)

G-38643001

Weight: 7.6 kg

Dimensions: (l) 1125mm x (w) 506mm x (h) 145mm




[G-38642001](#)

G-38642001

Weight: 8.8 kg

Dimensions: (l) 1125mm x (w) 506mm x (h) 145mm



### Grohe Uniset Element for WC with EPS housing and support feet

with flushing cistern GD 2, 6 - 9 l sound-insulating EPS module for masonry-in 830 x 470 x 130 mm rail adaptors for modular fixing wall rail with fixing accessories for single installation 2 WC fixing bolts distance of fixing bolts 180/230 mm fixing device for ceramic outlet bend Ø 90 mm depth adjustable reducer Ø 90/110 mm inlet and outlet connecting set flushing cistern GD 2, 6 - 9 l, containing following features: adjustment ex factory 6 l and 3 l pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush water supply from left/right/back or top low noise (group I acc. to German Noise Specification) insulated against condensation 1/2" water supply connection [...Read more online](#)

Range: [Uniset](#)




# GROHE URINAL VALVES & PIPES





## Urinal Flush Valves



[G-37396000](#)

Weight: 0.45 kg


G-37396000

Dimensions: (l) 200mm x (w) 150mm x (h) 60mm

### Grohe Rondo Press urinal flush valve

1/2 brass without stop valve GROHE Long-Life chrome finish with control cap and flush pipe connection 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent) with wall escutcheon flush pipe 200 mm operating pressure max 5 bar flow pressure min 1.0 bar

Range: [Rondo](#)



[G-37339000](#)

Weight: 0.92 kg

G-37339000

Dimensions: (l) 205mm x (w) 127mm x (h) 65mm

### Grohe Rondo Flush valve for urinal

1/2 brass integrated stop valve GROHE Long-Life chrome finish with control cap and flush pipe connection flow rate adjustment flush volume adjustable 1.0 - 4.0 l with wall escutcheon flush pipe 200 mm rubber connector with escutcheon flow pressure min 0.5 bar operating pressure max 5 bar

Range: [Rondo](#)






# GROHE URINALS





## Wall Hung Urinals



[G-39438000](#)

Weight: 12 kg


G-39438000

Dimensions: (l) 565mm x (w) 380mm x (h) 355mm

### Grohe Bau Urinal

Concealed inlet flush volume 1 l including fixation set sanitary ware for installation please order inlet connecting set G-37044000, urinal trap 39 732 000 (horizontal outlet) or 39 733 000 (vertical outlet), sold separately not compatible with temperature sensor 39 367 000

Range: [Bau](#)



[G-39439000](#)

Weight: 12 kg


G-39439000

Dimensions: (l) 565mm x (w) 380mm x (h) 355mm

### Grohe Bau Urinal

top inlet flush volume 1 l including fixation set sanitary ware for installation please order urinal trap 39 732 000 (horizontal outlet) or 39 733 000 (vertical outlet), sold separately

Range: [Bau](#)



[G-37338000](#)

Weight: 0.88 kg


G-37338000

Dimensions: (l) 230mm x (w) 210mm x (h) 165mm

### Grohe Rapido U GROHE Rapido U

roughing-in set for urinal for manual actuation or Tectron infra-red electronic 6 V or 230 V water group with stop valve flow pressure min 0.5 bar operating pressure max 10 bar flush aid functional unit checked ex factory water supply connections 1/2" outer thread connecting box for mains supply installation box with gasket fixing points for dry cladding and masonry-in shortable inspection shaft incl. protection

Range: [Rapido U](#)



[G-37321001](#)

Weight: 0.61 kg

G-37321001

Dimensions: (l) 250mm x (w) 185mm x (h) 65mm

### Grohe Tectron Infra-red electronic for urinal

with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC GROHE Long-Life finish cartridge with solenoid valve and dirt strainer front plate 116 x 144 mm flow pressure min 0.5 bar operating pressure max 10 bar 7 pre-set programs: auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flow time by hand or remote set for final installation for Rapido U CE approved

Range: [Tectron](#)



[G-37324001](#)

Weight: 0.62 kg


G-37324001

Dimensions: (l) 250mm x (w) 185mm x (h) 65mm

### Grohe Tectron Infra-red electronic for urinal

with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6 V lithium battery, type CR-P2 battery lifetime: approx. 7 years (150 actuations a day) GROHE Long-Life finish cartridge with solenoid valve and dirt strainer front plate 116 x 144 mm flow pressure min 0.5 bar operating pressure max 10 bar multistage battery status display 7 pre-set programs: auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flow time by hand or remote set for final installation for Rapido U or Rapido UMB CE approved

Range: [Tectron](#)




[G-37421000](#)

Weight: 1.24 kg

G-37421000

Dimensions: (l) 205mm x (w) 127mm x (h) 65mm




[G-37321SD1](#)

Weight: 0.66 kg

G-37321SD1

Dimensions: (l) 250mm x (w) 185mm x (h) 65mm




[G-37324SD1](#)

Weight: 0.75 kg

G-37324SD1

Dimensions: (l) 250mm x (w) 185mm x (h) 65mm




## Actuation Plates

[G-38804000](#)

Weight: 0.3 kg

G-38804000

Dimensions: (l) 150mm x (w) 122mm x (h) 54mm




**Grohe Nova Cosmopolitan Actuation plate**

manual activation for urinal set for final installation for Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 l adjustable low noise (group II according to German noise specification) GROHE Long-Life chrome finish

Range: [Nova Cosmopolitan](#)





[G-38784000](#)

G-38784000

Weight: 0.28 kg

Dimensions: (l) 122mm x (w) 49mm x (h) 150mm

**Grohe Skate Cosmopolitan Actuation plate**

manual activation for urinal set for final installation for Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 l adjustable low noise (group II according to German noise specification) GROHE Long-Life chrome finish

Range: [Skate Cosmopolitan](#)






# GROHE WASTES, TRAPS, & OVERFLOWS





## Basin Traps



**G-28912A00**

Weight: 0.93 kg


G-28912A00

Dimensions: (l) 390mm x (w) 130mm x (h) 65mm

**Grohe Trap 1 1/4**

for basins brass (screw-top for cleaning) large sliding escutcheon GROHE Long-Life finish

Range: [Grohe](#)



**G-65807GN0**

Weight: 0.35 kg

G-65807GN0


Dimensions: (l) 100mm x (w) 85mm x (h) 83mm

**Grohe Waste set with push-open plug**

with push-open cover for wash basins with overflow removable cover removable plug closable

GROHE Long-Life finish

Range: [Grohe](#)



**G-65807AL0**

Weight: 0.35 kg

G-65807AL0


Dimensions: (l) 105mm x (w) 85mm x (h) 85mm

**Grohe Waste set with push-open plug**

with push-open cover for wash basins with overflow removable cover removable plug closable

GROHE Long-Life finish

Range: [Grohe](#)



**G-65807DA0**

Weight: 0.35 kg

G-65807DA0


Dimensions: (l) 100mm x (w) 85mm x (h) 80mm

**Grohe Waste set with push-open plug**

with push-open cover for wash basins with overflow removable cover removable plug closable

GROHE Long-Life finish

Range: [Grohe](#)



**G-28912GN0**

Weight: 0.94 kg


G-28912GN0

Dimensions: (l) 390mm x (w) 130mm x (h) 65mm

**Grohe Trap 1 1/4**

for basins brass (screw-top for cleaning) large sliding escutcheon GROHE Long-Life finish

Range: [Grohe](#)



**G-28912AL0**

Weight: 0.94 kg

G-28912AL0

Dimensions: (l) 435mm x (w) 155mm x (h) 65mm

**Grohe Trap 1 1/4**

for basins brass (screw-top for cleaning) large sliding escutcheon GROHE Long-Life finish

Range: [Grohe](#)





[G-65807A00](#)

G-65807A00

Weight: 0.33 kg

Dimensions: (l) 100mm x (w) 80mm x (h) 80mm

### Grohe Waste set with push-open plug

with push-open cover for wash basins with overflow removable cover removable plug closable

GROHE Long-Life finish

Range: [Grohe](#)



[G-28920000](#)

G-28920000

Weight: 0.49 kg

Dimensions: (l) 210mm x (w) 125mm x (h) 70mm

### Grohe Trap 1 1/4

AVAILABLE JUNE 25 for basins with fixed dip tube wall connection sliding escutcheon

GROHE Long-Life chrome finish

Range: [Grohe](#)



[295032430](#)

295032430

Weight: 0.965 kg

Dimensions: (l) 390mm x (w) 140mm x (h) 65mm

### Grohe Bottle Trap, 1 1/4"

The GROHE bottle trap is a great addition for anyone who wants to create a seamless bathroom look with our comprehensive bathroom collection in striking matt black. The beautifully made brassware also comes with a large sliding escutcheon. The elegant profile makes it easy to keep clean and the durable, low-maintenance GROHE Long-Life finish will look pristine for a lifetime. GROHE Bottle Traps – a stylish finishing touch.

Range: [Grohe](#)



[1024642430](#)

1024642430

Weight: 0.25 kg

Dimensions: (l) 100mm x (w) 80mm x (h) 80mm

### Grohe Waste Set With Push-Open Plug

It's time to open your mind to new style ideas! Like this GROHE push-open waste set, which helps to create a seamless bathroom look when combined with our beautiful basin mixers in eye-catching matt black. The waste can be opened and closed with just a light push of your finger. And the durable, easy-care GROHE Long-Life finish of the removable cover will look pristine for a lifetime.

Range: [Grohe](#)



## Shower Wastes & Traps

[G-49534000](#)

G-49534000

Weight: 0.48 kg

Dimensions: (l) 290mm x (w) 130mm x (h) 130mm

### Grohe Waste set for universal shower tray




Ø 112 mm horizontal outlet GROHE Long-Life chrome finish flow rate 0.7 l/s (42 l/min)


according to DIN EN 274

Range: [Grohe](#)



## Urinal Traps





[G-39732000](#)

Weight: 0.24 kg


G-39732000

Dimensions: (l) 210mm x (w) 160mm x (h) 110mm

#### Grohe Urinal trap

horizontal trap Ø 50 mm flush volume 0.5 - 4 l middle inlet and outlet 80 mm for Bau Ceramic urinals 39 438 000 and 39 439 000 material: plastic

Range: [Grohe](#)



[G-39733000](#)

Weight: 0.24 kg

G-39733000

Dimensions: (l) 210mm x (w) 160mm x (h) 110mm


#### Grohe Urinal trap

vertical trap flush volume 2 - 4 l for Bau Ceramic urinals 39 438 000 and 39 439 000 material: plastic

Range: [Grohe](#)



### Basin Wastes



[G-40824000](#)

Weight: 0.15 kg

G-40824000

Dimensions: (l) 100mm x (w) 80mm x (h) 80mm


#### Grohe Waste set with push-open plug

AVAILABLE JUNE 25 for wash basins with overflow removable plug closable

Range: [Grohe](#)



### Bath Fillers/Overflows



[G-28995000](#)

Weight: 1.65 kg


G-28995000

Dimensions: (l) 445mm x (w) 410mm x (h) 170mm

#### Grohe Talento Connection set 3/4

with concealed anti-vacuum device consisting of: concealed pipe interrupter (A2 type, DIN 1988, part IV) 3.5 m flexible connection pipe (in 2 parts) without escutcheon (19 954)

Range: [Talento](#)



[G-28990000](#)

Weight: 1.09 kg


G-28990000

Dimensions: (l) 335mm x (w) 180mm x (h) 120mm

#### Grohe Talento Inlet-, pop-up and waste-system

for normal bath tubs without finishing trim set with bottle trap and 45deg-outlet-bend without anti-vacuum device installation acc. to DIN 1988 only with anti-vacuum device A2 type or Talentofill connection set (28 995)

Range: [Talento](#)



[G-19952000](#)

Weight: 0.21 kg

G-19952000


Dimensions: (l) 120mm x (w) 95mm x (h) 94mm

#### Grohe Talentofill Inlet-, pop-up and waste-system

set for final installation consisting of: escutcheon supply part waste plug fixing set in combination with Talentofill 28 990/28 991 GROHE Long-Life chrome finish

Range: [Talentofill](#)





[G-19952AL0](#)

G-19952AL0

Weight: 0.21 kg

Dimensions: (l) 120mm x (w) 95mm x (h) 94mm

**Grohe Talentofill Inlet-, pop-up and waste-system**


set for final installation consisting of: escutcheon supply part waste plug fixing set in combination with Talentofill 28 990/28 991 GROHE Long-Life finish

Range: [Talentofill](#)





Follow us



## QUALITY

***"No.1** most trusted brand  
in the sanitary industry" –*  
*Wirtschaftswoche, 2017*




## TECHNOLOGY

***"Top 50** companies  
to change the world" –*  
*Fortune Magazine, 2017*



## DESIGN

*Over **400 design awards**  
won since 2003*



## SUSTAINABILITY

***CSR Award winner** of the  
German Government, 2017*

**LIXIL AFRICA (Pty) Ltd,**  
Suite 8 and 9, Block F, Saint Andrews Office Park,  
0B Meadowbrook Lane, Epsom Downs Bryanston,  
Sandton, South Africa 2152