

SABS

Permit to Apply Certification Mark

Subject to the provisions of the Standards Act, 2008
(Act 8 of 2008), the relevant regulations made thereunder and the permit
conditions contained in the under mentioned schedules, this permit authorizes

**RMCOV SANITARY WARE CO LTD
NAN'AN CITY, FUJIAN, CHINA**

to apply the certification mark



in respect of the mark specification:

SANS 1067-1:2005

**TO: COPPER-BASED FITTINGS FOR COPPER TUBES
PART 1: COMPRESSION FITTINGS**

- This permit, including schedules 1 to 3 which form an integral part thereof;
- is issued without alteration;
 - is identified by the applicable permit number;
 - is subject to any condition or limitation contained therein;
 - is valid subject to ongoing compliance with permit conditions;
 - bears the embossed SABS Commercial seal. In the absence of the seal, the permit and the schedules shall be invalid; and
 - the permit may be authenticated by referring to the register of "Certified Clients" on the SABS Commercial website (www.sabs.co.za)

Permit Number 11302/17716

Effective Date 31 May 2021

Expiry Date 30 May 2024

Date of Original Registration 31 May 2021

Chief Executive Officer 

SCHEDULE TO PERMIT TO APPLY CERTIFICATION MARK

This permit is only applicable in respect of the permit holder, the factory, the mark specification, the commodity and the trade name or trade mark referred to in this schedule

1. Permit holder 1.1 Name 1.2 Name under which the business is conducted 1.3 Registration or the identity number	RMCOV Sanitary Ware Co Ltd RMCOV Sanitary Ware Co Ltd
2. Street address of factory at which the commodity is manufactured	Hi-Tech Industrial Park Luncang Town Nan'an City FUJIAN
3. Mark Specification with which the commodity is required to comply	SANS 1067-1 / SABS 1067-1 Copper-based fittings for copper tubes Part 1: Compression fittings
4. Description of commodity to which the certification mark may be applied, and Brand name or Trade mark which may be used in conjunction with the certification mark	Compression fittings - Type A COBRA
5. Quality management system with which consistent compliance is required	The quality management system relating to the production of the commodities identified in section 3 and 4 of this schedule must consistently meet the requirements of the nominated product specification, the requirements for a product certification system 5 certification scheme as per ISO 17067 and requirements of the general and specific permit conditions as detailed in schedules 2 and 3 of the permit

SABS

Permit number

11302/17716

SCHEDULE TO PERMIT TO APPLY CERTIFICATION MARK

This permit is only applicable in respect of the permit holder, the factory, the mark specification, the commodity and the trade name or trade mark referred to in this schedule

Schedule 1

Page 2 of 2

Record of amendments to permit

Original date of issue : 2021-05-31

Amendments

APPENDIX A "PERMIT TO APPLY CERTIFICATION MARK"

Permit number

11302/17716

Schedule 1

Page 1 of 1

SANS 1067-1:2005 COPPER-BASED FITTINGS FOR COPPER TUBES

15mm Cobra "Tee" compression 15 mm x 15 mm x 22 mm"
15mm Cobra "Female Tee" 15 mm x 15 mm x 1/2"
15mm Cobra "Equal Tee" compression 15 mm x 15 mm x 15 mm
15mm Cobra "Female 90° Elbow" 15 mm x 3/4"
15mm Cobra "Female 90° Elbow" 15 mm x 1/2"
15mm Cobra "Male 90° Elbow" 15 mm x 1/2"
15mm Cobra "90° Elbow" compression 15 mm x 15 mm
15mm Cobra "Stop End" 15 mm
15mm Cobra "Straight coupler" compression 15 mm x 15 mm
15mm Cobra "Straight coupler" Slip fitting 15 mm x 15 mm
15mm Cobra "Straight Male coupler" 15 mm x 3/4"
15mm Cobra "Straight Female coupler" 15 mm x 1/2"
15mm Cobra "Straight Female coupler" 15 mm x 3/4"
15mm Cobra "90° Elbow Female Wall Plate" 15 mm x 1/2"
15mm Cobra "Tee Female Wall Plate" 15 mm x 15 mm x 1/2"

22 mm Cobra "Tee-piece unequal"; C x C x C; (22 x 15 x15) mm
22 mm Cobra "Tee-piece unequal"; C x C x C; (22 x 22 x 15) mm
22 mm Cobra "Straight coupler"; C x MI; (22 mm x 3/4")
22 mm Cobra "Stop end"; C x Stop end; 22 mm
22 mm Cobra "Straight coupler" C x FI; (22 mm x 3/4")
22 mm Cobra "Straight coupler, slip fitting"; C x C; (22 x 22) mm
22 mm Cobra "Equal Tee"; C x C x C; (22 x 22 x 22) mm
22 mm Cobra "Tee-piece unequal"; C x C x FI; (22 mm x 22 mm x 3/4")
22 mm Cobra "Elbow"; C x FI; (22 mm x 3/4")
22 mm Cobra "Straight coupler"; C x C; (22 x 15) mm
22 mm Cobra "Straight coupler"; C x MI; (22 mm x 3/4")
22 mm Cobra "Elbow"; 90° C x MI; (22 mm x 3/4")
22 mm Cobra "Elbow"; 90° C x C; (22 x 22) mm
22 mm Cobra "Elbow"; 90° C x FI; (22 mm x 3/4")
22 mm Cobra "Elbow"; 90° C x C; (22 x 15) mm

28 mm Cobra "Stop end"; C x stop
28 mm Cobra "Tee-piece equal"; C x C x C; (28 x28 x 28) mm
28 mm Cobra "Elbow"; 90° C x C; (28 x 28) mm
28 mm Cobra "Straight coupler"; C x C; (28 x 28) mm
28 mm Cobra "Straight coupler" C x MI; (28 mm x 1")
28 mm Cobra "Elbow"; 90° C x MI; (28 mm x 1")

35 mm Cobra "Straight coupler"; C x C (35 x 35) mm
35 mm Cobra "Straight coupler"; C x MI; (35 mm x 1 1/4")
35 mm Cobra "Elbow"; 90° C x C; (35 x 35) mm

42 mm Cobra "Straight coupler"; C x C (42 x 42) mm
42 mm Cobra Elbow; 90° C x C; (42 x 42) mm
42 mm Cobra "Tee-piece equal"; C x C x C; (42 x 42 x 42) mm
42 mm Cobra "Straight coupler"; C x FI; (42 mm x 1 1/2")
42 mm Cobra "Straight coupler"; C x MI; (42 mm x 1 1/2")

SABS

**APPENDIX A
"PERMIT TO APPLY CERTIFICATION MARK"**

Permit number

11302/17716

Schedule 1

Page 2 of 1

SANS 1067-1:2005 COPPER-BASED FITTINGS FOR COPPER TUBES

54 mm Cobra "Straight coupler"; C x MI (42 mm x 2")

54 mm Cobra "Elbow"; 90° C x MI; (42 mm x 2")

54 mm Cobra "Elbow"; 90° C x C; (42 x 42) mm