


Cobra Cobra Float Valve



Range:	Cobra
Description:	Float valve with side inlet, rough brass. Includes: high-pressure MOH pattern, 319mm long arm, piston, backnut, replaceable 4.5mm I.D. nylon seat, 32mm long inlet, and 3/4 male inlet.
Product Code:	700-20/N
ERP Code:	FFLOHI20-7FT01
Barcode:	6002194052111
Product Features:	SABS Approved, 2 Year Warranty
Dimensions:	(l) 480mm x (w) 90mm x (h) 50mm
Package Weight:	0.65
CAD3D:	Download

Product Images



Flow Chart

COBRA FLOAT VALVES																									
Valve Specification							Flow Rate L/min																		
Sales Item	Size	Orifice Ø mm	Float Ø mm	Closing Pressure (kPa)	Arm Length	Total Length	Min. tank depth from inlet centre	SABS Specified minimum flow at:																	
								Pressure in kPa																	
				1/2V	3/4V			100 kPa	200 kPa	50	100	200	300	400	500	600	800	1000	1200	1400	1600	1800	2000		
MOH HP 700 - 2000 kPa	15 mm	2.7 ^{+0.1}	110	3600	4800	286	314	436	5	13	5.8	3.8	5.4	7.6	9.3										
	20 mm	4.5 ^{+0.15}	125	2400	3100	319	379.4	516.4	20	17.8	6.5	2.7	3.9	5.5	6.7	7.4	8.7	9.5	11	12.3	13.5	14.5	15.5	16.5	17.3
	25 mm	10	205	2700	3900	400	467.5	672.5	35	91.4	35	49	70	85	99	110	121	140	156	171	185	198	210	221	
	32 mm	11.1 ^{+0.1}	205	1900	2300	400	468.5	693.5	80	116	43	61	86	106	122	136	149	173	193	211	228	244	259	273	
	40 mm	14.3 ^{+0.1}	205	1200	1900	430	518.5	723.5	90	173	72	101	143	175	202	226	248	266	320	350	378	405	430	453	
	50 mm	16 ^{+0.1}	254	2300	3400	430	518.5	772.5	100	173	72	101	143	175	202	226	248	266	320	350	378	405	430	453	
MOH LP 710 - 600 kPa	15 mm	4.5 ^{+0.1}	110	2200	3200	286	314	436	5	13	5.8	3.8	5.4	7.6	9.3										
	Special																								
	15 mm	3.2 ^{+0.1}	110	3000	4000	286	314	436	20	5.8	3.8	5.4	7.6	9.3											
	20 mm	10	125	700	900	319	381.6	518.6	35	61.7	35	49	70	85											
	25 mm	13	205	2100	2800	400	467.5	672.5	80	96.3	59	84	118	145											
	32 mm	22.2 ^{+0.1}	205	850	850	400	468.5	693.5	90	256	172	244	345	422											
1212 715 HP	15 mm	2.5 ^{+0.1}	110	3600	4800	286	314	436	5	13	5.8	3.8	5.4	7.6	9.3										
	20 mm	6.35 ^{+0.4}	125	1800	2600	286	314	436	20	37															
	1212 720 LP	15 mm	4.5 ^{+0.15}	110	1800	2600	286	314	436	5	11.5														
		20 mm	10	125	600	1000	319	412.5	549.5	20	86														

12.4

COBRA watertech

Float Valves

Float Valves

cobra watertech

MOT



2 Year Warranty



SABS Approved